



Foster Boat Ramps - 30 days



Foster Project Detail - 7 days

- Forebay (inst)
- Forecast Forebay (6hr)
- Water Control Diagram
- Top of Flood Control (641)
- Top of Conservation (637)


- Inflow (15min)
- Forecast Inflow (6hr)
- Outflow (1hr)
- Forecast Outflow (6hr)




Foster Project Detail - 30 days

- Forebay (inst)
- Water Control Diagram
- Top of Flood Control (641)
- Top of Conservation (637)

- Inflow (15min)
- Outflow (1hr)




Foster Project Annual



Foster Project Temperatures - 7 days

- SSFO - South Santiam River near Foster (inst)
- SSFO - South Santiam River near Foster Average (1day)
- USACE Biological Reference Max*
- USACE Biological Reference Min*

- Percent TDG (inst)
- ODEQ Criterion at Project Outflow (110)




*The USACE Biological References for minimum and maximum temperatures are unofficial guidelines used by the USACE to compare with measured temperatures.

Foster Project Temperatures - 30 days

- SSFO - South Santiam River near Foster (inst)
- SSFO - South Santiam River near Foster Average (1day)
- USACE Biological Reference Max*
- USACE Biological Reference Min*

- Percent TDG (inst)
- ODEQ Criterion at Project Outflow (110)



*The USACE Biological References for minimum and maximum temperatures are unofficial guidelines used by the USACE to compare with measured temperatures.

Foster Project Temperatures - 365 days

- SSFO - South Santiam River near Foster Average (1day)
- USACE Biological Reference Max*
- USACE Biological Reference Min*



*The USACE Biological References for minimum and maximum temperatures are unofficial guidelines used by the USACE to compare with measured temperatures.

Foster Storage - 30 days

- Storage (inst)
- Rule Curve
- Top of Flood Control (60.8)
- Bottom of Multi-Purpose (31.1)

