

FPP Change Form

Change Request Number: 10TDA006

Date: February 5th, 2010

Proposed by: David Benner, FPC

Location of Change- TDA 2.1.1, General: The COE should ensure that this paragraph is inserted at all projects in the FPP.

Current Language:

2.1.1. Research, non-routine maintenance, other fish related activities, and construction activities will not be conducted within 100' of any fishway entrance or exit, or within 50' of any other part of the adult fishway, or directly in, above, or adjacent to any fishway, unless coordinated by the project, Portland District Operations and/or Planning, or CENWP Construction office through Fish Passage Operation and Maintenance Team (FPOM) and Fish Facility Design and Review Work Group (FFDRWG). Currently coordinated special operations related to research are described in Appendix A. Alternate actions will be considered by district and project biologists in conjunction with the Regional fish agencies on a case by case basis.

Proposed Language:

2.1.1. Research, non-routine maintenance, other fish related activities, and construction activities will not be conducted within 100' of any fishway entrance or exit, or within 50' of any other part of the adult fishway, or directly in, above, below, or adjacent to any fishway, unless coordinated by the project, Portland District Operations and/or Planning, or CENWP Construction office through Fish Passage Operation and Maintenance Team (FPOM) and Fish Facility Design and Review Work Group (FFDRWG). Currently coordinated special operations related to research are described in Appendix A. Alternate actions will be considered by district and project biologists in conjunction with the Regional fish agencies on a case by case basis.

Reason for Change: The space below fish ladders should be specifically identified as to not contain construction or other non-routine activities. The COE should ensure that this modified paragraph is inserted at all projects in the FPP.

Comments from others:

USFWS- I support the following change forms.

NOAA- Agree that this should be in all the project sections (although the term "adjacent" should already cover the area below the ladder)

CRITFC- agree with.

BPA- General: The COE should ensure that this paragraph is inserted at all projects in the FPP. -BPA recommends this to be placed on an FPOM agenda for additional discussion

Record of Final Action: approved for the 2010 FPP via email on 2/12/2010.