

PSMFC McNary Dam, P.O. Box 1230, Umatilla, Oregon 97882 Phone (541) 922-3630 Fax (541) 922-4101

McNary Temperature Report #1A June 15 - 16, 2011

A total of 11,770 juvenile salmonids were collected at the McNary Juvenile Fish Facility (JFF) for this two day period (Figure 1 and Table 1). Subyearling fall chinook accounted for 88.6% of the total collection. Daily flows for this two day averaged 499.6kcfs. There has been court ordered spill since April 10. Spill averaged 343.6kcfs. The system mortality averaged 1.0% and sample tank mortality averaged 3.6%. Mortalities are being enumerated from the separator, the sample tanks and the recovery raceway.




Figure 1: Collection and Mortality

Table 1: Collection and Mortality With Daily and Weekly Averages

	Mortality			Flow			Air Temp		Wind Speed	
	Collection	Sample	System	Total	Turbine	Spill	Avg.	Max.	Avg.	Max
6/15/11	0			498.9	146.0	348.2	61.3	70.6	6.4	25.0
6/16/11	11,770	3.64%	1.02%	500.3	156.6	339.0	61.3	75.4	3.7	27.0
Weekly										
Average	5,885	3.64%	1.02%	499.6	151.3	343.6	61.3	75.4	5.0	27.0

Fish are being bypassed back to the river with a 24-hour sample taken every other day until it is deemed necessary to transport. Units 2 and 7 have just come back online. Unit 10is now off for rewind. All orifices are open.

Air temperatures have been fairly cool at the McNary JFF, with an average of 61.3°F for two days. Maximum hourly air temperature was 75.4°F on June 16 (Figure 2). The minimum temperature was 48.0°F on June 16 at 6:00a.m. Winds averaged 5.0mph with gust peaking up to 27.0mph on June 16.




Figure 2: Weather and Forebay Water Temperature

There are 36 temperature probes located through out the Project and the JFF. These probes are set to record temperatures at 30-minute intervals. These probes are located at the following locations:

- 1) Forebay, near elevation 335 approximately 5 feet below the surface. These are attached to the pier noses in front of turbine units 1, 3, 5, 7, 8, 10, 12, and 14.
- 2) In front of spillbays 21, 17, 12, 7 and 2, approximately 5 feet below the surface. These probes are hung in the center of the spillbay, on the tailrace side.
- 3) Attached to the handrail in the center of the "B" turbine gatewell slots, approximately 2 to 3 feet below the surface, in all 14 turbine units.
- 4) Tailwater locations are at turbine unit 1 and 14 (tailrace), and the wingwall of the navigation lock. These were placed 5 feet below the water surface.
- 5) The collection channel had probes installed below turbine units 12, 8 and past unit 1 at the beginning of the transition screen.
- 6) The barge transportation dock.
- 7) Fish separator.
- 8) Transport holding raceway #1 at a depth of 2 3 feet.

Forebay water temperatures (Table 2) peaked this week with 57.1°F on June 16 at 4:30p.m., in front of unit 3. The average was 55.9°F across the forebay. Gatewell

water temperatures for all units combined averaged 55.8°F (Table 3). Gatewell temperatures peaked at 56.8°F on June 15 in unit 6 at 2:00p.m.

Table 2: Forebay Water Temperatures

Daily Average							Daily		
	1F	3F	5F	7F	8F	10F	12F	14F	Max
6/15/11	55.6	55.8	55.7	55.9	56.0	56.2	56.0	55.9	57.0
6/16/11	55.7	56.0	55.8	56.0	56.0	56.2	56.0	55.9	57.1
Weekly									
Average	55.6	55.9	55.7	55.9	56.0	56.2	56.0	55.9	57.1

Table 3: Gatewell Water Temperatures for Units 1, 7 & 14

	Daily Avg.			Daily Max.			Daily Min.		
	1	7	14	1	7	14	1	7	14
6/15/11	55.6	55.8	55.9	56.0	56.5	56.5	55.4	55.4	55.6
6/16/11	55.7	55.8	56.0	56.3	56.5	56.3	55.4	55.4	55.6
Average	55.7	55.8	56.0	37.7	40.0	42.3	37.3	39.3	41.7

The differences in temperatures between the gatewell at unit 1 and the gatewell at unit 14 are illustrated in Figure 3. This graph takes the temperature in the gatewell and subtracts unit 14 from that gatewell (unit 1 - 14). It then continues down the powerhouse subtracting unit 14 from each consecutive unit. A negative number indicates that unit 14 was the warmer unit. Conversely, a positive number indicates that unit 1 was warmer. This shows the reader the amount of variance from one end of the powerhouse to the other that can be seen through out a 24-hour period.




Figure 3: Gatewell Temperature Differentials for Units 1 - 14

Forebay differentials (Figure 4) are calculated by taking the forbay temperature and subtracting the corresponding gatewell temperature from it (1F – unit 1). A negative number would indicate that the gatewell was warmer. Conversely, a positive number indicates that the forebay is warmer. Again, this shows the reader the amount of variance that can be seen between the forebay and the gatewell through out a 24-hour period.




Figure 4: Temperature Differentials Between Forebay and Gatewell

Average water temperature in the collection channel was 55.9°F (Table 4) for these two days. A maximum temperature of 56.5°F was recorded June 15 at 2:00p.m. below Unit 12. Temperatures for the separator were lost (Table 5). The temperature in raceway #1 averaged 55.7°F with a high of 56.3°F July 16.

Table 4: Collection Channel Average and Maximum Water Temperatures

	Daily Avg.			Daily Max.			
	1	8	12	1	8	12	
6/15/11	55.7	55.9	56.0	56.1	56.5	56.5	
6/16/11	55.7	55.9	56.0	56.1	56.3	56.5	
Average	55.7	55.9	56.0	16.0	16.1	16.1	

Table 5: Raceway, Barge Dock and Separator Maximum and Average Water Temperatures

	Daily Avg.			Daily Max.			
	Separator	Raceway 1	Dock	Separator	Raceway 1	Dock	
6/15/11		55.7	55.7	-	56.1	56.1	
6/16/11		55.7	55.7		56.3	56.1	
Average		55.7	55.7		16.1	16.0	

Collection channel differentials (Table 6) are calculated by taking the forebay temperature and subtracting the collection channel temperature from it at the three corresponding points. This is an average of the variances between the forebay and the collection channel. A negative number indicates that the collection channel was warmer. A positive number indicates the forebay was warmer. The graph (Figure 5) shows the variance through out the week.

Table 6: Average Differences between Forebay and Collection Channel

	1	8	12
6/15/11	0.0	0.1	0.0
6/16/11	0.0	0.1	0.0
Average	0.0	0.1	0.0
Maximum	0.7	0.7	0.4
Minimum	-0.4	-0.2	-0.4




Figure 5: Temperature Differentials Between Forebay and Collection Channel