



McNary Temperature Report #5
July 10 - 16 2015

An estimated total of 69,836 juvenile salmonids passed the McNary Juvenile Fish Facility (JFF) (Figure 1 and Table 1). Subyearling fall chinook accounted for 99.9% of the passage. Daily flows for this week averaged 133.6kcfs. Spill averaged 66.9kcfs (50.1%). The sample mortality averaged 0.91% for the week. System mortality averaged 0.06%. Mortalities are being enumerated from the separator, sample tanks and raceway 9W, which is the recovery holding raceway before fish are released back to the river.




Figure 1: Collection and Mortality

Table 1: Collection and Mortality with Daily and Weekly Averages

	Mortality			Flow			Air Temp		Wind Speed	
	Collection	Sample	System	Total	Turbine	Spill	Avg.	Max.	Avg.	Max.
7/10/15	47,236	1.69%	0.08%	158.1	74.4	79.0	81.4	89.3	3.8	23.0
7/11/15	9,600	0.00%	0.00%	118.0	54.1	59.1	75.4	87.2	5.7	29.0
7/12/15	9,600	0.00%	0.00%	115.2	52.7	57.8	73.4	84.3	2.2	19.0
7/13/15	7,100	1.41%	0.01%	132.3	61.2	66.4	76.1	89.7	1.0	10.0
7/15/15	5,900	0.00%	0.10%	144.7	67.9	72.1	73.4	84.0	1.5	24.0
Weekly Average	17,459	0.91%	0.06%	133.6	62.0	66.9	75.9	89.7	2.4	29.0

During this report week, air temperatures averaged 75.9°F. Maximum hourly air temperature was 89.7°F, July 14 at 8:00pm (Figure 2). The minimum temperature was 63.1°F, July 16 from 6:00 until 7:00am. Winds averaged 2.42mph, with gust peaking up to 29.0mph, July 11.




Figure 2: Weather and Forebay Water Temperature

There are 37 temperature probes located throughout the Project and the JFF. These probes are set to record temperatures at 30-minute intervals. These probes are located at the following locations:

- 1) Forebay, near elevation 335 approximately 5 feet below the surface. These are attached to the pier noses in front of turbine units 1, 3, 5, 7, 8, 10, 12, and 14.
- 2) In front of spillbays 22, 17, 12, 7 and 2, approximately 5 feet below the surface. These probes are hung in the center of the spillbay, on the tailrace side.
- 3) Attached to the handrail in the center of the “B” turbine gateway slots, approximately 2 to 3 feet below the surface, in all 14 turbine units.
- 4) Tailwater locations are at turbine unit 1 and 14 (tailrace), and the wingwall of the navigation lock. These were placed 5 feet below the water surface.
- 5) The collection channel had probes installed below turbine units 12, 8 and past unit 1 at the beginning of the transition screen.
- 6) The barge transportation dock.
- 7) Fish separator.
- 8) Sample fish recovery raceway #9W.
- 9) Sample holding tank.

Forebay water temperatures (Table 2) peaked this week with 77.4°F, July 10 at 12:30am in front of unit 1. The average was 73.0°F across the forebay. Gateway water temperatures for all units combined averaged 72.2°F (Table 3). Gateway temperatures peaked with 76.6°F, July 10 in unit 1 at midnight.

Table 2: Forebay Water Temperatures

	Daily Average								Daily Max
	1F	3F	5F	7F	8F	10F	12F	14F	
7/10/15	74.1	73.1	73.1	72.6	73.5	73.2	72.3	73.3	77.4
7/11/15	73.2	72.9	72.9	72.8	73.0	73.0	72.6	73.1	74.1
7/12/15	72.8	72.5	72.4	72.2	72.4	72.5	72.0	72.6	74.8
7/13/15	73.5	73.0	72.9	72.8	73.1	72.9	72.7	73.4	75.4
7/14/15	74.3	74.0	73.8	73.6	73.9	73.7	73.3	73.8	76.3
7/15/15	73.9	73.5	73.1	72.6	73.5	72.5	72.3	72.9	75.6
7/16/15	72.9	72.5	72.3	72.1	72.6	72.3	72.0	72.5	73.6
Weekly Average	73.5	73.1	72.9	72.7	73.1	72.9	72.5	73.1	77.4

Table 3: Gatewell Water Temperatures for Units 1, 7 & 14

	Daily Avg.			Daily Max.			Daily Min.		
	1	7	14	1	7	14	1	7	14
7/10/15	74.0	70.9	72.6	76.6	71.2	75.4	72.3	70.5	72.0
7/11/15	73.4	71.4	72.7	74.5	72.1	73.6	72.7	70.7	72.0
7/12/15	73.0	71.7	72.1	74.1	72.0	72.7	72.3	71.4	71.8
7/13/15	73.4	71.3	72.5	75.4	71.6	74.5	72.7	71.1	72.1
7/14/15	74.2	71.0	73.1	76.3	71.8	75.0	71.8	70.7	71.6
7/15/15	73.8	70.9	72.3	75.2	71.6	74.5	72.0	70.7	71.4
7/16/15	73.2	70.9	72.0	74.1	71.2	72.7	72.1	70.9	71.4
Weekly Average	73.6	71.2	72.5	75.2	71.7	74.0	72.3	70.9	71.8

The differences in temperatures between the gatewell at unit 1 and the gatewell at unit 14 are illustrated in Figure 3. This graph takes the temperature in the gatewell and subtracts unit 14 from that gatewell (unit 1 – 14). It then continues down the powerhouse subtracting unit 14 from each consecutive unit. A negative number indicates that unit 14 was the warmer unit. Conversely, a positive number indicates that unit 14 was cooler. This shows the reader the amount of variance from one end of the powerhouse to the other that can be seen throughout a 24-hour period.




Figure 3: Average Gatewell Temperature Differentials for Units 1 - 14

Forebay differentials (Figure 4) are calculated by taking the forebay temperature and subtracting the corresponding gatewell temperature from it (1F – unit 1). A negative number would indicate that the gatewell was warmer. Conversely, a positive number indicates that the forebay is warmer. Again, this shows the reader the amount of variance that can be seen between the forebay and the gatewell throughout a 24-hour period.




Figure 4: Average Temperature Differentials between Forebay and Gatewell

Average water temperature in the collection channel was 72.7°F (Table 4) for the 13week. A maximum temperature of 75.0°F was recorded below Unit 1, July 6 from 10:30 until 11:30pm. Temperatures at the separator averaged 71.9°F for the week with a maximum daily temperature of 72.7°F (Table 5). The sample holding tank had a high of 72.9°F, July 13 from 10:00 until 11:00pm. The average was 72.0°F. The temperature in raceway 9W averaged 71.7°F.

Table 4: Collection Channel Average and Maximum Water Temperatures

	Daily Avg.			Daily Max.		
	1	8	12	1	8	12
7/10/15	73.6	71.8	72.0	74.7	73.4	73.6
7/11/15	73.7	71.9	72.0	73.8	72.1	72.1
7/12/15	73.8	71.9	72.0	74.1	72.1	72.1
7/13/15	73.9	72.0	72.1	75.0	73.6	74.1
7/14/15	74.2	72.7	72.9	74.8	73.8	73.8
7/15/15	73.6	72.0	72.3	74.5	72.7	73.0
7/16/15	73.6	71.9	72.1	73.8	72.1	72.5
Weekly Average	73.8	72.0	72.2	74.4	72.8	73.0

Table 5: Separator, Sample Holding Tank and Recovery Raceway 9W Maximum and Average Water Temperatures

	Daily Avg.			Daily Max.		
	Separator	Raceway 9W	Sample Tank	Separator	Raceway 9W	Sample Tank
7/10/15	71.8	71.7	71.9	72.7	72.5	72.7
7/11/15	72.0	71.8	72.0	72.3	72.1	72.3
7/12/15	71.9	71.8	72.0	72.0	71.8	72.1
7/13/15	71.9	71.8	72.0	72.7	72.7	72.9
7/14/15	72.1	72.0	72.2	72.7	72.7	72.7
7/15/15	71.7	71.6	71.8	72.3	72.3	72.5
7/16/15	71.8	71.6	71.9	72.0	71.8	72.0
Weekly Average	71.9	71.7	72.0	72.4	72.3	72.4

Collection channel differentials (Table 6) are calculated by taking the forebay temperature and subtracting the collection channel temperature from it at the three corresponding points. This is an average of the variances between the forebay and the collection channel. A negative number indicates that the collection channel was warmer. A positive number indicates the forebay was warmer. The graph (Figure 5) shows the variance throughout the week.

Table 6: Average Differences between Forebay and Collection Channel

	1	8	12
7/10/15	0.5	1.8	0.3
7/11/15	-0.5	1.1	0.6
7/12/15	-1.0	0.5	0.1
7/13/15	-0.4	1.1	0.5
7/14/15	0.0	1.3	0.4
7/15/15	0.3	1.5	0.0
7/16/15	-0.7	0.6	0.0
Average	-0.2	1.1	0.3
Maximum	2.7	3.2	2.0
Minimum	-2.3	-0.4	-1.6




Figure 5: Average Temperature Differentials between Forebay and Collection Channel