CENWP-OD-B 29 February 2016

MEMORANDUM FOR Biologist, Operations Division (CENWP-OD)

SUBJECT: Bonneville Project, Fishway and Fish Activities for <u>Week 09</u> of 2016, which covers the period from <u>21 to 27 February 2016</u>.

## 1. OPERATION SUMMARY:

- a. Daily average river flows ranged from 175.3 to 236.8 kcfs. Daily average powerhouse forebay elevation ranged from 74.1' to 74.9' msl. Daily average project tailwater ranged from 16' to 19.6' msl. Secchi disk measurements ranged from 4' to 6'. Daily average water temperature ranged from 41° to 42° F.
- b. Spill bay 1 is open 0.5' during daytime hours to provide attraction flow to the Cascades Island fish ladder. Daily average spill was 0.5 kcfs.
  - (1) Spill bay 18 was closed at 1830 on 04 December for the Bradford Island (B-Branch) winter maintenance dewatering.
- c. Unit Operation. Powerhouse two remains the priority powerhouse. Main unit draw downs are measured every Monday and more frequently as needed.

(1)	) Tabl	e 1.	Unit (	Outages.
-----	--------	------	--------	----------

OOS Date	RTS Date	Reason	
0721 on 18 Feb	1740 on 25 Feb	Annual overhaul	
0103 on 22 Feb	0159 on 22 Feb	Support Bank 7/8 switching	
0103 on 22 Feb		Annual, Bank 7/8 outage, MUB	
		replacement	
0103 on 22 Feb		Annual, Bank 7/8 outage	
0104 on 22 Feb	0200 on 22 Feb	Support Bank 7/8 switching	
0702 on 22 Feb	1127 on 22 Feb	STS installation	
1129 on 22 Feb	1427 on 22 Feb	STS installation	
1429 on 22 Feb	1650 on 22 Feb	STS installation	
0631 on 23 Feb	0951 on 23 Feb	STS installation	
0953 on 23 Feb	1209 on 23 Feb	STS installation	
1212 on 23 Feb	1453 on 23 Feb	STS installation	
0659 on 24 Feb	1106 on 23 Feb	STS installation	
1153 on 24 Feb	1624 on 24 Feb	STS installation	
0002 on 24 Feb	1848 on 25 Feb	Servo leak repair	
	0103 on 22 Feb 0103 on 22 Feb 0103 on 22 Feb 0104 on 22 Feb 0702 on 22 Feb 1129 on 22 Feb 1429 on 22 Feb 0631 on 23 Feb 0953 on 23 Feb 1212 on 23 Feb 0659 on 24 Feb 1153 on 24 Feb	0721 on 18 Feb       1740 on 25 Feb         0103 on 22 Feb       0159 on 22 Feb         0103 on 22 Feb          0104 on 22 Feb       0200 on 22 Feb         0702 on 22 Feb       1127 on 22 Feb         1129 on 22 Feb       1427 on 22 Feb         1429 on 22 Feb       1650 on 22 Feb         0631 on 23 Feb       0951 on 23 Feb         0953 on 23 Feb       1209 on 23 Feb         1212 on 23 Feb       1453 on 23 Feb         0659 on 24 Feb       1106 on 23 Feb         1153 on 24 Feb       1624 on 24 Feb	

d. Fish Units. Second Powerhouse fish units provide attraction flow for the Washington Shore (WS) fish ladder.

- (1) F2 was taken out of service for a 2 year overhaul at 0001on 15 Dec. At 0707 Powerhouse 2 went to single fish unit ops, and the NUE gate was closed.
- (2) The fish units were placed on standby to float trash, or to allow trash to be raked on units 17 and 18 without causing debris to be pulled to the fish units, during the following times:

F1: 2210 on 21 Feb to 0001 on 22 Feb. F2: 1850 on 21 Feb to 0413 on 22 Feb. 1532 to 1649 on 22 Feb.

(3) Table 2. Fish unit drawdowns, in feet.

Date	F1	F2
02/21	I	0.9'
02/22	I	1.2'
02/23	I	0.2'
02/24	I	0.2'
02/25	I	0.4'
02/26	-	0.4'
02/27		0.1'

## 2. ACTIVITIES:

- a. <u>Auxiliary Water System Closures</u> None.
- b. <u>STS/VBS inspections</u>
  All STS/VBS are removed.
- c. <u>Dewatering and Fish Salvages</u>
   The Bradford Island fishway was re-watered at 1335 on 25 Feb.

## 3. RESEARCH:

- a. Normandeau Fish Counting
   Visual counting ended and video counting began on 01 December.
- b. Fisheries Field Unit--Pinniped Observation

## 4. FISHWAYS:

- a. Project biologists inspected 22, 24 and 25 February.
- b. Fish passage plan observations.
  - (1) Table 3. FPP out of criteria items.

Date	Location	FPP Items	Cause	Response				
BRADFORD ISLAND – Dewatered.								
CASCADES ISLAND								
WASHINGTON SHORE								
2/16- 2/18	PH2 entrance gates	Submergence levels < 13'	Single fish unit ops	none				

- (2) A-branch diffuser FG3-3 was mechanically bound. Repairs were not possible until A-branch was dewatered below tailwater during the 2015/16 winter maintenance period. It has now been mechanically repaired and is operational.
- (3) PH2CC diffuser A2 was unable to be repaired during winter maintenance 2014/15 and remains closed. It should be open when tailwater is above 13.0 msl. The gate for diffuser B5 was removed for repairs and therefore cannot be closed. It should be closed below tailwaters of 12.0 msl.
- c. <u>Fishway Temperatures</u>. Temperatures are taken from 01 March through 30 November. Forebay temperatures can be found <u>online</u>.
- d. <u>Zebra Mussel Monitoring</u>. No signs of colonization were observed this reporting week.
  - e. Avian Monitoring. Bird counts are made between 01 April and 31 October.
  - f. Adult Fishways.
    - (1) Fishway instrument calibration was checked on 25 February.
    - (2) 8 of 12 floating orifice gates (FOGs) are installed; 4 slots have bulkheads in place. FOG sea lion bars are installed. Powerhouse 2 adult fishway is

currently configured for a single fish unit operation in accordance with Table BON 12 in the FPP. On 22 Feb a FOG was found to have filled with water and sank. It was retrieved and a replacement installed by 23 Feb.

- (3) SLEDs were installed in the PH2 entrances on 26 October 2015. The PH1 SLEDs are in.
- (4) 8 SLIBs (Sea Lion Incursion Barriers) were installed on top of FOGs to prevent Sea Lions from jumping into the PH2 fishway on 11 February.

# g. Juvenile Fishways.

- (1) The ITS was closed from 0910-0930 on 23 Feb to float trash and 0733 to 0930 on 24 Feb for a floating boom installation at the Bradford Island fishway exit.
  - (2) The hydro-cannon remains off.
  - (3) The B2CC remained closed.
  - (4) The DSM remains in service.

## h. Lamprey Fishways.

- (1) All LPSs remain out of service.
- **5. CONSTRUCTION:** Nothing to report.
- **6. HAZMAT, SPILLS AND CLEANUP:** Nothing to report.

## 7. TELETYPES CURRENTLY IN EFFECT:

- a. A teletype sent on 30 March updates the spill caps and lack of load conditions to be used from 0000 on 01 April until further notice.
- b. A teletype sent on 06 January updated previous Chum tailwater operations. Effective immediately until further notice operate BON tailwater at a minimum of 12.5' for all hours. This operation is to protect Chum Redds below BON at the Ives/Pierce Island complex.
- c. A teletype sent on 29 January states that all 18 spillbays at Bonneville Dam will be out of service from 0600 to 1700 daily from 17 February through 25 February. These daily outages facilitate inspection of the gates.
- d. A teletype sent on 01 February updates one sent on 29 January (c. above) and states that spillbay 1 will remain open one stop for attraction flow during the 17-25

# February window.

e. A teletype sent on 17 Feb states that effective 22 Feb Bonneville may close spillbay 1 for up to four hours to accommodate an ROV survey near the Cascade Island fishway entrance.

JERRY A. CARROLL Operations Manager Bonneville Project