#### CENWP-ODB

MEMORANDUM FOR Biologist, Operations Division (CENWP-OD) SUBJECT: Bonneville Project, Fishway and Fish Activities for <u>Week 42</u> of 2018, which covers the period from <u>14 - 20 October</u>.

### 1. OPERATION SUMMARY:

a. Daily average river flows ranged from 86.4 to 104.3 kcfs. Daily average powerhouse forebay elevation ranged from 73.4' to 75.9' msl. Daily average project tailwater ranged from 7.7' to 9.2' msl. Secchi disk measurements ranged from 6.0' to 7.0'. Daily average water temperature ranged from 58°F to 61°F.

b. Daily average spill ranged from 1.1 to 1.2 kcfs.

c. Unit Operation. PH2 remains the priority powerhouse. Main unit drawdowns are measured every Monday and more frequently as needed.

Unit	OOS Date	RTS Date	Reason						
3	0700 on 18 Oct	1430 on 18 Oct	PO, log removal & dive work						
4	0700 on 18 Oct	1430 on 18 Oct	PO, log removal & dive work						
5	0700 on 18 Oct	1430 on 18 Oct	PO, log removal & dive work						
13	0702 on 01 Oct		PO, 4 year overhaul						

(1) Table 1. Main Unit Outages.

- d. Fish Units. Second Powerhouse fish units provide attraction flow for the Washington Shore (WS) fish ladder.
- (1) Fish Unit Outages. Nothing to report.
- e. Table 2. Fish unit drawdowns, in feet.

Date	F1	F2				
10/14	0.1'	0.4'				
10/15	0.1'	0.5'				
10/16	0.1'	0.5'				
10/17	0.2'	0.7'				
10/18	0.2'	0.4'				
10/19	0.2'	0.9'				
10/20	0.1'	0.6'				

# 2. MAINTENANCE ACTIVITIES:

# a. Auxiliary Water System Closures.

(1) FV1-1 was closed for cleaning from 0848 to 0915 and from 1037 to 1107 on 15 October.

- (2) FV3-7 was closed from 0737 to 0800 on 15 October.
- (3) FV3-9 was closed from 0737 to 0800 on 15 October.
- b. <u>STS/VBS Inspections</u>. Nothing to report.
- c. <u>Dewatering and Fish Salvages.</u> Nothing to report.

#### 3. RESEARCH:

- a. <u>Normandeau Fish counting</u>. Daytime visual counting (0500 to 2100) began on 01 April. Fish counts can be viewed <u>here.</u>
- b. <u>PSMFC Smolt Monitoring.</u> Sample collections at the Smolt Monitoring Facility began at 0700 on 02 March. Debris at the PDS and fish/debris separator was light to moderate consisting mostly of filamentous algae, aquatic macrophytes, sticks, and dead adult shad. GBT monitoring activities have concluded for the season. Please follow this <u>link</u> to the FPC web page for further details. Truck releases of summer/fall out-migrants originating from Snake River dams began on 16 August and are scheduled to occur every other day. Fallbacks observed this week: 5 salmon. No fish were collected for research this week.
- c. <u>University of Idaho.</u> Evaluation of adult Pacific Lamprey passage behavior in relation to lower Columbia River dam modifications, AFEP Study Code LMP-P-17-1 began on 11 May. Tagging operations concluded on 14 September.

# 4. FISHWAYS:

- a. Project biologists inspected from 15 20 October.
- b. Fish passage plan observations.

Location	FPP Violation	Cause	Response					
0/14 BON No Fishway Inspection		No personnel	NA					
Bradford Island								
A-Branch	Differential > 1.1'	Unknown	NA					
Cascades Island								
FG6-14	Diffuser Closed	FG6-11/12 closures	NA					
Washington Shore								
Weird 38	Differential < 0.9'	Unknown	NA					
	BON A-Branch FG6-14	BON   No Fishway Inspection     Bradford Island     A-Branch   Differential > 1.1'     Cascades Island     FG6-14   Diffuser Closed     Washington Shore	BON No Fishway Inspection No personnel   Bradford Island   A-Branch Differential > 1.1' Unknown   Cascades Island   FG6-14 Diffuser Closed FG6-11/12 closures   Washington Shore					

(1	I)	Table 3.	FPP	out	of	criteria	items.
----	----	----------	-----	-----	----	----------	--------

- (2) Bonneville had the majority of its avian lines broken due to ice storms during the 2016/17 winter. All zones had been installed besides PH2. PH2 lines are awaiting installation. Numerous lines have since been broken again by high flows and debris at Cascades Island and Spillway locations.
- (3) PH2 diffuser B4 was discovered to have its stem bent on 24 May 2017. This likely occurred while trying to close and the valve is believed to be open. It should be closed at tailwaters above 31.0' and below 11.0' msl.
- (4) On 01 May, FG6-11 was found broken partially open. The diffuser shaft had broken away from the motor. Due to the subsidence issues at Cascades Island, repairs cannot occur until crane support is allowed in the vicinity.
- (5) The South Downstream Entrance (SDE) and North Downstream Entrance (NDE) gates will not lower past 4' and 6', respectively. It is believed the gates pits are obstructed with sediment. They will be addressed during the winter maintenance period.
- (6) On 18 August, FG6-12 was found to be mechanically bound in the open position. FG6-12 should only be open with tailwaters ranging from 11.0'-33.0'. Due to the subsidence issues at Cascades Island, repairs cannot occur until crane support is allowed in the vicinity.
- (7) Weir gates 2 and 64 have been unable to maintain submergence level criteria when tailwaters are below 11.0' msl. This is due to the minimum elevations of 3.1' for WG-2 and 2.8' for WG-64.
- c. Adult Fishways.
  - (1) The AFF remains in service.
  - (2) Sensor calibration occurred on 16 October.
  - (3) SLEDs are installed at all entrances.
- d. Juvenile Fishways.
  - (1) The ITS remains in service.
  - (2) The hydro-cannon remains in service.
  - (3) The B2CC remains closed.
  - (4) The DSM remains in service.
  - (5) STSs are installed.

- e. Lamprey Fishways.
  - (1) The Bradford Island, Cascades Island, and WA Shore AWS LPSs remain in service.
  - (2) The NDE Lamprey Flume Structure (LFS) was taken out of service on 14 September.
  - (3) AFF lamprey trap was taken out of service on 14 September.
  - (4) The Bradford Island Lamprey Wetted Wall taken out of service on 10 September.
- f. Avian Monitoring. Avian counts are recorded 01 April 31 October.

Date	Gulls	Cormorants	Terns	Wh. Pelicans	Grebes
10/14					
10/15	0	0	0	0	0
10/16	17	163	0	0	0
10/17	21	135	0	0	0
10/18	24	51	0	0	0
10/19	25	155	0	0	0
10/20	21	160	0	0	0


(1) Table 4. Avian Counts.

#### 5. WATER QUALITY MONITORING:

a. <u>Fishway Temperatures</u>. Temperatures are taken from 01 March through 30 November.

	.,								
Date	A-Branch	B-Branch	BI Exit	WA Shore	AFF	SMF	<b>BI LPS</b>	CI LPS	WA AWS LPS
14-Oct	61.2	60.9	60.9	59.9	60.9	61.0	61.2	61.1	61.2
15-Oct	60.5	60.3	60.3	59.3	60.2	60.4	60.5	60.5	60.5
16-Oct	60.1	59.8	59.8	58.8	59.8	60.0	60.1	60.1	60.1
17-Oct	59.8	59.4	59.4	58.5	59.4	59.6	59.7	59.7	59.8
18-Oct	59.7	59.3	59.3	58.4	59.3	59.5	59.5	59.5	59.7
19-Oct	59.7	59.3	59.3	58.5	59.4	59.5	59.5	59.6	59.7
20-Oct	59.4	59.1	59.1	58.1	59.1	59.3	59.3	59.3	59.4

(1) Table 5. Average daily fishway water temperatures (Fahrenheit).



(2) Figure 1. Graph of fishway water temperatures (Fahrenheit).

b. <u>Zebra Mussel Monitoring.</u> No signs of colonization were observed this reporting week.

- 6. CONSTRUCTION: Nothing to report.
- 7. HAZMAT, SPILLS AND CLEANUP: Nothing to report.
- 8. TELETYPES CURRENTLY IN EFFECT:
  - a. A teletype sent on 30 August outlines the wintertime spill priority list and wintertime spill caps for all Columbia Basin projects and BPA.

MICHAEL ADAMS, P.E. Operations Manager Bonneville Project