The Dalles Dam Fishway Status Report

8/28/22

Inspection Period 8/21-8/27 2022

THE DALLES DAM



The Dalles Project-Fisheries P.O. Box 564 The Dalles, OR 97058-9998 Phone: 541-506-3800

The Delles Dem	Inspections	Criteria	Total Number of Ins		14	Temperature: 71.6 °F				
The Dalles Dam	OOC	Limit	Comments:	W155 failure	e RCC restricted FB	Weekly Ave. Secchi: 5.0				
NORTH FISHWAY										
Exit differential	0	≤ 0.5′								
Count station differential	0	≤ 0.3'								
Weir crest depth	0	1.0' ± 0.1'								
Entrance weir N1	0	depth (≥ 8')		10.2						
Entrance Differential	0	1.0' - 2.0'		1.3						
N2	0	Closed								
PUD Intake differential	0	≤ 0.5'								
			EAST FIS	HWA	Y					
Exit differential	0	≤ 0.5′								
Removable weirs 154-157	0	Per forebay	Note; 155 weir hoist fa	ailed. Foreb	pay restriction minimur	m 157' applied.				
Weir 158-159 differential	0	1.1' ± 0.1'			-	••				
Count station differential	0	≤ 0.3'	Count station pickets	plugging up	with weeds requiring	frequent raking to restore differential.				
153 Weir crest depth	0	1.3' ± 0.1'								
Junction pool weir JP6	0	> 7.0'	Weekly average	11.2						
East entrance differential	0	1.0' - 2.0'	Weekly average	1.4						
Entrance weir E1	0	No criteria	Weekly average	9.2						
Entrance weir E2	0	depth (≥ 8')	Weekly average	11.0						
Entrance weir E3	0	depth (≥ 8')	Weekly average	11.0						
Collection channel velocity	0	1.5 - 4 fps	1.82fps 8/20							
Transportation channel velocity	0	1.5 - 4 fps	4.04fps 8/20							
North channel velocity	0	1.5 - 4 fps	3.21fps 8/20							
South channel velocity	0	1.5 - 4 fps	4.69fps 8/20							
West entrance differential	0	1.0' - 2.0'	Weekly average	1.3						
Entrance weir W1	0	depth (≥ 8')	Weekly average	9.9						
Entrance weir W2	0	depth (≥ 8')	Weekly average	10.3						
Entrance weir W3	0	No criteria	Weekly average	-2.1						
South entrance differential	0	1.0' - 2.0'	Weekly average	1.4						
Entrance weir S1	0	depth (≥ 8')	Weekly average	10.0						
Entrance weir S2	0	depth (≥ 8')	Weekly average	9.8	Problem w	ith gate S2 TR to TDE, unresolved.				
			JUVENILE	BYPAS	SS					
Sluicegate operation	0	Units 1, 8, 18	Pattern per FPP.							
Turbine trashrack drawdown	0		8/22/22 All MUs in criteria FUs being monitored for differential.							
Spill volume/pattern	0	1 to 22	Pattern per FPP according to volume.							
Turbine Unit Priority	0	per FPP								
Gatewells	0		8/23/22, live adult shad observed in many gatewells. Some shad mortality.							

Current Outages

T10 (MU19 & 20) FOOS through 10/27/2022 due to acetylene levels

MU12 OOS 0001 4/12/2021 - 1700 10/27/2022 for Annual & Cooler Upgrades

MU14 OOS 07/18/2022 0811 - 08/25/2022 1700, 6YEAR

MU13 OOS 08/15/2022 0630 - 08/25/2022 1230, OPTIC J-BOX OIL LEAK ON BANK T7

9 of 23 spillgates out of service for various maintenance needs

Maintenance

East fishladder weir 155 hoist failed in down position. Starting deassembly. Return to service Jan 2023, Forebay restriction 157.

Permanent oil boom reinstall planned for this winter. Plan to extend to cover AWS intake.

Calibrations on east fishway entrances. S-1 and S-2, E-1" out of calibration. All in criteria.

Spillway assessment (MRER); Spillgates 1- 9 rehab 2034. Includes spillbay 9 trunnion pin repair. Spillway crane first priority Fish unit rehab Phase 1A awaiting funding.

AWS intake trashrack debris management - PDT reviewing alternatives.

Fish unit Intake and entrance grating to be ROV inspection Aug16. Discovered unusual amount of old vegetation buildup.

Predators

USDA hazing by shore and daily counts completed. Planning post season meeting.

Planning removal of bass/walleye/catfish from all dewaterings for gut sample analysis. Permit process not started yet.

Large numbers of pelicans departed project and Three Mile Creek area.

Northern Pikeminnow Management Program Columbia River Dam Angling & Site-Specific Fishery. 49 for the week 7/25-7/31 w/ 440 YTD

Research/Construction/Contractors

USGS river temperatures link August

4 peaks counting 4/1-10/31

Planned improvements to tribal lamprey trapping equipment. Reduced to bare minimum due to funding constraints

Pikeminnow removal program

Fish Accords Lamprey Passage plan ongoing at 90% due 09/01 DDR junction pool LPS. Investigating mods for entrance and exit weirs.

PTAGIS fishladder data collection at count stations continues.

Lamprey translocation project reporting 872 captures/YTD-traps pulled-operation closed 7/23-8/10 due to 100° temperatures

Zebra mussel sampling completed 8/15. No mussels detected on substrate in ladders.

Operations

Ice Trash sluiceway endgate open. Sluicegates 1,8,18 open per FPP.


East and North fishways in full service

Approved by: Ron Twiner, Operation Project Manager, The Dalles Dam


Bird Count Zones, Avian Lines and Laser Deterrent Sites







The pelicans are gone for this year!



	USGS°F			
Sun	71.4			
Mon	71.6			
Tue	71.5			
Wed	71.7			
Thurs	71.9			
Fri	71.9			
Sat	71.3			
AVG	71.6			
	Mon Tue Wed Thurs Fri Sat			

Reporting week data

Date:	North Ladder		East Ladder											
			East Entrance					West Entrance				South Entrance		
	Differential	N1 Depth	Differential	E1 Depth	E2 Depth	E3 Depth	JP 6	Differential	W1	W2	W3	Differential	S1	S2
8/21	1.1	10.3	1.4	9.4	11.3	11.9	11.2	1.3	10.1	10.4	-2.0	1.4	10.2	9.6
	1.1	10.3	1.4	8.3	11.4	11.9	11.2	1.3	10.2	10.4	-2.0	1.3	10.3	9.7
8/22	1.3	10.2	1.5	8.2	10.9	11.8	10.4	1.5	9.1	9.4	-2.9	1.4	9.4	9.4
	1.1	10.3	1.4	9.4	11.3	11.9	11.2	1.3	10.1	10.4	-2.0	1.4	10.2	9.6
8/23														
	1.3	10.1	1.5	9.7	10.6	11.6	11.1	1.3	9.9	10.3	-2.1	1.4	9.7	9.7
	1.4	9.8	1.2	10.5	11.1	12.0	11.8	1.2	10.4	10.8	-1.3	1.4	10.3	10.2
8/24														
	1.4	10.8	1.4	8.8	11.2	11.6	10.8	1.4	9.9	10.3	-2.5	1.3	10.1	10.0
	1.1	10.2	1.4	9.8	10.9	11.1	11.8	1.2	10.3	10.6	-1.3	1.4	10.3	10.1
8/25														
	1.3	10.2	1.3	9.0	11.4	12.0	11.0	1.3	9.8	10.3	-2.3	1.4	10.0	9.8
	1.4	10.2	1.4	9.6	10.7	11.2	11.6	1.3	10.1	10.5	-1.8	1.4	10.3	10.1
8/26	1.3	10.2	1.4	9.1	10.7	11.3	11.1	1.4	9.8	10.2	-2.3	1.4	9.8	9.6
	1.3	10.2	1.3	9.4	10.9	11.5	11.3	1.4	9.8	10.3	-2.1	1.4	9.9	9.8
8/27	1.3	10.2	1.5	9.0	10.7	11.5	11.2	1.4	9.7	10.2	-2.0	1.5	9.7	9.6
	1.3	10.1	1.6	8.9	10.7	11.5	11.1	1.4	9.6	10.1	-2.1	1.5	9.6	9.5
AVG:	1.3	10.2	1.4	9.2	11.0	11.6	11.2	1.3	9.9	10.3	-2.1	1.4	10.0	9.8
Fishways are inspected twice daily.													found out	of criteria



Fish unit trashrack inspection