

APPENDIX 1. LITTLE GOOSE ADULT FISHWAY INSPECTIONS

2012

DATES:	1-Mar	5-Mar	8-Mar	12-Mar	14-Mar	15-Mar	20-Mar	21-Mar	22-Mar	23-Mar
CHANNEL VELOCITIES										
NEAR SOUTH SHORE:	2.1	1.5	1.9	1.9	1.8	1.9	2.2	2.0	2.1	2.1
CHANNEL VELOCITIES										
NEAR NORTH SHORE:	2.5	2.4	2.7	2.4	2.5	2.4	2.4	2.6	2.5	2.5
ELEVATIONS:										
Ladder										
Forebay (staff)	636.8	637.6	636.7	636.7	635.0	634.2	637.3	637.2	636.2	636.3
Exit Pool (staff)	636.7	637.5	636.7	636.6	635.0	634.2	637.0	637.1	636.1	636.3
Diffuser 13 (staff)	628.2	628.2	628.1	628.1	628.1	628.1	628.2	628.1	628.1	628.2
U S Picketed Leads (staff)	564.2	564.1	564.1	564.1	564.1	564.3	564.2	564.1	564.0	564.3
D S Picketed Leads (staff)	564.2	564.1	564.1	564.1	564.1	564.3	564.2	564.1	564.0	564.3
Collection Channel										
South Shore (FSC)	541.70	541.24	541.54	541.76	540.84	540.66	542.00	542.00	541.40	541.80
North Pwrhse (FSC)	541.24	540.74	541.04	541.20	540.40	540.20	541.60	541.60	540.90	541.40
North Shore (FSC)	541.08	540.72	541.08	541.16	540.18	540.22	541.10	541.10	541.00	541.20
Tailwater										
South Shore (FSC)	540.20	539.42	539.68	540.06	539.40	539.12	540.50	540.20	539.46	540.00
North Pwrhse (FSC)	539.92	539.44	539.78	539.82	538.96	538.76	540.30	540.20	539.30	540.10
North Shore (FSC)	540.04	539.64	540.02	540.04	539.12	539.08	540.40	540.00	539.30	539.98
Entrance Weirs										
SSE-1 (FSC)	531.76	530.88	531.06	531.64	530.92	530.58	531.38	531.56	530.98	531.52
SSE-2 (FSC)	531.80	530.94	531.10	531.64	530.90	530.58	531.46	532.54	530.98	532.14
NPE-1 (FSC)	532.62	532.16	532.58	532.58	532.06	532.06	532.04	532.04	532.04	532.06
NPE-2 (FSC)	532.62	532.12	532.60	532.52	532.04	532.04	532.04	532.02	532.02	532.06
NSE-1 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:										
Ladder Exit (staff)	0.1	0.1	0.0	0.1	0.0	0.0	0.3	0.1	0.1	0.0
Ladder Weirs (staff)	1.2	1.2	1.1	1.1	1.1	1.1	1.2	1.1	1.1	1.2
Counting Station (staff)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South Shore (FSC)	1.50	1.82	1.86	1.70	1.44	1.54	1.50	1.80	1.94	1.80
North Pwrhse (FSC)	1.32	1.30	1.26	1.38	1.44	1.44	1.30	1.40	1.60	1.30
North Shore (FSC)	1.04	1.08	1.06	1.12	1.06	1.14	0.70	1.10	1.70	1.22
SSE-1 (FSC)	8.44	8.54	8.62	8.42	8.48	8.54	9.12	8.64	8.48	8.48
SSE-2 (FSC)	8.40	8.48	8.58	8.42	8.50	8.54	9.04	7.66	8.48	7.86
NPE-1 (FSC)	7.30	7.28	7.20	7.24	6.90	6.70	8.26	8.16	7.26	8.04
NPE-2 (FSC)	7.30	7.32	7.18	7.30	6.92	6.72	8.26	8.18	7.28	8.04
NSE-1 (FSC)	8.54	8.14	8.52	8.54	7.62	7.58	8.90	8.50	7.80	8.48
NSE-2 (FSC)	8.54	8.14	8.52	8.54	7.62	7.58	8.90	8.50	7.80	8.48
CRITERIA POINTS:										
Channel Velocities (S)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Channel Velocities (N)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Differentials										
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
South Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Pwrhse (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Shore (FSC)	YES	YES	YES	YES	YES	YES	NO	YES	YES	YES
Weir Depths										
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
SSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	NO	YES	NO
NPE-1 (FSC)	YES	YES	YES	YES	SILL	SILL	YES	YES	YES	YES
NPE-2 (FSC)	YES	YES	YES	YES	SILL	SILL	YES	YES	YES	YES
NSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES

APPENDIX 1 (CONTINUED). LITTLE GOOSE ADULT FISHWAY INSPECTIONS

2012

DATES:	26-Mar	27-Mar	29-Mar	1-Apr	3-Apr	5-Apr	6-Apr	8-Apr	10-Apr	13-Apr
CHANNEL VELOCITIES										
NEAR SOUTH SHORE:	2.3	2.2	1.6	2.1	2.1	1.9	2.3	1.8	1.9	2.5
CHANNEL VELOCITIES										
NEAR NORTH SHORE:	NA	2.6	2.4	NA	2.5	NA	2.2	2.6	2.3	2.4
ELEVATIONS:										
Ladder										
Forebay (staff)	637.7	637.0	636.2	633.2	633.4	633.4	633.5	633.4	633.6	633.3
Exit Pool (staff)	637.6	636.9	636.1	633.1	633.3	633.4	633.4	633.4	633.5	633.2
Diffuser 13 (staff)	628.2	628.2	628.1	628.1	628.1	628.2	628.2	628.2	628.3	628.2
U S Picketed Leads (staff)	564.1	564.2	564.0	564.0	564.0	564.1	564.1	564.1	564.2	564.1
D S Picketed Leads (staff)	564.1	564.2	564.0	564.0	564.0	564.1	564.0	564.1	564.2	564.1
Collection Channel										
South Shore (FSC)	541.52	542.50	541.00	543.20	541.34	540.28	540.68	539.86	539.80	540.60
North Pwrhse (FSC)	540.90	542.20	540.80	542.64	540.78	540.04	540.24	539.74	539.70	540.30
North Shore (FSC)	NA	541.70	540.40	542.42	540.52	539.76	539.94	539.34	539.28	539.80
Tailwater										
South Shore (FSC)	539.60	540.60	539.00	541.22	539.82	538.50	539.14	537.86	538.20	538.90
North Pwrhse (FSC)	539.50	540.70	539.16	541.20	538.98	538.28	538.34	537.74	538.00	538.40
North Shore (FSC)	NA	540.70	539.02	541.02	538.88	538.20	538.34	537.74	537.72	538.60
Entrance Weirs										
SSE-1 (FSC)	531.20	532.10	530.60	532.94	531.38	530.26	530.64	529.84	529.90	530.26
SSE-2 (FSC)	531.22	532.12	530.62	532.94	531.42	530.26	530.64	529.82	529.90	530.28
NPE-1 (FSC)	532.40	533.30	532.06	533.86	532.06	532.06	532.06	532.06	532.06	532.06
NPE-2 (FSC)	532.10	533.26	532.00	533.78	532.00	532.00	532.00	532.00	532.00	532.00
NSE-1 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:										
Ladder Exit (staff)	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1
Ladder Weirs (staff)	1.2	1.2	1.1	1.1	1.1	1.2	1.2	1.2	1.3	1.2
Counting Station (staff)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
South Shore (FSC)	1.92	1.90	2.00	1.98	1.52	1.78	1.54	2.00	1.60	1.70
North Pwrhse (FSC)	1.40	1.50	1.64	1.44	1.80	1.76	1.90	2.00	1.70	1.90
North Shore (FSC)	NA	1.00	1.38	1.40	1.64	1.56	1.60	1.60	1.56	1.20
SSE-1 (FSC)	8.40	8.50	8.40	8.28	8.44	8.24	8.50	8.02	8.30	8.64
SSE-2 (FSC)	8.38	8.48	8.38	8.28	8.40	8.24	8.50	8.04	8.30	8.62
NPE-1 (FSC)	7.10	7.40	7.10	7.34	6.92	6.22	6.28	5.68	5.94	6.34
NPE-2 (FSC)	7.40	7.44	7.16	7.42	6.98	6.28	6.34	5.74	6.00	6.40
NSE-1 (FSC)	NA	9.20	7.52	9.52	7.38	6.70	6.84	6.24	6.22	7.10
NSE-2 (FSC)	NA	9.20	7.52	9.52	7.38	6.70	6.84	6.24	6.22	7.10
CRITERIA POINTS:										
Channel Velocities (S)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Channel Velocities (N)	NA	YES	YES	NA	YES	NA	YES	YES	YES	YES
Differentials										
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
South Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Pwrhse (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Shore (FSC)	NA	YES	YES	YES	YES	YES	YES	YES	YES	YES
Weir Depths										
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
SSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NPE-1 (FSC)	YES	YES	YES	YES	SILL	SILL	SILL	SILL	SILL	SILL
NPE-2 (FSC)	YES	YES	YES	YES	SILL	SILL	SILL	SILL	SILL	SILL
NSE-1 (FSC)	NA	YES	YES	YES	YES	YES	YES	YES	YES	YES
NSE-2 (FSC)	NA	YES	YES	YES	YES	YES	YES	YES	YES	YES

APPENDIX 1 (CONTINUED). LITTLE GOOSE ADULT FISHWAY INSPECTIONS

2012

DATES:	15-Apr	17-Apr	21-Apr	23-Apr	25-Apr	27-Apr	28-Apr	1-May	2-May	4-May
CHANNEL VELOCITIES										
NEAR SOUTH SHORE:	2.0	1.8	2.4	2.2	2.2	2.7	1.9	2.0	2.4	2.4
CHANNEL VELOCITIES										
NEAR NORTH SHORE:	NA	2.7	2.0	2.7	2.6	NA	NA	NA	NA	NA
ELEVATIONS:										
Ladder										
Forebay (staff)	633.3	633.2	633.1	633.6	633.5	633.1	633.2	633.4	633.6	633.3
Exit Pool (staff)	633.3	633.1	633.1	633.6	633.5	633.1	633.2	633.4	633.2	633.2
Diffuser 13 (staff)	628.2	628.2	628.2	628.2	628.3	628.2	628.2	628.2	628.2	628.2
U S Picketed Leads (staff)	564.1	564.1	564.1	564.1	564.1	564.1	564.1	564.1	564.1	564.0
D S Picketed Leads (staff)	564.1	564.1	564.1	564.1	564.1	564.1	564.1	564.1	564.1	564.0
Collection Channel										
South Shore (FSC)	540.28	540.08	540.34	541.20	541.24	542.66	542.60	540.96	540.60	540.00
North Pwrhse (FSC)	540.32	539.84	540.04	540.84	540.50	541.98	541.90	540.70	540.16	539.50
North Shore (FSC)	540.08	539.44	539.58	540.70	540.20	541.86	541.66	540.50	540.04	539.24
Tailwater										
South Shore (FSC)	539.14	538.36	538.34	539.60	539.88	540.84	541.20	539.12	538.80	538.10
North Pwrhse (FSC)	538.50	537.86	538.42	539.36	539.10	540.34	540.48	539.08	538.44	537.30
North Shore (FSC)	538.50	537.94	538.08	539.14	538.40	540.16	540.02	539.00	538.48	537.32
Entrance Weirs										
SSE-1 (FSC)	530.78	529.96	530.08	530.88	531.52	532.70	532.62	530.72	530.42	529.52
SSE-2 (FSC)	530.74	529.96	530.08	530.90	531.52	532.72	532.60	530.72	530.42	529.52
NPE-1 (FSC)	532.06	532.06	532.06	532.06	532.04	533.02	533.08	532.04	532.00	532.06
NPE-2 (FSC)	532.00	532.00	532.00	532.00	532.00	532.96	533.02	532.00	532.00	531.98
NSE-1 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:										
Ladder Exit (staff)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1
Ladder Weirs (staff)	1.2	1.2	1.2	1.2	1.3	1.2	1.2	1.2	1.2	1.2
Counting Station (staff)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South Shore (FSC)	1.14	1.72	2.00	1.60	1.36	1.82	1.40	1.84	1.80	1.90
North Pwrhse (FSC)	1.82	1.98	1.62	1.48	1.40	1.64	1.42	1.62	1.72	2.20
North Shore (FSC)	1.58	1.50	1.50	1.56	1.80	1.70	1.64	1.50	1.56	1.92
SSE-1 (FSC)	8.36	8.40	8.26	8.72	8.36	8.14	8.58	8.40	8.38	8.58
SSE-2 (FSC)	8.40	8.40	8.26	8.70	8.36	8.12	8.60	8.40	8.38	8.58
NPE-1 (FSC)	6.44	5.80	6.36	7.30	7.06	7.32	7.40	7.04	6.44	5.24
NPE-2 (FSC)	6.50	5.86	6.42	7.36	7.10	7.38	7.46	7.08	6.44	5.32
NSE-1 (FSC)	7.00	6.44	6.58	7.64	6.90	8.66	8.52	7.50	6.98	5.82
NSE-2 (FSC)	7.00	6.44	6.58	7.64	6.90	8.66	8.52	7.50	6.98	5.82
CRITERIA POINTS:										
Channel Velocities (S)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Channel Velocities (N)	NA	YES	YES	YES	YES	NA	NA	NA	NA	NA
Differentials										
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
South Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Pwrhse (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	NO
North Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Weir Depths										
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
SSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NPE-1 (FSC)	SILL	SILL	SILL	YES	YES	YES	YES	YES	SILL	SILL
NPE-2 (FSC)	SILL	SILL	SILL	YES	YES	YES	YES	YES	SILL	SILL
NSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	NO
NSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	NO

APPENDIX 1 (CONTINUED). LITTLE GOOSE ADULT FISHWAY INSPECTIONS

2012

DATES:	6-May	9-May	11-May	13-May	16-May	18-May	22-May	23-May	25-May	27-May
CHANNEL VELOCITIES										
NEAR SOUTH SHORE:	1.6	1.7	2.3	2.1	2.1	1.9	2.5	2.0	2.5	2.2
CHANNEL VELOCITIES										
NEAR NORTH SHORE:	NA	2.7	2.1	2.7	3.1	2.5	2.0	NA	NA	NA
ELEVATIONS:										
Ladder										
Forebay (staff)	633.1	633.1	633.7	633.4	633.6	633.3	633.5	633.2	633.5	633.4
Exit Pool (staff)	633.1	633.0	633.6	633.3	633.6	633.3	633.4	633.1	633.5	633.4
Diffuser 13 (staff)	628.2	628.2	628.3	628.2	628.2	628.2	628.3	628.2	628.2	628.3
U S Picketed Leads (staff)	564.1	564.1	564.2	564.1	564.1	564.1	564.0	564.1	564.1	564.1
D S Picketed Leads (staff)	564.1	564.1	564.1	564.1	564.1	564.1	564.0	564.1	564.1	564.1
Collection Channel										
South Shore (FSC)	540.12	540.20	540.20	540.20	540.56	540.84	540.86	541.50	540.88	540.00
North Pwrhse (FSC)	539.86	539.98	539.90	539.88	540.16	540.40	540.50	541.08	540.42	539.60
North Shore (FSC)	539.50	539.54	539.30	539.56	540.02	540.04	540.34	540.90	540.00	539.48
Tailwater										
South Shore (FSC)	538.22	538.38	538.70	538.28	538.90	538.72	539.06	539.60	538.88	538.40
North Pwrhse (FSC)	537.86	538.02	537.80	538.00	538.40	538.52	538.64	539.50	538.64	538.00
North Shore (FSC)	537.80	537.92	537.90	537.78	538.30	538.58	538.76	539.38	538.46	537.72
Entrance Weirs										
SSE-1 (FSC)	530.10	530.16	530.24	530.12	530.62	530.72	530.82	531.10	530.58	529.98
SSE-2 (FSC)	530.04	530.16	530.26	530.10	530.64	530.74	530.84	531.10	530.58	529.96
NPE-1 (FSC)	532.06	532.06	532.06	532.06	532.06	532.04	532.04	532.16	532.06	532.06
NPE-2 (FSC)	531.98	531.98	531.98	531.98	531.98	532.00	532.00	532.10	532.00	532.00
NSE-1 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:										
Ladder Exit (staff)	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.0
Ladder Weirs (staff)	1.2	1.2	1.3	1.2	1.2	1.2	1.3	1.2	1.2	1.3
Counting Station (staff)	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South Shore (FSC)	1.90	1.82	1.50	1.92	1.66	2.12	1.80	1.90	2.00	1.60
North Pwrhse (FSC)	2.00	1.96	2.10	1.88	1.76	1.88	1.86	1.58	1.78	1.60
North Shore (FSC)	1.70	1.62	1.40	1.78	1.72	1.46	1.58	1.52	1.54	1.76
SSE-1 (FSC)	8.12	8.22	8.46	8.16	8.28	8.00	8.24	8.50	8.30	8.42
SSE-2 (FSC)	8.18	8.22	8.44	8.18	8.26	7.98	8.22	8.50	8.30	8.44
NPE-1 (FSC)	5.80	5.96	5.74	5.94	6.34	6.48	6.60	7.34	6.58	5.94
NPE-2 (FSC)	5.88	6.04	5.82	6.02	6.42	6.52	6.64	7.40	6.64	6.00
NSE-1 (FSC)	6.30	6.42	6.40	6.28	6.80	7.08	7.26	7.88	6.96	6.22
NSE-2 (FSC)	6.30	6.42	6.40	6.28	6.80	7.08	7.26	7.88	6.96	6.22
CRITERIA POINTS:										
Channel Velocities (S)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Channel Velocities (N)	NA	YES	YES	YES	YES	YES	YES	NA	NA	NA
Differentials										
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
South Shore (FSC)	YES	YES	YES	YES	YES	NO	YES	YES	YES	YES
North Pwrhse (FSC)	YES	YES	NO	YES	YES	YES	YES	YES	YES	YES
North Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Weir Depths										
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
SSE-2 (FSC)	YES	YES	YES	YES	YES	NO	YES	YES	YES	YES
NPE-1 (FSC)	SILL	SILL	SILL	SILL	SILL	SILL	SILL	YES	SILL	SILL
NPE-2 (FSC)	SILL	SILL	SILL	SILL	SILL	SILL	SILL	YES	SILL	SILL
NSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES

APPENDIX 1 (CONTINUED). LITTLE GOOSE ADULT FISHWAY INSPECTIONS

2012

DATES:	29-May	1-Jun	4-Jun	5-Jun	8-Jun	11-Jun	12-Jun	15-Jun	19-Jun	21-Jun
CHANNEL VELOCITIES										
NEAR SOUTH SHORE:	1.8	2.1	2.1	2.1	2.3	1.9	1.6	2.3	2.0	1.9
CHANNEL VELOCITIES										
NEAR NORTH SHORE:	NA	NA	2.9	NA	NA	NA	NA	NA	NA	2.3
ELEVATIONS:										
Ladder										
Forebay (staff)	633.6	633.3	633.3	633.5	633.4	633.4	633.7	633.3	633.3	633.2
Exit Pool (staff)	633.6	633.3	633.3	633.5	633.3	633.4	633.7	633.3	633.3	633.2
Diffuser 13 (staff)	628.3	628.2	628.2	628.2	628.3	628.1	628.1	628.1	628.2	628.2
U S Picketed Leads (staff)	564.2	564.1	564.1	564.1	564.2	564.0	564.1	563.9	564.1	564.1
D S Picketed Leads (staff)	564.2	564.0	564.1	564.1	564.1	564.0	564.1	563.9	564.1	564.1
Collection Channel										
South Shore (FSC)	540.10	540.22	540.58	541.20	539.80	539.72	540.16	540.00	540.70	540.08
North Pwrhse (FSC)	539.80	539.92	540.30	540.64	539.60	539.40	539.86	539.70	540.20	539.84
North Shore (FSC)	539.64	539.50	539.94	540.48	538.98	539.22	539.60	539.34	540.08	539.52
Tailwater										
South Shore (FSC)	538.50	538.48	538.74	539.50	538.10	538.12	538.32	538.20	539.20	538.20
North Pwrhse (FSC)	537.80	537.94	538.50	538.82	537.70	537.50	537.92	537.80	538.44	537.84
North Shore (FSC)	538.06	537.90	538.46	538.98	536.82	537.58	538.00	537.58	538.50	537.92
Entrance Weirs										
SSE-1 (FSC)	530.38	530.20	530.42	531.00	529.80	529.70	530.06	530.02	530.54	530.06
SSE-2 (FSC)	530.42	530.20	530.42	531.00	529.80	529.74	530.06	530.00	530.56	530.04
NPE-1 (FSC)	532.06	532.06	532.06	532.06	532.06	532.06	532.06	532.06	532.06	532.06
NPE-2 (FSC)	532.00	532.00	532.00	532.00	531.98	532.00	531.98	531.98	532.00	532.00
NSE-1 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:										
Ladder Exit (staff)	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Ladder Weirs (staff)	1.3	1.2	1.2	1.2	1.3	1.1	1.1	1.1	1.2	1.2
Counting Station (staff)	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
South Shore (FSC)	1.60	1.74	1.84	1.70	1.70	1.60	1.84	1.80	1.50	1.88
North Pwrhse (FSC)	2.00	1.98	1.80	1.82	1.90	1.90	1.94	1.90	1.76	2.00
North Shore (FSC)	1.58	1.60	1.48	1.50	2.16	1.64	1.60	1.76	1.58	1.60
SSE-1 (FSC)	8.12	8.28	8.32	8.50	8.30	8.42	8.26	8.18	8.66	8.14
SSE-2 (FSC)	8.08	8.28	8.32	8.50	8.30	8.38	8.26	8.20	8.64	8.16
NPE-1 (FSC)	5.74	5.88	6.44	6.76	5.64	5.44	5.86	5.74	6.38	5.78
NPE-2 (FSC)	5.80	5.94	6.50	6.82	5.72	5.50	5.94	5.82	6.44	5.84
NSE-1 (FSC)	6.56	6.40	6.96	7.48	5.32	6.08	6.50	6.08	7.00	6.42
NSE-2 (FSC)	6.56	6.40	6.96	7.48	5.32	6.08	6.50	6.08	7.00	6.42
CRITERIA POINTS:										
Channel Velocities (S)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Channel Velocities (N)	NA	NA	YES	NA	NA	NA	NA	NA	NA	YES
Differentials										
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
South Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Pwrhse (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Shore (FSC)	YES	YES	YES	YES	NO	YES	YES	YES	YES	YES
Weir Depths										
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
SSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NPE-1 (FSC)	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL
NPE-2 (FSC)	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL
NSE-1 (FSC)	YES	YES	YES	YES	NO	YES	YES	YES	YES	YES
NSE-2 (FSC)	YES	YES	YES	YES	NO	YES	YES	YES	YES	YES

APPENDIX 1 (CONTINUED). LITTLE GOOSE ADULT FISHWAY INSPECTIONS

2012

DATES:	22-Jun	25-Jun	26-Jun	29-Jun	30-Jun	3-Jul	6-Jul	8-Jul	10-Jul	13-Jul
CHANNEL VELOCITIES										
NEAR SOUTH SHORE:	2.4	2.0	1.8	1.7	1.9	2.1	1.7	1.8	2.3	1.8
CHANNEL VELOCITIES										
NEAR NORTH SHORE:	NA	2.8	2.3	2.7	NA	2.0	2.2	2.5	2.4	NA
ELEVATIONS:										
Ladder										
Forebay (staff)	633.6	633.4	633.4	633.4	633.5	633.5	633.4	633.5	633.2	633.4
Exit Pool (staff)	633.6	633.3	633.4	633.3	633.5	633.5	633.4	633.5	633.2	633.4
Diffuser 13 (staff)	628.3	628.2	628.2	628.2	628.2	628.2	628.2	628.2	628.2	628.2
U S Picketed Leads (staff)	564.2	564.1	564.1	564.1	564.1	564.1	564.1	564.1	564.1	564.1
D S Picketed Leads (staff)	564.1	564.1	564.1	564.1	564.1	564.0	564.1	564.1	564.1	564.1
Collection Channel										
South Shore (FSC)	540.30	540.00	540.02	539.90	539.32	539.00	539.76	539.18	539.12	539.10
North Pwrhse (FSC)	539.94	539.60	539.50	539.60	539.34	539.30	539.64	539.36	539.32	539.10
North Shore (FSC)	539.68	539.42	539.34	539.20	539.02	538.90	539.38	539.00	538.96	539.02
Tailwater										
South Shore (FSC)	538.68	538.20	538.78	538.20	537.54	537.30	537.90	537.46	537.32	537.50
North Pwrhse (FSC)	538.00	537.80	537.60	537.70	537.44	537.40	537.92	537.48	537.36	537.40
North Shore (FSC)	538.10	537.94	537.50	538.00	537.36	537.30	537.78	537.36	537.32	537.16
Entrance Weirs										
SSE-1 (FSC)	530.26	529.76	529.98	530.18	529.24	529.06	529.50	529.20	529.10	529.04
SSE-2 (FSC)	530.24	529.76	530.00	530.18	529.26	529.18	529.57	529.24	529.14	529.10
NPE-1 (FSC)	532.06	532.06	532.06	532.06	532.06	532.06	532.06	532.06	532.06	532.06
NPE-2 (FSC)	531.98	531.98	531.98	531.98	531.99	531.98	531.98	532.00	531.98	531.98
NSE-1 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:										
Ladder Exit (staff)	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Ladder Weirs (staff)	1.3	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
Counting Station (staff)	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
South Shore (FSC)	1.62	1.80	1.24	1.70	1.78	1.70	1.86	1.72	1.80	1.60
North Pwrhse (FSC)	1.94	1.80	1.90	1.90	1.90	1.90	1.72	1.88	1.96	1.70
North Shore (FSC)	1.58	1.48	1.84	1.20	1.66	1.60	1.60	1.64	1.64	1.86
SSE-1 (FSC)	8.42	8.44	8.80	8.02	8.30	8.24	8.40	8.26	8.22	8.46
SSE-2 (FSC)	8.44	8.44	8.78	8.02	8.28	8.12	8.33	8.22	8.18	8.40
NPE-1 (FSC)	5.94	5.74	5.54	5.64	5.38	5.34	5.86	5.42	5.30	5.34
NPE-2 (FSC)	6.02	5.82	5.62	5.72	5.45	5.42	5.94	5.48	5.38	5.42
NSE-1 (FSC)	6.60	6.44	6.00	6.50	5.86	5.80	6.28	5.86	5.82	5.66
NSE-2 (FSC)	6.60	6.44	6.00	6.50	5.86	5.80	6.28	5.86	5.82	5.66
CRITERIA POINTS:										
Channel Velocities (S)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Channel Velocities (N)	NA	YES	YES	YES	NA	YES	YES	YES	YES	NA
Differentials										
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
South Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Pwrhse (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Weir Depths										
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
SSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NPE-1 (FSC)	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL
NPE-2 (FSC)	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL
NSE-1 (FSC)	YES	YES	YES	YES	NO	NO	YES	NO	NO	NO
NSE-2 (FSC)	YES	YES	YES	YES	NO	NO	YES	NO	NO	NO

APPENDIX 1 (CONTINUED). LITTLE GOOSE ADULT FISHWAY INSPECTIONS

2012

DATES:	14-Jul	17-Jul	20-Jul	22-Jul	24-Jul	27-Jul	31-Jul	1-Aug	3-Aug	5-Aug
CHANNEL VELOCITIES										
NEAR SOUTH SHORE:	1.9	1.9	1.7	1.5	2.3	1.6	1.6	1.7	1.2	1.5
CHANNEL VELOCITIES										
NEAR NORTH SHORE:	NA	2.3	2.5	NA	2.4	2.7	2.1	NA	2.4	2.7
ELEVATIONS:										
Ladder										
Forebay (staff)	633.4	633.6	633.2	633.3	633.5	633.4	634.3	633.8	633.8	633.7
Exit Pool (staff)	633.4	633.6	633.2	633.2	633.5	633.4	634.3	633.8	633.7	633.7
Diffuser 13 (staff)	628.2	628.2	628.2	628.2	628.2	628.2	628.3	628.3	628.1	628.3
U S Picketed Leads (staff)	564.1	564.1	564.1	564.0	564.1	564.1	564.2	564.1	564.0	564.2
D S Picketed Leads (staff)	564.1	564.1	564.1	564.0	564.1	564.1	564.2	564.1	564.0	564.2
Collection Channel										
South Shore (FSC)	538.80	538.90	539.42	539.04	539.22	539.32	539.06	539.24	538.60	538.50
North Pwrhse (FSC)	538.80	539.20	539.50	539.00	539.42	539.56	539.34	539.44	538.80	538.70
North Shore (FSC)	538.72	538.60	539.16	538.80	539.12	539.14	538.78	539.10	538.66	538.50
Tailwater										
South Shore (FSC)	536.90	537.20	537.64	537.12	537.42	537.52	537.10	537.50	536.72	537.30
North Pwrhse (FSC)	537.00	537.20	537.54	537.40	537.52	537.56	537.36	537.62	537.00	536.90
North Shore (FSC)	536.76	537.00	537.46	536.90	537.58	537.40	537.14	537.62	536.82	537.30
Entrance Weirs										
SSE-1 (FSC)	528.64	528.90	529.36	529.00	529.02	529.26	529.00	529.24	529.00	529.00
SSE-2 (FSC)	529.06	528.96	529.36	529.06	529.04	529.26	529.04	529.24	529.06	529.00
NPE-1 (FSC)	532.06	532.04	532.04	532.04	532.04	532.04	532.04	532.04	532.04	532.04
NPE-2 (FSC)	531.98	531.98	531.98	532.00	531.98	531.98	531.98	531.98	531.98	532.00
NSE-1 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:										
Ladder Exit (staff)	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0
Ladder Weirs (staff)	1.2	1.2	1.2	1.2	1.2	1.2	1.3	1.3	1.1	1.3
Counting Station (staff)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South Shore (FSC)	1.90	1.70	1.78	1.92	1.80	1.80	1.96	1.74	1.88	1.20
North Pwrhse (FSC)	1.80	2.00	1.96	1.60	1.90	2.00	1.98	1.82	1.80	1.80
North Shore (FSC)	1.96	1.60	1.70	1.90	1.54	1.74	1.64	1.48	1.84	1.20
SSE-1 (FSC)	8.26	8.30	8.28	8.12	8.40	8.26	8.10	8.26	7.72	8.30
SSE-2 (FSC)	7.84	8.24	8.28	8.06	8.38	8.26	8.06	8.26	7.66	8.30
NPE-1 (FSC)	4.94	5.16	5.50	5.36	5.48	5.52	5.32	5.58	4.96	4.86
NPE-2 (FSC)	5.02	5.22	5.56	5.40	5.54	5.58	5.38	5.64	5.02	4.90
NSE-1 (FSC)	5.26	5.50	5.96	5.40	6.08	5.90	5.64	6.12	5.32	5.80
NSE-2 (FSC)	5.26	5.50	5.96	5.40	6.08	5.90	5.64	6.12	5.32	5.80
CRITERIA POINTS:										
Channel Velocities (S)	YES	YES	YES	YES	YES	YES	YES	YES	NO	YES
Channel Velocities (N)	NA	YES	YES	NA	YES	YES	YES	NA	YES	YES
Differentials										
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
South Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Pwrhse (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Weir Depths										
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	NO	YES
SSE-2 (FSC)	NO	YES	YES	YES	YES	YES	YES	YES	NO	YES
NPE-1 (FSC)	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL
NPE-2 (FSC)	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL
NSE-1 (FSC)	NO	NO	NO	NO	YES	NO	NO	YES	NO	NO
NSE-2 (FSC)	NO	NO	NO	NO	YES	NO	NO	YES	NO	NO

APPENDIX 1 (CONTINUED). LITTLE GOOSE ADULT FISHWAY INSPECTIONS

2012

DATES:	7-Aug	10-Aug	13-Aug	14-Aug	17-Aug	21-Aug	22-Aug	24-Aug	28-Aug	29-Aug
CHANNEL VELOCITIES										
NEAR SOUTH SHORE:	1.6	1.6	1.6	1.9	2.1	2.1	1.5	1.4	1.4	1.5
CHANNEL VELOCITIES										
NEAR NORTH SHORE:	NA	2.5	2.8	2.1	2.1	1.8	2.9	2.5	2.8	2.1
ELEVATIONS:										
Ladder										
Forebay (staff)	634.2	634.1	633.8	634.0	634.0	634.2	633.9	634.2	634.0	634.1
Exit Pool (staff)	634.0	634.1	633.8	634.0	634.0	634.1	633.9	634.1	634.0	634.1
Diffuser 13 (staff)	628.1	628.2	628.1	628.2	628.1	628.3	628.3	628.3	628.3	628.3
U S Picketed Leads (staff)	564.0	564.2	564.1	564.2	564.1	564.2	564.2	564.2	564.2	564.2
D S Picketed Leads (staff)	564.0	564.1	564.1	564.2	564.0	564.2	564.2	564.2	564.2	564.2
Collection Channel										
South Shore (FSC)	538.86	538.80	539.38	539.14	539.18	539.20	539.04	538.80	539.02	538.90
North Pwrhse (FSC)	539.10	538.80	539.44	539.24	539.26	539.22	539.26	539.00	539.22	539.00
North Shore (FSC)	538.82	538.70	539.20	538.76	538.70	539.04	538.88	538.60	538.90	538.70
Tailwater										
South Shore (FSC)	537.18	537.20	537.54	537.36	537.34	537.42	537.36	537.30	537.36	537.50
North Pwrhse (FSC)	537.22	537.10	537.60	537.40	537.46	537.46	537.30	537.20	537.32	537.30
North Shore (FSC)	537.12	537.10	537.52	537.02	537.04	537.42	537.22	537.20	537.20	536.98
Entrance Weirs										
SSE-1 (FSC)	528.84	528.70	529.36	529.12	529.06	529.16	529.14	528.88	529.08	529.00
SSE-2 (FSC)	529.00	529.12	529.36	529.14	529.10	529.20	529.12	529.08	529.10	529.12
NPE-1 (FSC)	532.04	532.04	532.04	532.04	532.04	532.04	532.04	532.04	532.04	532.04
NPE-2 (FSC)	531.98	531.98	532.98	531.98	532.00	532.48	532.00	531.98	531.98	531.98
NSE-1 (FSC)	531.50	531.50	532.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:										
Ladder Exit (staff)	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0
Ladder Weirs (staff)	1.1	1.2	1.1	1.2	1.1	1.3	1.3	1.3	1.3	1.3
Counting Station (staff)	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
South Shore (FSC)	1.68	1.60	1.84	1.78	1.84	1.78	1.68	1.50	1.66	1.40
North Pwrhse (FSC)	1.88	1.70	1.84	1.84	1.80	1.76	1.96	1.80	1.90	1.70
North Shore (FSC)	1.70	1.60	1.68	1.74	1.66	1.62	1.66	1.40	1.70	1.72
SSE-1 (FSC)	8.34	8.50	8.18	8.24	8.28	8.26	8.22	8.42	8.28	8.50
SSE-2 (FSC)	8.18	8.08	8.18	8.22	8.24	8.22	8.24	8.22	8.26	8.38
NPE-1 (FSC)	5.18	5.06	5.56	5.36	5.42	5.42	5.26	5.16	5.28	5.26
NPE-2 (FSC)	5.24	5.12	4.62	5.42	5.46	4.98	5.30	5.22	5.34	5.32
NSE-1 (FSC)	5.62	5.60	5.02	5.52	5.54	5.92	5.72	5.70	5.70	5.48
NSE-2 (FSC)	5.62	5.60	6.02	5.52	5.54	5.92	5.72	5.70	5.70	5.48
CRITERIA POINTS:										
Channel Velocities (S)	YES	YES	YES	YES	YES	YES	YES	NO	NO	YES
Channel Velocities (N)	NA	YES	YES	YES	YES	YES	YES	YES	YES	YES
Differentials										
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
South Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Pwrhse (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Weir Depths										
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
SSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NPE-1 (FSC)	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL	SILL
NPE-2 (FSC)	SILL	SILL	NO	SILL	SILL	NO	SILL	SILL	SILL	SILL
NSE-1 (FSC)	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
NSE-2 (FSC)	NO	NO	YES	NO	NO	NO	NO	NO	NO	NO

APPENDIX 1 (CONTINUED). LITTLE GOOSE ADULT FISHWAY INSPECTIONS

2012

DATES:	31-Aug	4-Sep	5-Sep	7-Jan	9-Sep	11-Sep	14-Sep	18-Sep	20-Sep	21-Sep
CHANNEL VELOCITIES										
NEAR SOUTH SHORE:	1.9	1.8	1.5	2.4	2.4	1.9	1.6	1.2	2.0	2.2
CHANNEL VELOCITIES										
NEAR NORTH SHORE:	2.1	2.0	2.5	2.6	2.0	2.2	2.0	2.4	2.6	2.4
ELEVATIONS:										
Ladder										
Forebay (staff)	633.8	637.3	637.0	636.7	636.9	635.4	634.3	634.2	633.9	633.8
Exit Pool (staff)	633.8	637.2	636.9	636.6	636.9	635.3	634.3	634.1	633.8	633.8
Diffuser 13 (staff)	628.3	628.3	628.3	628.1	628.3	628.2	628.2	628.2	628.2	628.2
U S Picketed Leads (staff)	564.2	564.2	564.3	564.1	564.3	564.1	564.1	564.1	564.2	564.2
D S Picketed Leads (staff)	564.2	564.2	564.3	564.0	564.3	564.1	564.1	564.1	564.2	564.2
Collection Channel										
South Shore (FSC)	539.40	541.50	540.96	540.68	540.72	539.56	539.80	539.62	539.80	539.80
North Pwrhse (FSC)	539.32	541.12	540.56	540.38	540.44	539.54	539.70	539.56	539.78	539.76
North Shore (FSC)	539.12	540.62	539.96	539.74	540.00	538.96	539.10	539.02	539.12	539.04
Tailwater										
South Shore (FSC)	537.74	539.72	539.14	538.88	539.02	537.96	538.08	537.90	537.82	538.00
North Pwrhse (FSC)	537.84	539.82	539.24	539.04	539.10	537.96	538.20	538.10	537.98	537.98
North Shore (FSC)	537.44	539.36	538.74	538.56	538.84	537.70	537.84	537.78	537.68	537.60
Entrance Weirs										
SSE-1 (FSC)	529.44	531.40	530.84	530.60	530.60	529.62	529.94	529.64	529.68	529.66
SSE-2 (FSC)	529.46	531.40	530.82	530.62	530.60	529.64	529.90	529.62	529.66	529.64
NPE-1 (FSC)	532.04	532.54	532.06	532.04	532.04	532.04	532.04	532.04	532.04	532.04
NPE-2 (FSC)	532.00	532.48	532.00	532.00	532.00	532.00	532.00	532.00	532.00	531.98
NSE-1 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:										
Ladder Exit (staff)	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.0
Ladder Weirs (staff)	1.3	1.3	1.3	1.1	1.3	1.2	1.2	1.2	1.2	1.2
Counting Station (staff)	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
South Shore (FSC)	1.66	1.78	1.82	1.80	1.70	1.60	1.72	1.72	1.98	1.80
North Pwrhse (FSC)	1.48	1.30	1.32	1.34	1.34	1.58	1.50	1.46	1.80	1.78
North Shore (FSC)	1.68	1.26	1.22	1.18	1.16	1.26	1.26	1.24	1.44	1.44
SSE-1 (FSC)	8.30	8.32	8.30	8.28	8.42	8.34	8.14	8.26	8.14	8.34
SSE-2 (FSC)	8.28	8.32	8.32	8.26	8.42	8.32	8.18	8.28	8.16	8.36
NPE-1 (FSC)	5.80	7.28	7.18	7.00	7.06	5.92	6.16	6.06	5.94	5.94
NPE-2 (FSC)	5.84	7.34	7.24	7.04	7.10	5.96	6.20	6.10	5.98	6.00
NSE-1 (FSC)	5.94	7.86	7.24	7.06	7.34	6.20	6.34	6.28	6.18	6.10
NSE-2 (FSC)	5.94	7.86	7.24	7.06	7.34	6.20	6.34	6.28	6.18	6.10
CRITERIA POINTS:										
Channel Velocities (S)	YES	YES	YES	YES	YES	YES	YES	NO	YES	YES
Channel Velocities (N)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Differentials										
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
South Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Pwrhse (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Weir Depths										
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
SSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NPE-1 (FSC)	SILL	YES	YES	YES	YES	SILL	SILL	SILL	SILL	SILL
NPE-2 (FSC)	SILL	YES	YES	YES	YES	SILL	SILL	SILL	SILL	SILL
NSE-1 (FSC)	NO	YES	YES	YES	YES	YES	YES	YES	YES	YES
NSE-2 (FSC)	NO	YES	YES	YES	YES	YES	YES	YES	YES	YES

APPENDIX 1 (CONTINUED). LITTLE GOOSE ADULT FISHWAY INSPECTIONS

2012

DATES:	23-Sep	25-Sep	27-Sep	28-Sep	30-Sep	2-Oct	5-Oct	7-Oct	9-Oct	12-Oct
CHANNEL VELOCITIES										
NEAR SOUTH SHORE:	2.3	1.2	1.5	1.4	1.5	0.8	1.3	1.2	1.0	1.4
CHANNEL VELOCITIES										
NEAR NORTH SHORE:	2.5	NA	2.1	2.3	2.3	2.5	2.6	2.4	2.3	2.3
ELEVATIONS:										
Ladder										
Forebay (staff)	634.7	634.1	633.5	633.8	635.5	634.6	635.0	634.4	635.0	634.6
Exit Pool (staff)	634.6	634.1	633.5	633.8	635.5	634.6	635.0	634.4	634.9	634.6
Diffuser 13 (staff)	628.2	628.1	628.2	628.2	628.2	628.1	628.1	628.2	628.1	628.3
U S Picketed Leads (staff)	564.1	564.0	564.1	564.2	564.3	564.0	564.2	564.1	564.2	564.2
D S Picketed Leads (staff)	564.1	564.0	564.1	564.2	564.3	564.0	564.2	564.1	564.2	564.2
Collection Channel										
South Shore (FSC)	540.10	539.34	540.62	540.50	540.92	539.92	540.22	540.58	540.48	540.38
North Pwrhse (FSC)	539.90	539.32	540.28	540.44	540.82	539.96	540.24	540.50	540.42	540.30
North Shore (FSC)	539.28	538.82	539.76	539.84	540.76	539.50	540.24	539.95	539.86	539.96
Tailwater										
South Shore (FSC)	538.60	538.10	539.34	539.06	539.54	538.54	538.80	539.20	539.04	538.94
North Pwrhse (FSC)	538.16	538.10	539.30	539.06	539.52	538.48	538.96	539.14	539.04	538.86
North Shore (FSC)	537.80	537.86	538.82	538.62	539.50	538.32	538.78	538.70	538.64	538.00
Entrance Weirs										
SSE-1 (FSC)	529.84	529.88	531.08	530.60	530.58	530.26	530.56	530.90	530.74	530.66
SSE-2 (FSC)	529.84	529.88	531.08	530.54	530.56	530.24	530.58	530.86	530.74	530.64
NPE-1 (FSC)	532.04	532.04	532.04	532.04	532.04	532.04	532.04	532.00	532.06	532.04
NPE-2 (FSC)	531.98	531.98	532.00	Closed	Closed	Closed	Closed	Closed	Closed	Closed
NSE-1 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:										
Ladder Exit (staff)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
Ladder Weirs (staff)	1.2	1.1	1.2	1.2	1.2	1.1	1.1	1.2	1.1	1.3
Counting Station (staff)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South Shore (FSC)	1.50	1.24	1.28	1.44	1.38	1.38	1.42	1.38	1.44	1.44
North Pwrhse (FSC)	1.74	1.22	0.98	1.38	1.30	1.48	1.28	1.36	1.38	1.44
North Shore (FSC)	1.48	0.96	0.94	1.22	1.26	1.18	1.46	1.25	1.22	1.96
SSE-1 (FSC)	8.76	8.22	8.26	8.46	8.96	8.28	8.24	8.30	8.30	8.28
SSE-2 (FSC)	8.76	8.22	8.26	8.52	8.98	8.30	8.22	8.34	8.30	8.30
NPE-1 (FSC)	6.12	6.06	7.26	7.02	7.48	6.44	6.92	7.14	6.98	6.82
NPE-2 (FSC)	6.18	6.12	7.30	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED
NSE-1 (FSC)	6.30	6.36	7.32	7.12	8.00	6.82	7.28	7.20	7.14	6.50
NSE-2 (FSC)	6.30	6.36	7.32	7.12	8.00	6.82	7.28	7.20	7.14	6.50
CRITERIA POINTS:										
Channel Velocities (S)	YES	NO	YES	NO	YES	NO	NO	NO	NO	NO
Channel Velocities (N)	YES	NA	YES	YES	YES	YES	YES	YES	YES	YES
Differentials										
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
South Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Pwrhse (FSC)	YES	YES	NO	YES	YES	YES	YES	YES	YES	YES
North Shore (FSC)	YES	NO	NO	YES	YES	YES	YES	YES	YES	YES
Weir Depths										
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
SSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NPE-1 (FSC)	SILL	SILL	YES	YES	YES	SILL	SILL	YES	SILL	SILL
NPE-2 (FSC)	SILL	SILL	YES	NO	NO	NO	NO	NO	NO	NO
NSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES

APPENDIX 1 (CONTINUED). LITTLE GOOSE ADULT FISHWAY INSPECTIONS

2012

DATES:	15-Oct	16-Oct	19-Oct	24-Oct	25-Oct	26-Oct	1-Nov	2-Nov	5-Nov	6-Nov
CHANNEL VELOCITIES										
NEAR SOUTH SHORE:	1.0	0.7	1.2	1.3	1.5	1.7	1.4	1.8	1.0	1.6
CHANNEL VELOCITIES										
NEAR NORTH SHORE:	2.4	2.5	2.3	2.5	N/A	2.7	2.7	2.8	2.0	2.5
ELEVATIONS:										
Ladder										
Forebay (staff)	635.6	636.3	636.5	636.9	636.8	637.2	636.6	636.8	637.0	637.0
Exit Pool (staff)	635.6	636.3	636.5	636.8	636.7	637.2	636.5	636.7	637.0	636.9
Diffuser 13 (staff)	628.2	628.2	628.2	628.3	628.3	628.2	628.2	628.2	628.3	628.3
U S Picketed Leads (staff)	564.1	564.1	564.1	564.3	564.3	564.2	564.2	564.2	564.2	564.2
D S Picketed Leads (staff)	564.1	564.1	564.1	564.3	564.3	564.2	564.2	564.2	564.2	564.2
Collection Channel										
South Shore (FSC)	540.74	540.40	540.68	541.12	541.00	540.96	540.76	540.32	539.06	540.94
North Pwrhse (FSC)	540.66	540.34	540.58	540.98	540.92	540.84	540.68	540.36	539.10	540.88
North Shore (FSC)	540.42	540.06	540.36	540.72	540.66	540.64	540.42	539.82	538.78	540.50
Tailwater										
South Shore (FSC)	539.20	538.90	539.14	539.38	539.34	539.20	538.98	538.62	538.24	539.16
North Pwrhse (FSC)	539.24	538.88	539.14	539.38	539.30	539.24	539.00	538.58	538.14	539.22
North Shore (FSC)	539.08	538.79	539.02	539.26	539.18	539.12	538.92	538.32	537.98	538.98
Entrance Weirs										
SSE-1 (FSC)	530.90	530.62	530.88	531.06	530.98	530.98	530.72	530.36	530.02	530.94
SSE-2 (FSC)	530.90	530.62	530.92	531.06	530.98	530.94	530.76	530.38	530.04	530.94
NPE-1 (FSC)	532.04	532.04	532.07	532.06	532.04	532.06	532.06	532.06	532.06	532.04
NPE-2 (FSC)	Closed	Closed	Closed	Closed	Closed	Closed	Closed	Closed	Closed	Closed
NSE-1 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:										
Ladder Exit (staff)	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1
Ladder Weirs (staff)	1.2	1.2	1.2	1.3	1.3	1.2	1.2	1.2	1.3	1.3
Counting Station (staff)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
South Shore (FSC)	1.54	1.50	1.54	1.74	1.66	1.76	1.78	1.70	0.82	1.78
North Pwrhse (FSC)	1.42	1.46	1.44	1.60	1.62	1.60	1.68	1.78	0.96	1.66
North Shore (FSC)	1.34	1.27	1.34	1.46	1.48	1.52	1.50	1.50	0.80	1.52
SSE-1 (FSC)	8.30	8.28	8.26	8.32	8.36	8.22	8.26	8.26	8.22	8.22
SSE-2 (FSC)	8.30	8.28	8.22	8.32	8.36	8.26	8.22	8.24	8.20	8.22
NPE-1 (FSC)	7.20	6.84	7.07	7.32	7.26	7.18	6.94	6.52	6.08	7.18
NPE-2 (FSC)	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED
NSE-1 (FSC)	7.58	7.29	7.52	7.76	7.68	7.62	7.42	6.82	6.48	7.48
NSE-2 (FSC)	7.58	7.29	7.52	7.76	7.68	7.62	7.42	6.82	6.48	7.48
CRITERIA POINTS:										
Channel Velocities (S)	NO	NO	NO	NO	YES	YES	NO	YES	NO	YES
Channel Velocities (N)	YES	YES	YES	YES	NO	YES	YES	YES	YES	YES
Differentials										
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
South Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	NO	YES
North Pwrhse (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	NO	YES
North Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	NO	NO
Weir Depths										
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
SSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NPE-1 (FSC)	YES	SILL	YES	YES	YES	YES	SILL	SILL	SILL	YES
NPE-2 (FSC)	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
NSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES

APPENDIX 1 (CONTINUED). LITTLE GOOSE ADULT FISHWAY INSPECTIONS

2012

DATES:	13-Nov	14-Nov	15-Nov	19-Nov	20-Nov	21-Nov	27-Nov	28-Nov	29-Nov	3-Dec
CHANNEL VELOCITIES										
NEAR SOUTH SHORE:	1.5	1.8	1.5	1.6	1.7	1.6	1.5	1.2	1.2	1.3
CHANNEL VELOCITIES										
NEAR NORTH SHORE:	2.5	2.4	2.2	2.4	2.5	2.4	2.6	NA	2.5	NA
ELEVATIONS:										
Ladder										
Forebay (staff)	636.8	636.3	636.0	636.4	634.6	635.7	637.0	636.0	636.0	635.4
Exit Pool (staff)	636.7	636.3	636.0	636.3	634.6	635.7	636.9	636.0	636.0	635.4
Diffuser 13 (staff)	628.3	628.1	628.1	628.1	628.1	628.1	628.1	628.2	628.2	628.2
U S Picketed Leads (staff)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
D S Picketed Leads (staff)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Collection Channel										
South Shore (FSC)	540.70	541.34	540.96	540.40	540.68	540.94	540.74	540.48	540.94	541.18
North Pwrhse (FSC)	540.70	541.16	540.88	540.42	540.60	540.84	540.70	540.46	540.88	541.06
North Shore (FSC)	540.30	540.92	540.58	540.12	540.40	540.56	540.44	540.22	540.66	540.80
Tailwater										
South Shore (FSC)	538.80	539.55	539.26	538.84	539.04	539.28	539.02	538.82	539.32	539.60
North Pwrhse (FSC)	538.80	539.54	539.28	538.76	539.04	539.32	539.06	538.78	539.36	539.50
North Shore (FSC)	538.60	539.42	539.08	538.69	538.96	539.06	538.94	538.76	539.22	539.38
Entrance Weirs										
SSE-1 (FSC)	530.50	531.26	530.90	530.52	530.76	530.96	530.80	530.56	530.98	531.24
SSE-2 (FSC)	530.50	531.24	530.92	530.48	530.76	531.00	530.78	530.56	530.98	531.26
NPE-1 (FSC)	532.00	532.30	532.06	532.06	532.06	532.04	532.04	532.06	532.06	532.20
NPE-2 (FSC)	Closed	Closed	Closed	Closed	Closed	Closed	Closed	Closed	Closed	Closed
NSE-1 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:										
Ladder Exit (staff)	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0
Ladder Weirs (staff)	1.3	1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.2	1.2
Counting Station (staff)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
South Shore (FSC)	1.90	1.79	1.70	1.56	1.64	1.66	1.72	1.66	1.62	1.58
North Pwrhse (FSC)	1.90	1.62	1.60	1.66	1.56	1.52	1.64	1.68	1.52	1.56
North Shore (FSC)	1.70	1.50	1.50	1.43	1.44	1.50	1.50	1.46	1.44	1.42
SSE-1 (FSC)	8.30	8.29	8.36	8.32	8.28	8.32	8.22	8.26	8.34	8.36
SSE-2 (FSC)	8.30	8.31	8.34	8.36	8.28	8.28	8.24	8.26	8.34	8.34
NPE-1 (FSC)	6.80	7.24	7.22	6.70	6.98	7.28	7.02	6.72	7.30	7.30
NPE-2 (FSC)	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED
NSE-1 (FSC)	7.10	7.92	7.58	7.19	7.46	7.56	7.44	7.26	7.72	7.88
NSE-2 (FSC)	7.10	7.92	8.28	7.19	7.46	7.56	7.44	7.26	7.72	7.88
CRITERIA POINTS:										
Channel Velocities (S)	YES	YES	YES	YES	YES	YES	YES	NO	NO	NO
Channel Velocities (N)	YES	YES	YES	YES	YES	YES	YES	NA	YES	NA
Differentials										
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
South Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Pwrhse (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Weir Depths										
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
SSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NPE-1 (FSC)	SILL	YES	YES	SILL	SILL	YES	YES	SILL	YES	YES
NPE-2 (FSC)	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
NSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES

APPENDIX 1 (CONTINUED). LITTLE GOOSE ADULT FISHWAY INSPECTIONS

DATES:	4-Dec	5-Dec	10-Dec	11-Dec	12-Dec	18-Dec	19-Dec	26-Dec	27-Dec
CHANNEL VELOCITIES									
NEAR SOUTH SHORE:	1.5	1.4	1.5	1.4	1.5	1.3	1.2	1.2	1.5
CHANNEL VELOCITIES									
NEAR NORTH SHORE:	2.3	1.9	2.7	NA	2.5	2.2	2.2	2.1	NA
ELEVATIONS:									
Ladder									
Forebay (staff)	636.1	635.8	636.0	636.3	635.8	636.4	636.5	636.7	636.8
Exit Pool (staff)	636.1	635.8	635.9	636.3	635.7	636.4	636.5	636.7	636.7
Diffuser 13 (staff)	628.1	628.1	628.2	628.2	628.2	628.1	628.1	628.1	628.1
U S Picketed Leads (staff)	NA	NA	NA	NA	NA	NA	NA	NA	NA
D S Picketed Leads (staff)	NA	NA	NA	NA	NA	NA	NA	NA	NA
Collection Channel									
South Shore (FSC)	540.94	540.74	541.00	540.64	540.48	540.34	540.54	540.66	540.32
North Pwrhse (FSC)	540.86	540.70	540.90	540.62	540.46	540.36	540.52	540.58	540.28
North Shore (FSC)	540.62	540.36	540.68	540.38	540.22	540.10	540.30	540.38	540.10
Tailwater									
South Shore (FSC)	539.34	539.10	539.34	539.04	538.84	538.92	539.02	539.14	538.82
North Pwrhse (FSC)	539.30	539.12	539.30	538.98	538.76	538.84	539.02	539.12	538.74
North Shore (FSC)	539.20	538.92	539.20	538.90	538.76	538.84	538.94	539.00	538.72
Entrance Weirs									
SSE-1 (FSC)	530.98	530.84	531.06	530.70	530.48	530.52	530.72	530.80	530.54
SSE-2 (FSC)	530.98	530.86	531.10	530.70	530.50	530.56	530.76	530.80	530.52
NPE-1 (FSC)	532.06	532.04	532.06	532.04	532.06	532.06	532.06	532.06	532.06
NPE-2 (FSC)	Closed	Closed	Closed	Closed	Closed	Closed	Closed	Closed	Closed
NSE-1 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
NSE-2 (FSC)	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50	531.50
DIFFERENTIALS/DEPTHS:									
Ladder Exit (staff)	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1
Ladder Weirs (staff)	1.1	1.1	1.2	1.2	1.2	1.1	1.1	1.1	1.1
Counting Station (staff)	NA	NA	NA	NA	NA	NA	NA	NA	NA
South Shore (FSC)	1.60	1.64	1.66	1.60	1.64	1.42	1.52	1.52	1.50
North Pwrhse (FSC)	1.56	1.58	1.60	1.64	1.70	1.52	1.50	1.46	1.54
North Shore (FSC)	1.42	1.44	1.48	1.48	1.46	1.26	1.36	1.38	1.38
SSE-1 (FSC)	8.36	8.26	8.28	8.34	8.36	8.40	8.30	8.34	8.28
SSE-2 (FSC)	8.36	8.24	8.24	8.34	8.34	8.36	8.26	8.34	8.30
NPE-1 (FSC)	7.24	7.08	7.24	6.94	6.70	6.78	6.96	7.06	6.68
NPE-2 (FSC)	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED
NSE-1 (FSC)	7.70	7.42	7.70	7.40	7.26	7.34	7.44	7.50	7.22
NSE-2 (FSC)	7.70	7.42	7.70	7.40	7.26	7.34	7.44	7.50	7.22
CRITERIA POINTS:									
Channel Velocities (S)	YES	NO	YES	NO	YES	NO	NO	NO	YES
Channel Velocities (N)	YES	YES	YES	NA	YES	YES	YES	YES	NA
Differentials									
Ladder Exit (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES
Ladder Weirs (staff)	YES	YES	YES	YES	YES	YES	YES	YES	YES
Counting Station (staff)	NA	NA	NA	NA	NA	NA	NA	NA	NA
South Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Pwrhse (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES
North Shore (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES
Weir Depths									
SSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES
SSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES
NPE-1 (FSC)	YES	YES	YES	SILL	SILL	SILL	SILL	YES	SILL
NPE-2 (FSC)	NO	NO	NO	NO	NO	NO	NO	NO	NO
NSE-1 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES
NSE-2 (FSC)	YES	YES	YES	YES	YES	YES	YES	YES	YES

Max	Min
637.7	633.1
637.6	633.0
628.3	628.1
564.3	563.9
564.3	563.9
543.20	538.50
542.64	538.70
542.42	538.50
541.22	536.72
541.20	536.90
541.02	536.76
532.94	528.64
532.94	528.96
533.86	532.00
533.78	531.98
532.50	531.50
531.50	531.50
0.4	0.0
1.3	1.1
0.1	0.0
2.12	0.82
2.20	0.96
2.16	0.70
9.12	7.72
9.04	7.66
8.26	4.86
8.26	4.62
9.52	5.02
9.52	5.26

Columns in Table This table automatically calculates all results. Just copy the data (only) into the Word file table.

CRITERIA POINTS: YES (Output = 0, 1, or NA)										
Channel Velocities (S)	1	1	1	1	1	1	1	1	1	1
Channel Velocities (N)	1	1	1	1	1	1	1	1	1	1
Differentials										
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1	1
Counting Station (staff)	1	1	1	1	1	1	1	1	1	1
South Shore (FSC)	1	1	1	1	1	1	1	1	1	1
North Pwrhse (FSC)	1	1	1	1	1	1	1	1	1	1
North Shore (FSC)	1	1	1	1	1	1	0	1	1	1
Weir Depths										
SSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
SSE-2 (FSC)	1	1	1	1	1	1	1	0	1	0
NPE-1 (FSC)	1	1	1	1	0	0	1	1	1	1
NPE-2 (FSC)	1	1	1	1	0	0	1	1	1	1
NSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
NSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1

CRITERIA POINTS: NO (Output = 0, 1, or NA)										
Channel Velocities (S)	0	0	0	0	0	0	0	0	0	0
Channel Velocities (N)	0	0	0	0	0	0	0	0	0	0
Differentials										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	1	0	0	0
Weir Depths										
SSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC)	0	0	0	0	0	0	0	1	0	1
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: SILL (Output = 0, 1, or NA)										
Weir Depths										
SSE-1 (FSC)										
SSE-2 (FSC)										
NPE-1 (FSC)	0	0	0	0	1	1	0	0	0	0
NPE-2 (FSC)	0	0	0	0	1	1	0	0	0	0
NSE-1 (FSC)										
NSE-2 (FSC)										

OUT OF CRITERIA SITUATIONS BY INCREMENTS - THESE SHOULD MATCH THE "NOS" ABOVE.

Ladder Differentials (more than 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.11 - 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES (Output = 0, 1, or NA)										
Channel Velocities (S)	1	1	1	1	1	1	1	1	1	1
Channel Velocities (N)	NA	1	1	NA	1	NA	1	1	1	1
Differentials										
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1	1
Counting Station (staff)	1	1	1	1	1	1	1	1	1	1
South Shore (FSC)	1	1	1	1	1	1	1	1	1	1
North Pwrhse (FSC)	1	1	1	1	1	1	1	1	1	1
North Shore (FSC)	NA	1	1	1	1	1	1	1	1	1
Weir Depths										
SSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
SSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-1 (FSC)	1	1	1	1	0	0	0	0	0	0
NPE-2 (FSC)	1	1	1	1	0	0	0	0	0	0
NSE-1 (FSC)	NA	1	1	1	1	1	1	1	1	1
NSE-2 (FSC)	NA	1	1	1	1	1	1	1	1	1

CRITERIA POINTS: NO (Output = 0, 1, or NA)										
Channel Velocities (S)	0	0	0	0	0	0	0	0	0	0
Channel Velocities (N)	NA	0	0	NA	0	NA	0	0	0	0
Differentials										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	NA	0	0	0	0	0	0	0	0	0
Weir Depths										
SSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	NA	0	0	0	0	0	0	0	0	0
NSE-2 (FSC)	NA	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: SILL (Output = 0, 1, or NA)										
Weir Depths										
SSE-1 (FSC)										
SSE-2 (FSC)										
NPE-1 (FSC)	0	0	0	0	1	1	1	1	1	1
NPE-2 (FSC)	0	0	0	0	1	1	1	1	1	1
NSE-1 (FSC)										
NSE-2 (FSC)										

Ladder Differentials (more than 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.11 - 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES (Output = 0, 1, or NA)										
Channel Velocities (S)	1	1	1	1	1	1	1	1	1	1
Channel Velocities (N)	NA	1	1	1	1	NA	NA	NA	NA	NA
Differentials										
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1	1
Counting Station (staff)	1	1	1	1	1	1	1	1	1	1
South Shore (FSC)	1	1	1	1	1	1	1	1	1	1
North Pwrhse (FSC)	1	1	1	1	1	1	1	1	1	0
North Shore (FSC)	1	1	1	1	1	1	1	1	1	1
Weir Depths										
SSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
SSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-1 (FSC)	0	0	0	1	1	1	1	1	0	0
NPE-2 (FSC)	0	0	0	1	1	1	1	1	0	0
NSE-1 (FSC)	1	1	1	1	1	1	1	1	1	0
NSE-2 (FSC)	1	1	1	1	1	1	1	1	1	0

CRITERIA POINTS: NO (Output = 0, 1, or NA)										
Channel Velocities (S)	0	0	0	0	0	0	0	0	0	0
Channel Velocities (N)	NA	0	0	0	0	NA	NA	NA	NA	NA
Differentials										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	1
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Weir Depths										
SSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	0	0	0	0	0	0	0	0	0	1
NSE-2 (FSC)	0	0	0	0	0	0	0	0	0	1

CRITERIA POINTS: SILL (Output = 0, 1, or NA)										
Weir Depths										
SSE-1 (FSC)										
SSE-2 (FSC)										
NPE-1 (FSC)	1	1	1	0	0	0	0	0	1	1
NPE-2 (FSC)	1	1	1	0	0	0	0	0	1	1
NSE-1 (FSC)										
NSE-2 (FSC)										

Ladder Differentials (more than 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.11 - 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES (Output = 0, 1, or NA)										
Channel Velocities (S)	1	1	1	1	1	1	1	1	1	1
Channel Velocities (N)	NA	1	1	1	1	1	1	NA	NA	NA
Differentials										
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1	1
Counting Station (staff)	1	1	1	1	1	1	1	1	1	1
South Shore (FSC)	1	1	1	1	1	0	1	1	1	1
North Pwrhse (FSC)	1	1	0	1	1	1	1	1	1	1
North Shore (FSC)	1	1	1	1	1	1	1	1	1	1
Weir Depths										
SSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
SSE-2 (FSC)	1	1	1	1	1	0	1	1	1	1
NPE-1 (FSC)	0	0	0	0	0	0	0	1	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	1	0	0
NSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
NSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1

CRITERIA POINTS: NO (Output = 0, 1, or NA)										
Channel Velocities (S)	0	0	0	0	0	0	0	0	0	0
Channel Velocities (N)	NA	0	0	0	0	0	0	NA	NA	NA
Differentials										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
South Shore (FSC)	0	0	0	0	0	1	0	0	0	0
North Pwrhse (FSC)	0	0	1	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Weir Depths										
SSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC)	0	0	0	0	0	1	0	0	0	0
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: SILL (Output = 0, 1, or NA)										
Weir Depths										
SSE-1 (FSC)										
SSE-2 (FSC)										
NPE-1 (FSC)	1	1	1	1	1	1	1	0	1	1
NPE-2 (FSC)	1	1	1	1	1	1	1	0	1	1
NSE-1 (FSC)										
NSE-2 (FSC)										

Ladder Differentials (more than 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.11 - 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES (Output = 0, 1, or NA)										
Channel Velocities (S)	1	1	1	1	1	1	1	1	1	1
Channel Velocities (N)	NA	NA	1	NA	NA	NA	NA	NA	NA	1
Differentials										
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1	1
Counting Station (staff)	1	1	1	1	1	1	1	1	1	1
South Shore (FSC)	1	1	1	1	1	1	1	1	1	1
North Pwrhse (FSC)	1	1	1	1	1	1	1	1	1	1
North Shore (FSC)	1	1	1	1	0	1	1	1	1	1
Weir Depths										
SSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
SSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	1	1	1	1	0	1	1	1	1	1
NSE-2 (FSC)	1	1	1	1	0	1	1	1	1	1

CRITERIA POINTS: NO (Output = 0, 1, or NA)										
Channel Velocities (S)	0	0	0	0	0	0	0	0	0	0
Channel Velocities (N)	NA	NA	0	NA	NA	NA	NA	NA	NA	0
Differentials										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	1	0	0	0	0	0
Weir Depths										
SSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	0	0	0	0	1	0	0	0	0	0
NSE-2 (FSC)	0	0	0	0	1	0	0	0	0	0

CRITERIA POINTS: SILL (Output = 0, 1, or NA)										
Weir Depths										
SSE-1 (FSC)										
SSE-2 (FSC)										
NPE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NSE-1 (FSC)										
NSE-2 (FSC)										

Ladder Differentials (more than 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.11 - 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES (Output = 0, 1, or NA)										
Channel Velocities (S)	1	1	1	1	1	1	1	1	1	1
Channel Velocities (N)	NA	1	1	1	NA	1	1	1	1	NA
Differentials										
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1	1
Counting Station (staff)	1	1	1	1	1	1	1	1	1	1
South Shore (FSC)	1	1	1	1	1	1	1	1	1	1
North Pwrhse (FSC)	1	1	1	1	1	1	1	1	1	1
North Shore (FSC)	1	1	1	1	1	1	1	1	1	1
Weir Depths										
SSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
SSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	1	1	1	1	0	0	1	0	0	0
NSE-2 (FSC)	1	1	1	1	0	0	1	0	0	0

CRITERIA POINTS: NO (Output = 0, 1, or NA)										
Channel Velocities (S)	0	0	0	0	0	0	0	0	0	0
Channel Velocities (N)	NA	0	0	0	NA	0	0	0	0	NA
Differentials										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Weir Depths										
SSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	0	0	0	0	1	1	0	1	1	1
NSE-2 (FSC)	0	0	0	0	1	1	0	1	1	1

CRITERIA POINTS: SILL (Output = 0, 1, or NA)										
Weir Depths										
SSE-1 (FSC)										
SSE-2 (FSC)										
NPE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NSE-1 (FSC)										
NSE-2 (FSC)										

Ladder Differentials (more than 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.11 - 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES (Output = 0, 1, or NA)										
Channel Velocities (S)	1	1	1	1	1	1	1	1	0	1
Channel Velocities (N)	NA	1	1	NA	1	1	1	NA	1	1
Differentials										
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1	1
Counting Station (staff)	1	1	1	1	1	1	1	1	1	1
South Shore (FSC)	1	1	1	1	1	1	1	1	1	1
North Pwrhse (FSC)	1	1	1	1	1	1	1	1	1	1
North Shore (FSC)	1	1	1	1	1	1	1	1	1	1
Weir Depths										
SSE-1 (FSC)	1	1	1	1	1	1	1	1	0	1
SSE-2 (FSC)	0	1	1	1	1	1	1	1	0	1
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	0	0	0	0	1	0	0	1	0	0
NSE-2 (FSC)	0	0	0	0	1	0	0	1	0	0

CRITERIA POINTS: NO (Output = 0, 1, or NA)										
Channel Velocities (S)	0	0	0	0	0	0	0	0	1	0
Channel Velocities (N)	NA	0	0	NA	0	0	0	NA	0	0
Differentials										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Weir Depths										
SSE-1 (FSC)	0	0	0	0	0	0	0	0	1	0
SSE-2 (FSC)	1	0	0	0	0	0	0	0	1	0
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	1	1	1	1	0	1	1	0	1	1
NSE-2 (FSC)	1	1	1	1	0	1	1	0	1	1

CRITERIA POINTS: SILL (Output = 0, 1, or NA)										
Weir Depths										
SSE-1 (FSC)										
SSE-2 (FSC)										
NPE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NSE-1 (FSC)										
NSE-2 (FSC)										

Ladder Differentials (more than 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.11 - 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES (Output = 0, 1, or NA)										
Channel Velocities (S)	1	1	1	1	1	1	1	0	0	1
Channel Velocities (N)	NA	1	1	1	1	1	1	1	1	1
Differentials										
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1	1
Counting Station (staff)	1	1	1	1	1	1	1	1	1	1
South Shore (FSC)	1	1	1	1	1	1	1	1	1	1
North Pwrhse (FSC)	1	1	1	1	1	1	1	1	1	1
North Shore (FSC)	1	1	1	1	1	1	1	1	1	1
Weir Depths										
SSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
SSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC)	0	0	1	0	0	0	0	0	0	0

CRITERIA POINTS: NO (Output = 0, 1, or NA)										
Channel Velocities (S)	0	0	0	0	0	0	0	1	1	0
Channel Velocities (N)	NA	0	0	0	0	0	0	0	0	0
Differentials										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Weir Depths										
SSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	1	0	0	1	0	0	0	0
NSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
NSE-2 (FSC)	1	1	0	1	1	1	1	1	1	1

CRITERIA POINTS: SILL (Output = 0, 1, or NA)										
Weir Depths										
SSE-1 (FSC)										
SSE-2 (FSC)										
NPE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-2 (FSC)	1	1	0	1	1	0	1	1	1	1
NSE-1 (FSC)										
NSE-2 (FSC)										

Ladder Differentials (more than 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.11 - 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES (Output = 0, 1, or NA)										
Channel Velocities (S)	1	1	1	1	1	1	1	0	1	1
Channel Velocities (N)	1	1	1	1	1	1	1	1	1	1
Differentials										
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1	1
Counting Station (staff)	1	1	1	1	1	1	1	1	1	1
South Shore (FSC)	1	1	1	1	1	1	1	1	1	1
North Pwrhse (FSC)	1	1	1	1	1	1	1	1	1	1
North Shore (FSC)	1	1	1	1	1	1	1	1	1	1
Weir Depths										
SSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
SSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-1 (FSC)	0	1	1	1	1	0	0	0	0	0
NPE-2 (FSC)	0	1	1	1	1	0	0	0	0	0
NSE-1 (FSC)	0	1	1	1	1	1	1	1	1	1
NSE-2 (FSC)	0	1	1	1	1	1	1	1	1	1

CRITERIA POINTS: NO (Output = 0, 1, or NA)										
Channel Velocities (S)	0	0	0	0	0	0	0	1	0	0
Channel Velocities (N)	0	0	0	0	0	0	0	0	0	0
Differentials										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Weir Depths										
SSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	1	0	0	0	0	0	0	0	0	0
NSE-2 (FSC)	1	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: SILL (Output = 0, 1, or NA)										
Weir Depths										
SSE-1 (FSC)										
SSE-2 (FSC)										
NPE-1 (FSC)	1	0	0	0	0	1	1	1	1	1
NPE-2 (FSC)	1	0	0	0	0	1	1	1	1	1
NSE-1 (FSC)										
NSE-2 (FSC)										

Ladder Differentials (more than 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.11 - 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES (Output = 0, 1, or NA)										
Channel Velocities (S)	1	0	1	0	1	0	0	0	0	0
Channel Velocities (N)	1	NA	1	1	1	1	1	1	1	1
Differentials										
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1	1
Counting Station (staff)	1	1	1	1	1	1	1	1	1	1
South Shore (FSC)	1	1	1	1	1	1	1	1	1	1
North Pwrhse (FSC)	1	1	0	1	1	1	1	1	1	1
North Shore (FSC)	1	0	0	1	1	1	1	1	1	1
Weir Depths										
SSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
SSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-1 (FSC)	0	0	1	1	1	0	0	1	0	0
NPE-2 (FSC)	0	0	1	0	0	0	0	0	0	0
NSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
NSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1

CRITERIA POINTS: NO (Output = 0, 1, or NA)										
Channel Velocities (S)	0	1	0	1	0	1	1	1	1	1
Channel Velocities (N)	0	NA	0	0	0	0	0	0	0	0
Differentials										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	1	0	0	0	0	0	0	0
North Shore (FSC)	0	1	1	0	0	0	0	0	0	0
Weir Depths										
SSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	0	0	0	1	1	1	1	1	1	1
NSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: SILL (Output = 0, 1, or NA)										
Weir Depths										
SSE-1 (FSC)										
SSE-2 (FSC)										
NPE-1 (FSC)	1	1	0	0	0	1	1	0	1	1
NPE-2 (FSC)	1	1	0	0	0	0	0	0	0	0
NSE-1 (FSC)										
NSE-2 (FSC)										

Ladder Differentials (more than 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.11 - 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES (Output = 0, 1, or NA)										
Channel Velocities (S)	0	0	0	0	1	1	0	1	0	1
Channel Velocities (N)	1	1	1	1	0	1	1	1	1	1
Differentials										
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1	1
Counting Station (staff)	1	1	1	1	1	1	1	1	1	1
South Shore (FSC)	1	1	1	1	1	1	1	1	0	1
North Pwrhse (FSC)	1	1	1	1	1	1	1	1	0	1
North Shore (FSC)	1	1	1	1	1	1	1	1	0	0
Weir Depths										
SSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
SSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-1 (FSC)	1	0	1	1	1	1	0	0	0	1
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
NSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1

CRITERIA POINTS: NO (Output = 0, 1, or NA)										
Channel Velocities (S)	1	1	1	1	0	0	1	0	1	0
Channel Velocities (N)	0	0	0	0	1	0	0	0	0	0
Differentials										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
South Shore (FSC)	0	0	0	0	0	0	0	0	1	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	1	0
North Shore (FSC)	0	0	0	0	0	0	0	0	1	1
Weir Depths										
SSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: SILL (Output = 0, 1, or NA)										
Weir Depths										
SSE-1 (FSC)										
SSE-2 (FSC)										
NPE-1 (FSC)	0	1	0	0	0	0	1	1	1	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)										
NSE-2 (FSC)										

Ladder Differentials (more than 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.11 - 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES (Output = 0, 1, or NA)										
Channel Velocities (S)	1	1	1	1	1	1	1	0	0	0
Channel Velocities (N)	1	1	1	1	1	1	1	NA	1	NA
Differentials										
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1	1
Counting Station (staff)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
South Shore (FSC)	1	1	1	1	1	1	1	1	1	1
North Pwrhse (FSC)	1	1	1	1	1	1	1	1	1	1
North Shore (FSC)	1	1	1	1	1	1	1	1	1	1
Weir Depths										
SSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
SSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NPE-1 (FSC)	0	1	1	0	0	1	1	0	1	1
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	1	1	1	1	1	1	1	1	1	1
NSE-2 (FSC)	1	1	1	1	1	1	1	1	1	1

CRITERIA POINTS: NO (Output = 0, 1, or NA)										
Channel Velocities (S)	0	0	0	0	0	0	0	1	1	1
Channel Velocities (N)	0	0	0	0	0	0	0	NA	0	NA
Differentials										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Weir Depths										
SSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	1	1	1	1	1	1	1	1	1	1
NSE-1 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: SILL (Output = 0, 1, or NA)										
Weir Depths										
SSE-1 (FSC)										
SSE-2 (FSC)										
NPE-1 (FSC)	1	0	0	1	1	0	0	1	0	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)										
NSE-2 (FSC)										

Ladder Differentials (more than 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.11 - 0.2 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too low)										
Ladder Exit (staff)	Not applicable.									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	Not applicable.									
Ladder Differentials (0.01 - 0.1 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES									
Channel Velocities (S)	1	0	1	0	1	0	0	0	1
Channel Velocities (N)	1	1	1	NA	1	1	1	1	NA
Differentials									
Ladder Exit (staff)	1	1	1	1	1	1	1	1	1
Ladder Weirs (staff)	1	1	1	1	1	1	1	1	1
Counting Station (staff)	NA	NA	NA	NA	NA	NA	NA	NA	NA
South Shore (FSC)	1	1	1	1	1	1	1	1	1
North Pwrhse (FSC)	1	1	1	1	1	1	1	1	1
North Shore (FSC)	1	1	1	1	1	1	1	1	1
Weir Depths									
SSE-1 (FSC)	1	1	1	1	1	1	1	1	1
SSE-2 (FSC)	1	1	1	1	1	1	1	1	1
NPE-1 (FSC)	1	1	1	0	0	0	0	1	0
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)	1	1	1	1	1	1	1	1	1
NSE-2 (FSC)	1	1	1	1	1	1	1	1	1

CRITERIA POINTS: NO									
Channel Velocities (S)	0	1	0	1	0	1	1	1	0
Channel Velocities (N)	0	0	0	NA	0	0	0	0	NA
Differentials									
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0
Counting Station (staff)	NA	NA	NA	NA	NA	NA	NA	NA	NA
South Shore (FSC)	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0
Weir Depths									
SSE-1 (FSC)	0	0	0	0	0	0	0	0	0
SSE-2 (FSC)	0	0	0	0	0	0	0	0	0
NPE-1 (FSC)	0	0	0	0	0	0	0	0	0
NPE-2 (FSC)	1	1	1	1	1	1	1	1	1
NSE-1 (FSC)	0	0	0	0	0	0	0	0	0
NSE-2 (FSC)	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: SILL									
Weir Depths									
SSE-1 (FSC)									
SSE-2 (FSC)									
NPE-1 (FSC)	0	0	0	1	1	1	1	0	1
NPE-2 (FSC)	0	0	0	0	0	0	0	0	0
NSE-1 (FSC)									
NSE-2 (FSC)									

Ladder Differentials (more than 0.2 too low)									
Ladder Exit (staff)									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0
Counting Station (staff)									
Ladder Differentials (0.11 - 0.2 too low)									
Ladder Exit (staff)									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0
Counting Station (staff)									
Ladder Differentials (0.01 - 0.1 too low)									
Ladder Exit (staff)									
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0
Counting Station (staff)									
Ladder Differentials (0.01 - 0.1 too high)									
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0
Ladder Differentials (0.11 - 0.2 too high)									
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0

CRITERIA POINTS: YES	No. of YES	Total No. of Inspections	% YES
Channel Velocities (S)	104	129	80.6
Channel Velocities (N)	95	96	99.0
Differentials			
Ladder Exit (staff)	129	129	100.0
Ladder Weirs (staff)	129	129	100.0
Counting Station (staff)	110	110	100.0
South Shore (FSC)	127	129	98.4
North Pwrhse (FSC)	125	129	96.9
North Shore (FSC)	122	128	95.3
Weir Depths			
SSE-1 (FSC)	128	129	99.2
SSE-2 (FSC)	124	129	96.1
NPE-1 (FSC)	42	126	33.3
NPE-2 (FSC)	23	129	17.8
NSE-1 (FSC)	102	128	79.7
NSE-2 (FSC)	103	128	80.5

CRITERIA POINTS: NO	No. of NO	% NO
Channel Velocities (S)	25	19.4
Channel Velocities (N)	1	1.0
Differentials		
Ladder Exit (staff)	0	0.0
Ladder Weirs (staff)	0	0.0
Counting Station (staff)	0	0.0
South Shore (FSC)	2	1.6
North Pwrhse (FSC)	4	3.1
North Shore (FSC)	6	4.7
Weir Depths		
SSE-1 (FSC)	1	0.8
SSE-2 (FSC)	5	3.9
NPE-1 (FSC)	0	0.0
NPE-2 (FSC)	38	29.5
NSE-1 (FSC)	26	20.3
NSE-2 (FSC)	25	19.5

CRITERIA POINTS: SILL	No. of SILL	% SILL
Weir Depths		
SSE-1 (FSC)	Not Applic.	Not Applic.
SSE-2 (FSC)	Not Applic.	Not Applic.
NPE-1 (FSC)	84	66.7
NPE-2 (FSC)	68	52.7
NSE-1 (FSC)	Not Applic.	Not Applic.
NSE-2 (FSC)	Not Applic.	Not Applic.

Numbers in green below should add to numbers in green above.

Numbers in yellow below should add to numbers in yellow above.

Numbers in blue below should add to numbers in blue above.

Ladder Differentials (more than 0.2 too low)	
Ladder Exit (staff)	Not applicable.
Ladder Weirs (staff)	0
Counting Station (staff)	Not applicable.
Ladder Differentials (0.11 - 0.2 too low)	
Ladder Exit (staff)	Not applicable.
Ladder Weirs (staff)	0
Counting Station (staff)	Not applicable.
Ladder Differentials (0.01 - 0.1 too low)	
Ladder Exit (staff)	Not applicable.
Ladder Weirs (staff)	0
Counting Station (staff)	Not applicable.
Ladder Differentials (0.01 - 0.1 too high)	
Ladder Exit (staff)	0
Ladder Weirs (staff)	0
Counting Station (staff)	0
Ladder Differentials (0.11 - 0.2 too high)	
Ladder Exit (staff)	0
Ladder Weirs (staff)	0

1	2	3	4	5	6	7	8	9	Rows in Table	
LITTLE GOOSE									1	
Criteria and Locations	No. in Criteria/No. on Sill/No. of Inspections	% In Criteria/% On Sill	-----Not Enough Depth-----			-----Too Much Depth-----				2
			No./% Within 0.01-0.1 Foot	No./% Within 0.11-0.2 Foot	No./% >0.2 Foot	No./% Within 0.01-0.1 Foot	No./% Within 0.11-0.2 Foot	No./% >0.2 Foot		3
Channel Velocities (S)	104	80.6	***	***	***	***	***	***	4	
	***	***	***	***	***	***	***	***	5	
	129								6	
Channel Velocities (N)	95	99.0	***	***	***	***	***	***	7	
	***	***	***	***	***	***	***	***	8	
	96								9	
Differentials									10	
Ladder Exit (staff)	129	100.0	***	***	***	0	0	0	11	
	***	***	***	***	***	0.0	0.0	0.0	12	
	129								13	
Ladder Weirs (staff)	129	100.0	0	0	0	0	0	0	14	
	***	***	0.0	0.0	0.0	0.0	0.0	0.0	15	
	129								16	
Counting Station (staff)	110	100.0	***	***	***	0	0	0	17	
	***	***	***	***	***	0.0	0.0	0.0	18	
	110								19	
South Shore (FSC)	127	98.4	0	1	0	0	1	0	20	
	***	***	0.0	0.8	0.0	0.0	0.8	0.0	21	
	129								22	
North Pwrhse (FSC)	125	96.9	2	0	0	0	1	1	23	
	***	***	1.6	0.0	0.0	0.0	0.8	0.8	24	
	129								25	
North Shore (FSC)	122	95.3	2	1	1	0	1	0	26	
	***	***	1.6	0.8	0.8	0.0	0.8	0.0	27	
	128								28	
Weir Depths									29	
SSE-1 (FSC)	128	99.2	0	0	1	***	***	***	30	
	Not Applic.	***	0.0	0.0	0.8	***	***	***	31	
	129								32	
SSE-2 (FSC)	124	96.1	1	2	2	***	***	***	33	
	Not Applic.	***	0.8	1.6	1.6	***	***	***	34	
	129								35	
NPE-1 (FSC)	42	33.3	0	0	0	***	***	***	36	
	84	66.7	0.0	0.0	0.0	***	***	***	37	
	126								38	
NPE-2 (FSC)	23	17.8	0	0	2	***	***	***	39	
	68	52.7	0.0	0.0	1.6	***	***	***	40	
	129								41	
NSE-1 (FSC)	102	79.7	4	6	16	***	***	***	42	
	Not Applic.	***	3.1	4.7	12.5	***	***	***	43	
	128								44	
NSE-2 (FSC)	103	80.5	4	6	15	***	***	***	45	
	Not Applic.	***	3.1	4.7	11.7	***	***	***	46	
	128								47	
									48	
									49	
									50	

Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	1	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.90 - 0.99):										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)										
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	1	0	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.11 - 0.2 too low)										
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	1
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.01 - 0.1 too low)										
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0

Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.90 - 0.99):										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)										
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.11 - 0.2 too low)										
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.01 - 0.1 too low)										
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0

Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.90 - 0.99):										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	1
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)										
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.11 - 0.2 too low)										
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	1
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	1
Entrance Weir Depths (0.01 - 0.1 too low)										
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0

Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.90 - 0.99):										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)										
South Shore (FSC)	0	0	0	0	0	1	0	0	0	0
North Pwrhse (FSC)	0	0	1	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)										
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.11 - 0.2 too low)										
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.01 - 0.1 too low)										
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	1	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0

Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.90 - 0.99):										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	1	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)										
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (<5.80)	0	0	0	0	1	0	0	0	0	0
NSE-2 (FSC) (<5.80)	0	0	0	0	1	0	0	0	0	0
Entrance Weir Depths (0.11 - 0.2 too low)										
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.01 - 0.1 too low)										
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0

Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.90 - 0.99):										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)										
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	1
NSE-2 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	1
Entrance Weir Depths (0.11 - 0.2 too low)										
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	1	1	0	1	1	0
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	1	1	0	1	1	0
Entrance Weir Depths (0.01 - 0.1 too low)										
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0

Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.90 - 0.99):										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)										
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	1	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	0	1	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (<5.80)	1	1	0	1	0	0	1	0	1	0
NSE-2 (FSC) (<5.80)	1	1	0	1	0	0	1	0	1	0
Entrance Weir Depths (0.11 - 0.2 too low)										
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	1	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	1
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	1
Entrance Weir Depths (0.01 - 0.1 too low)										
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	0	0	1	0	0	1	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	0	0	1	0	0	1	0	0	0	0

Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.90 - 0.99):										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)										
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	1	0	0	1	0	0	0	0
NSE-1 (FSC) (<5.80)	1	1	1	1	1	0	1	1	1	1
NSE-2 (FSC) (<5.80)	1	1	0	1	1	0	1	1	1	1
Entrance Weir Depths (0.11 - 0.2 too low)										
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.01 - 0.1 too low)										
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	0	0	0	0	0	1	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	0	0	0	0	0	1	0	0	0	0

Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.90 - 0.99):										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)										
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.11 - 0.2 too low)										
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.01 - 0.1 too low)										
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	1	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	1	0	0	0	0	0	0	0	0	0

Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.90 - 0.99):										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	1	0	0	0	0	0	0	0
North Shore (FSC)	0	1	1	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)										
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.11 - 0.2 too low)										
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.01 - 0.1 too low)										
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0

Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)										
South Shore (FSC)	0	0	0	0	0	0	0	0	1	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	1	0
Channel/Tailwater Differentials (0.90 - 0.99):										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	1	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)										
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.11 - 0.2 too low)										
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.01 - 0.1 too low)										
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0

Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)										
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.90 - 0.99):										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)										
South Shore (FSC)	0	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)										
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.11 - 0.2 too low)										
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.01 - 0.1 too low)										
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0	0

Counting Station (staff)	0	0	0	0	0	0	0	0	0
Ladder Differentials (more than 0.2 too high)									
Ladder Exit (staff)	0	0	0	0	0	0	0	0	0
Ladder Weirs (staff)	0	0	0	0	0	0	0	0	0
Counting Station (staff)	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (<0.80)									
South Shore (FSC)	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.80 - 0.89)									
South Shore (FSC)	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (0.90 - 0.99):									
South Shore (FSC)	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.01 - 2.10)									
South Shore (FSC)	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (2.11 - 2.20)									
South Shore (FSC)	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0
Channel/Tailwater Differentials (>2.20)									
South Shore (FSC)	0	0	0	0	0	0	0	0	0
North Pwrhse (FSC)	0	0	0	0	0	0	0	0	0
North Shore (FSC)	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (more than 0.2 too low)									
SSE-1 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (<7.80)	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (<6.80)	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (<5.80)	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.11 - 0.2 too low)									
SSE-1 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.80 - 7.89)	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.80 - 6.89)	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.80 - 5.89)	0	0	0	0	0	0	0	0	0
Entrance Weir Depths (0.01 - 0.1 too low)									
SSE-1 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0
SSE-2 (FSC) (7.90 - 7.99)	0	0	0	0	0	0	0	0	0
NPE-1 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0
NPE-2 (FSC) (6.90 - 6.99)	0	0	0	0	0	0	0	0	0
NSE-1 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0
NSE-2 (FSC) (5.90 - 5.99)	0	0	0	0	0	0	0	0	0

Counting Station (staff)	0
Ladder Differentials (more than 0.2 too high)	
Ladder Exit (staff)	0
Ladder Weirs (staff)	0
Counting Station (staff)	0
Channel/Tailwater Differentials (<0.80)	
South Shore (FSC)	0
North Pwrhse (FSC)	0
North Shore (FSC)	1
Channel/Tailwater Differentials (0.80 - 0.89)	
South Shore (FSC)	1
North Pwrhse (FSC)	0
North Shore (FSC)	1
Channel/Tailwater Differentials (0.90 - 0.99):	
South Shore (FSC)	0
North Pwrhse (FSC)	2
North Shore (FSC)	2
Channel/Tailwater Differentials (2.01 - 2.10)	
South Shore (FSC)	0
North Pwrhse (FSC)	0
North Shore (FSC)	0
Channel/Tailwater Differentials (2.11 - 2.20)	
South Shore (FSC)	1
North Pwrhse (FSC)	1
North Shore (FSC)	1
Channel/Tailwater Differentials (>2.20)	
South Shore (FSC)	0
North Pwrhse (FSC)	1
North Shore (FSC)	0
Entrance Weir Depths (more than 0.2 too low)	
SSE-1 (FSC) (<7.80)	1
SSE-2 (FSC) (<7.80)	2
NPE-1 (FSC) (<6.80)	0
NPE-2 (FSC) (<6.80)	2
NSE-1 (FSC) (<5.80)	16
NSE-2 (FSC) (<5.80)	15
Entrance Weir Depths (0.11 - 0.2 too low)	
SSE-1 (FSC) (7.80 - 7.89)	0
SSE-2 (FSC) (7.80 - 7.89)	2
NPE-1 (FSC) (6.80 - 6.89)	0
NPE-2 (FSC) (6.80 - 6.89)	0
NSE-1 (FSC) (5.80 - 5.89)	6
NSE-2 (FSC) (5.80 - 5.89)	6
Entrance Weir Depths (0.01 - 0.1 too low)	
SSE-1 (FSC) (7.90 - 7.99)	0
SSE-2 (FSC) (7.90 - 7.99)	1
NPE-1 (FSC) (6.90 - 6.99)	0
NPE-2 (FSC) (6.90 - 6.99)	0
NSE-1 (FSC) (5.90 - 5.99)	4
NSE-2 (FSC) (5.90 - 5.99)	4