
# North Santiam Temperature Task Group W-FPOM

October 26, 2016




# North Santiam Temperature Targets Current vs. Proposed



—Proposed (max)2—Proposed (min)

PORTLAND DISTRICT BUILDING STRONG®


#### Normal Year








### **Cool Wet Year**







### Hot Dry Year







## Spring Chinook Evaluation


					Exiting Target			Proposed Target		
Alternative	Date	Impact	criteria	criteria	cool	hot		cool	hot	
Evaluation	Range	Туре	(deg. C)	(deg. F)	wet	dry	normal	wet	dry	normal
					percent of days not achieving criteria					
Migration	May-01 to Jul-15	delay	< 11.1	< 52.0	72	58	70	72	59	70
Holding	May-01 to Sep-15	extreme	> 19.5	> 67.1	0	0	0	0	0	0
Holding	May-01 to Sep-15	sub- optimal	> 16.0	> 60.8	0	0	0	0	0	0
Spawning	Sep-01 to Oct-15	extreme	> 15.6	> 60.1	0	0	0	0	0	0
Spawning	Sep-01 to Oct-15	sub- optimal	> 13.0	> 55.4	4	7	20	0	2	0
Incubation	Sep-01 to Dec-31	extreme	> 15.6	> 60.1	0	0	0	0	0	0
Incubation	Sep-01 to Dec-31	sub- optimal	> 10.1	> 50.2	18	78	31	43	78	61
					emergence date					
Emergence	Sep-20 plus 1750 ATUs	early			1/19	12/15	1/11	1/11	12/13	1/2





#### Winter Steelhead Evaluation

**Existing** Alternative Date Impact criteria criteria cool wet hot Dry Evaluation Range Type (deg. C) (deg. F) normal cool wet hot Dry percent of days not achieving criteria Mar-01 to Sub-








Proposed

normal


## July and August Max Target (58°F) Normal Year








# July and August Max Target (58°F) Hot Dry Year







### 2016 Water Temperatures







### Summary and Discussion

- Proposed targets appear a little better for spawning, a little worse for incubation (ChS), differences are minimal compared to current
- Proposed minimum target a concern Jun-Sep (potential migration delay, ChS)
- Cooler temps better for fish health at Minto FF and in the river
- Impacts between Current vs Proposed were essentially Equal for StW (very similar emergence timing)
- Next Steps/Thoughts:
  - Vary approach depending on water year
  - Maybe set max target Jul-Aug 58°F during warmer years
  - ▶ Use 54°F as max target Jul-Aug (normal & cooler years)
  - ► Maybe set min target Jul-Aug between 50-52°F (minimize potential delay)
  - Engage DET Temperature PDT
  - ▶ Bennett and Willamette counts
  - ▶ Meet again ???, or brief at W-FPOM



