# DETROIT WATER TEMPERATURE CONTROL AND DOWNSTREAM PASSAGE

Jeff Ament, Project Manager


WFFDWG Mtg CENWP 04 Sept 2018







### ORIGINAL SWS BUILD IN THE DRY ALTERNATIVE







### **DETROIT TEMPERATURE CONTROL- DRAWDOWN IMPACTS - BLUF**

#### Recreation Impacts

Loss of business revenue

### Downstream Water Supply Impacts (July – October)

- Municipal water supply
  - Cities of Salem, Stayton, Turner, Gates... withdraw municipal water
  - City of Salem alone 192,000 residents and businesses impacted
  - No full scale backup systems exist
- Agriculture
  - 850 farmers on over 17,000 acres rely on North Santiam for irrigation water
  - Many crops perennial loss of water loss of plant

#### Bottom-line

– Drawdown impacts are huge!







# **Detroit Downstream Passage Project: Construction Alternatives**



Alternative	Retained	Reason
CA 1 – 2 Year Low Drawdown	Yes	Feasible, lowest construction cost
CA 2 – 1 Year Low Drawdown	Yes	Feasible
CA 3 – Variable Low Drawdown with	No	High construction cost and increased impacts resulting from
Temporary Cofferdam		longer drawdown required to build coffer dams
CA 4 – 1 Year Variable Drawdown	Yes	Feasible
CA 5 – Build in the Wet	Yes	Feasible











# **Detroit Downstream Passage Project: Variable Drawdown Possible Rule Curves**








Risky – Relies on spring rains

Pool is drafted to maintain minimum flows





### **BUILD IN THE WET - ATTACHED TO DAM TOWER ISOMETRIC**








### **OPTION 2 – ATTACHED TO DAM TOWER SECTION DETAILS**

ELEVATION - DOWNSTREAM







### **SUMMARY**

Free Standing SWS

Ease underwater Attached to Dam SWS

Eliminate underwater conduit construction

construction

With no Impact to Biological Benefit

Still working NEPA
process – decision not
final – working
communication plan –
stay tuned





## Questions?



