Prepared by:	Jazmin Horvet, Cameron Blair & Rachel Ellison, Environmental Assessment Services, LLC
Report Period:	November 16 <sup>th</sup> to November 30 <sup>th</sup> , 2023
Re:	CRAMER FISH SCIENCES – WILLAMETTE VALLEY FISH PASSAGE MONITORING VIA ROTARY SCREW TRAPS

# Project Schedule

Table 1. Project Schedule								
Site	Task	Start	End	Days				
Breitenbush River RST	Trap Install	6/16/2023	6/16/2023	1				
Breitenbush River RST	Operation	6/16/2023	11/30/2023	167				
Breitenbush River RST	Trapping Efficiency (749 fish)	6/21/2023	6/21/202	1				
Breitenbush River RST	Trapping Efficiency (763 fish)	7/6/2023	7/6/2023	1				
Breitenbush River RST	Trapping Efficiency (791 fish)	8/2/2023	8/2/2023	1				
Breitenbush River RST	Trapping Efficiency (756 fish)	9/20/2023	9/20/2023	1				
Breitenbush River RST	Trapping Efficiency (789 fish)	10/5/2023	10/5/2023	1				
Breitenbush River RST	Trapping Efficiency (750 fish)	10/25/2023	10/25/2023	1				
Breitenbush River RST	Trapping Efficiency (750 fish)	11/10/2023	11/10/2023	1				
Breitenbush River RST	Trapping Efficiency (900 fish)	11/21/2023	11/21/2023	1				
Big Cliff Dam RST	Operation	10/15/2023	12/31/2023	78				
Big Cliff Dam Tailrace	Trapping Efficiency (633 fish)	10/25/2023	10/25/2023	1				
Big Cliff Dam Tailrace	Trapping Efficiency (527 fish)	11/16/2023	11/16/2023	1				
Big Cliff Dam Tailrace	Trapping Efficiency (500 fish)	11/21/2023	11/21/2023	1				
Detroit Head of Reservoir- North Santiam River RST	Trap Install	4/19/2023	4/19/2023	1				
Detroit Head of Reservoir- North Santiam River RST	Operation	5/4/2023	11/30/2023	210				
Detroit Head of Reservoir- North Santiam River RST	Trapping Efficiency (539 fish)	6/6/2023	6/6/2023	1				
Detroit Head of Reservoir- North Santiam River RST	Trapping Efficiency (750 fish)	6/20/2023	6/20/2023	1				
Detroit Head of Reservoir- North Santiam River RST	Trapping Efficiency (750 fish)	7/6/2023	7/6/2023	1				
Detroit Head of Reservoir- North Santiam River RST	Trapping Efficiency (750 fish)	8/2/2023	8/2/2023	1				
Detroit Head of Reservoir- North Santiam River RST	Trapping Efficiency (700 fish)	9/6/2023	9/6/2023	1				

# Table 1. Project Schedule

	Transie of <b>F</b> #Colored			
Detroit Head of Reservoir- North Santiam River RST	Trapping Efficiency (750 fish)	10/5/2023	10/5/2023	1
Detroit Head of Reservoir- North Santiam River RST	Trapping Efficiency (757 fish)	10/25/2023	10/25/2023	1
Detroit Head of Reservoir- North Santiam River RST	Trapping Efficiency (813 fish)	11/10/2023	11/10/2023	1
Detroit Head of Reservoir- North Santiam River RST	Trapping Efficiency (1014 fish)	11/21/2023	11/21/2023	1
Green Peter Head of Reservoir- Middle Santiam River RST	Highline Install	4/25/2023	4/25/2023	1
Green Peter Head of Reservoir- Middle Santiam River RST	Trap Install	4/26/2023	4/26/2023	1
Green Peter Head of Reservoir- Middle Santiam River RST	Operation	5/4/2023	11/30/2023	210
Green Peter Head of Reservoir- Middle Santiam River RST	Trapping Efficiency (1000 dead, 750 alive)	6/7/2023	6/7/2023	1
Green Peter Head of Reservoir- Middle Santiam River RST	Trapping Efficiency (750 fish)	7/28/2023	7/28/2023	1
Green Peter Head of Reservoir- Middle Santiam River RST	Trapping Efficiency (749 fish)	8/30/2023	8/30/2023	1
Green Peter Head of Reservoir- Middle Santiam River RST	Trapping Efficiency (741 fish)	9/27/2023	9/27/2023	1
Green Peter Head of Reservoir- Middle Santiam River RST	Trapping Efficiency (750 fish)	10/11/2023	10/11/2023	1
Green Peter Head of Reservoir- Middle Santiam River RST	Trapping Efficiency (750 alive, 1,000 dead)	10/11/2023	10/11/2023	1
Green Peter Head of Reservoir- Middle Santiam River RST	Trapping Efficiency (750 alive, 1,000 dead)	10/31/2023	10/31/2023	1
Green Peter Head of Reservoir- Middle Santiam River RST	Trapping Efficiency (749 alive)	11/15/2023	11/15/2023	1
Fall Creek Dam Tailrace RST	Operation	10/1/2023	12/31/2023	92
Fall Creek Dam Tailrace RST	Trapping Efficiency (1,020 fish)	10/3/2023	10/3/2023	1
Fall Creek Dam Tailrace RST	Trapping Efficiency (1,011 fish)	10/17/2023	10/17/2023	1
Lookout Dam Tailrace RSTs	Operation	8/01/2023	12/31/2023	152
Lookout Dam Tailrace Spill	Trapping Efficiency (3,634 fish)	9/13/0223	9/13/0223	1
Lookout Dam Tailrace Spill	Trapping Efficiency (3,998 fish)	9/14/2023	9/14/2023	1
Lookout Dam Tailrace Spill	Trapping Efficiency (4,042 fish)	10/25/2023	10/25/2023	1
Lookout Dam Tailrace Spill	Trapping Efficiency (4,005 fish)	11/16/2023	11/16/2023	1
Hills Creek Dam RSTs	Operation	9/15/2023	12/31/2023	107
Hills Creek Dam Powerhouse	Trapping Efficiency (510 fish)	9/27/2023	9/27/2023	1
Hills Creek Dam Powerhouse	Trapping Efficiency (503 fish)	10/31/2023	10/31/2023	1
Hills Creek Dam Regulating Outlet Route	Trapping Efficiency (504 fish)	11/21/2023	11/21/2023	1
Hills Creek Dam Regulating Outlet Route	Trapping Efficiency (504 fish)	11/29/2023	11/29/2023	1
Hills Creek Head of Reservoir RST	Trap Install	5/9/2023	5/9/2023	1
Hills Creek Head of Reservoir RST	Operation	5/9/2023	6/30/2023	52
Hills Creek Head of Reservoir RST	Removal	6/30/2023	6/30/2023	1
Hills Creek Head of Reservoir RST	Trapping Efficiency	5/18/2023	5/18/2023	1

	(519 fish)			
Hills Creek Head of Reservoir RST	Trapping Efficiency (760 fish)	6/19/2023	6/19/2023	1

	Total	Current	Current	Days	Total					
Site	Sampling	Reporting	Reporting	Sampled This	Days					
	Period Start	Period Start	Period End	Period	Sampled					
					-					
Breitenbush River RST	6/16/2023	11/16/2023	11/30/2023	14	147					
Big Cliff Dam	10/15/2023	11/16/2023	11/30/2023	15	46					
Detroit Head of Reservoir- North Santiam River RST	5/4/2023	11/16/2023	11/30/2023	15	191					
Green Peter Head of Reservoir- Middle Santiam River RST	5/4/2023	11/16/2023	11/30/2023	15	188					
Fall Creek Dam Tailrace	10/1/2023	11/16/2023	11/30/2023	15	61					
Lookout Point Dam PH	8/1/2023	11/16/2023	11/30/2023	15	103					
Lookout Point Dam Spill	8/1/2023	11/16/2023	11/30/2023	15	103					
Hills Creek Dam PH	9/15/2023	11/16/2023	11/30/2023	15	76					
Hills Creek Dam RO	9/15/2023	11/16/2023	11/30/2023	15	76					
Hills Creek Head of Reservoir RST	5/9/2023	N/A	N/A	N/A	52					

# Table 2. Sampling Dates for Reporting Period

	•	Catch	Recaptures	
		(Reporting	(Reporting	Total
Site	Species	Period)	Period)	Catch
Breitenbush River RST	CHS	4	55	377
Breitenbush River RST	STW	3	0	356
Big Cliff Dam Tailrace	CHS	11	30	676
Big Cliff Dam Tailrace	STW	0	0	248
Detroit Head of Reservoir- North Santiam River RST	CHS	55	111	10,252
Detroit Head of Reservoir- North Santiam River RST	STW	1	0	594
Green Peter Head of Reservoir- Middle Santiam River RST	CHS	1	1	25
Green Peter Head of Reservoir- Middle Santiam River RST	STW	0	0	0
Fall Creek Dam Tailrace	CHS	0	0	89
Lookout Point Dam	CHS	5	12	14
Hills Creek Dam	CHS	32	50	460
Hills Creek Head of Reservoir RST	CHS	0	0	93

#### Table 3. Willamette Valley Rotary Screw Trap Monitoring Catch Summary

# Summary of Rotary Screw Trap Data

For this reporting period, traps were operated at the following 7 locations: Big Cliff Dam Tailrace, Detroit Head of Reservoir – North Santiam River, Breitenbush River, Green Peter Head of Reservoir – Middle Santiam River, Fall Creek Dam Tailrace, Lookout Dam Tailrace and Hills Creek Dam Tailrace.

The RST in Big Cliff Dam Tailrace began sampling under contract W9127N19D0009 on October 16<sup>th</sup>, 2023. Sampling at Big Cliff Dam Tailrace prior to October 16<sup>th</sup>, 2023 was conducted by EAS for the USACE under contract W9127N19D0007. This report reflects research conducted starting October 16<sup>th</sup> 2023 but will include season totals from January 1<sup>st</sup>, 2023 onward.

The Detroit Head of Reservoir – North Santiam RST and Green Peter Head of Reservoir – Middle Santiam RST were installed on April 19<sup>th</sup> and 26<sup>th</sup>, respectively. The RSTs at Detroit Head of Reservoir – North Santiam and Green Peter Head of Reservoir – Middle Santiam rivers started sampling on May 4<sup>th</sup> once permits were received. The Hills Creek Head of Reservoir RST on the upper Middle Fork Willamette River was installed and began sampling on May 9<sup>th</sup>. Sampling concluded at the Hills Creek Head of Reservoir site on June 30<sup>th</sup> and was removed for the remainder of the year. The RST for the Breitenbush River was installed on June 16<sup>th</sup> and began sampling on the same day.


The RSTs in the Lookout Dam Tailrace began sampling under contract W9127N19D0009 on August 1, 2023. Sampling at Lookout Dam Tailrace prior to August 1<sup>st</sup>, 2023 was conducted by EAS for the USACE

under contract W9127N19D0007. This report reflects research conducted starting August 1<sup>st</sup>, 2023 but will include season totals from January 1<sup>st</sup>, 2023 onward.

The RSTs in the Hills Creek Dam Tailrace began sampling under contract W9127N19D0009 on September 15<sup>th</sup>, 2023. Sampling at Hills Creek Dam Tailrace prior to September 15<sup>th</sup>, 2023 was conducted by EAS for the USACE under contract W9127N19D0007. This report reflects research conducted starting September 15<sup>th</sup>, 2023 but will include season totals from January 1<sup>st</sup>, 2023 onward.

The RST in the Fall Creek Dam Tailrace began sampling under contract W9127N19D0009 on September 30, 2023. Sampling at Fall Creek Dam Tailrace prior to September 30, 2023 was conducted by EAS for the USACE under contract W9127N19D0007. Sampling results will be on the next report. This report reflects research conducted starting September 30<sup>th</sup>, 2023 but will include season totals from January 1<sup>st</sup>, 2023 onward. Winter Steelhead may be present at the Big Cliff Dam, Breitenbush River, Detroit Head of Reservoir – North Santiam River, and Green Peter Head of Reservoir – Middle Santiam River sites. All natural origin juvenile *O. mykiss* captured at these sites will be treated and reported as Winter Steelhead.

Sampling start dates are included in Table 2, and season total collection numbers are displayed in Table 3. The locations of the RSTs are depicted in Figures 1 through 8.



Portland Salem Eugene OREGON FIGURE 1 Big Cliff Dam

RST Locations

\_\_\_\_\_ 500 Feet

N






Portland Salem Eugene OREGON FIGURE 2 Breitenbush River

RST Locations

•

500 Feet







**FIGURE 3** North Santiam Above Detroit



•

N





**FIGURE 4** Green Peter Head of Reservoir-Middle Santiam River

500 Feet

•








FIGURE 5 Fall Creek Dam Tailrace



**RST** Locations

•

500 Feet





**FIGURE 6** Lookout Dam Tailrace

EAS ENVIRONMENTAL ASSESSMENT SERVICES

**RST** Locations

500 Feet

Imagery Source: 2019, ESRI.

MAP AREA

OREGON

Portland

Salem

Eugene



NFS Rd 21

**Middle Fork** 

Willamette Above Hills Creek RST



NFS Rd 2120

RST Locations

•

500 Feet

He Fork Willamette River



Portland Salem Eugene MAP AREA OREGON FIGURE 8 Hills Creek Dam

RST Locations

500 Feet



## North Santiam – Big Cliff Dam


The RST in the Big Cliff Dam Tailrace began sampling under contract W9127N19D0009 on October 16th, 2023. Sampling at Big Cliff Dam Tailrace prior to October 16th, 2023 was conducted by EAS for the USACE under contract W9127N19D0007. This report reflects research conducted starting October 16<sup>th</sup>, 2023 but will include season totals from January 1<sup>st</sup>, 2023 onward.

#### **Target Species**

This reporting period began on November 16<sup>th</sup> and ended on November 30<sup>th</sup>. There were a total of 11 Chinook Salmon (CHS) and 0 Winter Steelhead (STW) captured during the 15-day sampling period (Figure 9). Sampling duration was 100% for the RST. Table 4 provides life stage, length, and weight data for all Chinook Salmon and Winter Steelhead that have been caught at the Big Cliff Dam site to-date and for the reporting period. Figure 10 shows length frequency data to-date. Table 4 provides life stage, length, and weight data for all Chinook Salmon and Winter Steelhead that have been caught at the Big Cliff Dam RST site to-date and for the reporting period.



Figure 9. Chinook and Winter Steelhead Captured per day 11/16/2023 to 11/30/2023 (Big Cliff).



\*Figure does not include fish without heads

# Figure 10. Length Frequency of Juvenile Chinook and Winter Steelhead Sampled in 2023 (Big Cliff).

Table 4. Descriptive Statistics of Target Species Captured at Big Cliff Dam Season To-	
Date.	

	To-Date (Since Jan. 1, 2023)											
Site			Species Life stage	Collected		Length (mr	n)*		Weight (	g) <sup>*</sup>		
Site Route	Species	Collected		Min	Max	Mean	Min	Max	Mean			
		CHS	Fry	120	29	47	36.2	N/A	N/A	N/A		
		CHS	Parr	13	49	112	92.5	1.1	15.8	9.4		
Big	PWR	CHS	Smolt	543	85	340	145.7	7.4	328.5	37.1		
Cliff		STW	Fry	202	24	56	28.7	N/A	N/A	N/A		
		STW	Parr	14	47	119	65.8	1.3	18.6	4.0		
		STW	Smolt	32	145	335	210.7	21.5	254.4	92.1		

\*Fish that were missing heads are not included in length and weight calculations.

	November 16-30, 2023										
Site			Life	Collected		Length (mm	)*		Weight (	g) <sup>*</sup>	
Sile	Route	Species	stage	Collected	Min	Max	Mean	Min	Max	Mean	
		CHS	Fry	0	N/A	N/A	N/A	N/A	N/A	N/A	
		CHS	Parr	0	N/A	N/A	N/A	N/A	N/A	N/A	
Big	PWR	CHS	Smolt	11	127	300	165.6	21.7	224.8	57.4	
Cliff		STW	Fry	0	N/A	N/A	N/A	N/A	N/A	N/A	
		STW	Parr	0	N/A	N/A	N/A	N/A	N/A	N/A	
		STW	Smolt	0	N/A	N/A	N/A	N/A	N/A	N/A	

\*Fish that were missing heads are not included in length and weight calculations.

## **Trapping Efficiency**

On 11/16/2023, 527 bismark-brown dyed and adipose clipped juvenile hatchery chinook were released below Big Cliff Dam. 0 fish were recaptured for an efficiency of 0.0%

On 11/21/2023, 500 bismarck brown dyed, adipose and upper caudal clipped juvenile hatchery chinook were released below Big Cliff Dam. 30 fish were recaptured in the 8 ft trap for a trapping efficiency of 6.0%.

Big Cliff Dam	ig Cliff Dam Release #		Capture Efficiency		
8ft Trap	527	0	0.0% (0/527)		
8ft Trap	500	30	6.0% (30/501)		

#### 24-Hour Post Collection Holding Trial

9 Spring Chinook and 0 Winter Steelhead were captured during the current reporting period and held for 24 hours. 3 Chinook (33.3%) and 0 Winter Steelhead (0.0%) died in holding.

#### **Injuries and Copepod Infection**

Partial descaling <20% was observed in 6 of the 11 Chinook captured (54.5%), 5 displayed descaling >20% (45.5%), 10 displayed body injury (90.9%), 1 had eye injury (9.1%), 8 had copepods present in the branchial cavity (72.7%) and 5 had copepods on fins (45.5%). 4 Chinook displayed gas bubble disease (2 with level 1, 2 with level 2) (36.4%). There were 2 mortalities (18.2%).

Partial descaling <20% was observed on 0 of the 0 Winter Steelhead captured (0.0%) and 0 displayed descaling >20% (0.0%), 0 displayed body injury (0.0%), 0 had eye injury (0.0%), 0 had copepods present in the branchial cavity (0.0%) and 0 had copepods on fins (0.0%). 0 Winter Steelhead displayed gas bubble disease (0.0%). There were 0 mortalities (0.0%). Injury data is summarized in Table 5.

 Table 5. Number of Descaled, Bodily/Eye Injured, Copepod Infected and Dead Chinook

 Salmon and Winter Steelhead for Sampling Period (Big Cliff Dam).

Site	Species	# Fish Collected	# DSC* <20%	# DSC* >20%	# with Body Injuries	# with Eye Injuries	# with COP* In B.C.	# with COP* on Fins	Mortalities
Big Cliff Dam	Chinook	11	6	5	10	1	8	5	2
	Winter Steelhead	0	0	0	0	0	0	0	0

### **Collected DNA and Scale Samples**

DNA was collected from 11 Spring Chinook and 0 Winter Steelhead for the reporting period. Scales were collected from 10 Spring Chinook and 0 Winter Steelhead. The other targets captured did not meet length criteria for DNA sampling or were too descaled/damaged to collect samples.

#### **PIT Tags**

0 Spring Chinook and 0 Winter Steelhead were PIT tagged during this reporting period. The first 60 target fish per week are prioritized for the 24-Hour Post Collection Holding Study. These fish are not tagged to not bias the results of the holding study. More information regarding PIT tagged fish can be found in Appendix D.

#### **Non-Target Species**

10 non-targets were captured during this sampling period. A summary of non-target species catch and mortality numbers for 2023 are listed in Table 6. The 4 clipped Chinook captured were fish released for trapping efficiency trials at upstream RST locations.

Species	PWR Capture	PWR Mortality	Season Total	Season Total Mortality
Bluegill	1	0	79	42
Brown Bullhead	0	0	6	2
Dace	0	0	1	0
Chinook (Adult)	0	0	3	1
Chinook (clipped)	4	1	55	2
Cutthroat Trout	0	0	0	0
Kokanee	2	0	174	29
Kokanee (clipped)	3	2	14	5
O. mykiss (clipped)	0	0	6	2
Pumpkinseed	0	0	54	8
Unknown	0	0	1	1
Mountain Whitefish	0	0	6	1
Sculpin	0	0	0	0
Totals	10	3	399	93

Table 6. Summary of Non-target Species (Big Cliff Dam).

#### **Stream Statistics**

Basic stream statistics at the Big Cliff Dam site were calculated from data downloaded from U.S. Geological Survey stream gauge numbers 14181410 and 14181500. Gauge height (feet) is the only metric provided at gauge 14181410. Total dissolved gas (TDG) saturation data was received from gauge 14181500, 1 rkm downstream of the trap. During the reporting period, daily maximum values for instantaneous gauge height ranged from 1,109.7 to 1,113.6 feet (mean: 1,112.3 feet) during the reporting period. Figure 11 shows instantaneous gauge height.

Total dissolved gas saturation ranged from 112 to 127% during the reporting period (mean: 118.3%). Figure 12 shows total dissolved gas saturation.

Stream temperatures were recorded every 2 hours for the length of the reporting period at the RST (Figure 13). The temperature probe for the trap operated normally throughout this reporting period.

Flows through the Powerhouse and Spill during the reporting period averaged 2,482.3 and 567.6 cubic feet per second (cfs), respectively (Figure 14). Catch per unit of effort (CPUE) data are summarized in Table 7, Detroit and Big Cliff forebay elevations and TDG at Niagara are shown in Appendix B. Discharge and capture data for the duration of monitoring efforts at this location are provided in Appendix B.

Description	Chinook	Winter Steelhead		
Catch	11	0		
Effort (hrs)	357.4	357.4		
CPUE (fish/hr)	0.031	0		

#### Table 7. Summary of salmonid CPUE, Big Cliff Dam.





Figure 11. Gauge height (ft); below Big Cliff Dam.








Figure 13. Temperature at RST (Big Cliff Dam).




Figure 14. Hourly Flows PWR vs. Spill (Big Cliff Dam).

# **Breitenbush River**

The Breitenbush River RST was installed on June 16<sup>th</sup>, 2023 and began sampling the same day. All natural origin *O. mykiss* captured at this site will be reported as Winter Steelhead.

#### **Target Species**

This reporting period began on November 16<sup>th</sup> and ended on November 30<sup>th</sup>. There were a total of 4 Chinook Salmon (CHS) and 3 Winter Steelhead (STW) captured during the 15-day sampling period (Figure 15). The RST was raised to the non-sampling position on November 18<sup>th</sup> in anticipation of a high flow event. It resumed sampling on November 19<sup>th</sup>. The RST was raised on November 30<sup>th</sup> for the end of Winter sampling. Sampling duration was 93.3% of the reporting period for the RST. Figure 16 shows length frequency data to-date. Table 8 provides life stage, length, and weight data for all Chinook Salmon and Winter Steelhead that have been caught at the Breitenbush River site to-date and for the reporting period.



Figure 15. Chinook and Winter Steelhead Captured per day 11/16/2023 to 11/30/2023 (Breitenbush River).




Figure 16. Length Frequency of Juvenile Chinook Sampled Season To-Date (Breitenbush River).

To-Date (Since June 16, 2023)										
Site Route		Species	Life	Collected	L	ength (m	m)*	Weight (g) <sup>*</sup>		
Site	Route	Species	stage	Conecteu	Min	Мах	Mean	Min	Max	Mean
		CHS	Fry	10	44	57	48.8	N/A	N/A	N/A
		CHS	Parr	220	46	110	82.1	1.4	16.1	6.6
Breitenbush	5ft	CHS	Smolt	147	74	114	96.7	4.3	15.5	9.7
River		STW	Fry	312	21	47	27.1	N/A	N/A	N/A
		STW	Parr	36	43	125	70.6	1.1	21.5	5.7
		STW	Smolt	8	118	199	148.6	15.2	92	36.8

 
 Table 8. Descriptive Statistics of Target Species Captured at the Breitenbush River To-Date

<sup>\*</sup>Fish that were missing heads or caudal fins are not included in length and weight calculations.

	November 16-30, 2023										
Site	Route	Species	Life	Collected	Le	ength (m	m)*	Weight (g) <sup>*</sup>			
Site	Koule	Species	stage	Conecteu	Min	Мах	Mean	Min	Мах	Mean	
		CHS	Fry	0	N/A	N/A	N/A	N/A	N/A	N/A	
		CHS	Parr	3	87	98	91.7	6.0	10.5	7.7	
Breitenbush	5ft	CHS	Smolt	1	93	93	93	8.1	8.1	8.1	
River	511	STW	Fry	0	N/A	N/A	N/A	N/A	N/A	N/A	
		STW	Parr	2	65	89	77.0	3.4	5.5	4.5	
		STW	Smolt	1	165	165	165	51.4	51.4	51.4	

\*Fish that were missing heads or caudal fins are not included in length and weight calculations.

# **Trapping Efficiency**

On 11/21/2023 900 adipose and right ventral fin clipped fish were released above the trap site to evaluate the trapping efficiency of the 5 ft RST. 55 fish were recaptured for an efficiency of 6.1%

Breitenbush River	Release #	Recapture #	Capture Efficiency
5ft Trap	900	55	6.1% (55/900)

#### **Run of River Trapping Efficiency**

Run of river fish captured in the RST have been caudal clipped, PIT tagged or VIE tagged, and released upstream to perform run of river trapping efficiency trials. Only fish large enough to be safely caudal clipped have been used for run of river efficiency trials. This year, 138 Spring Chinook and 2 Winter Steelhead have been caudal clipped and released upstream for the purpose of conducting run of river trapping efficiency trials. Release numbers and recaptures for this reporting period are summarized below.

Run of river trapping efficiency has been discontinued until daily catch rates increase.

Breitenbush River	Release (Current Reporting Period) #	Recapture (Current Reporting Period) #		
Chinook	0	0		
Winter Steelhead	0	0		

### Injuries and Copepod Infection

Partial descaling <20% was observed in 3 of the 4 Chinook captured (75.0%), 0 displayed descaling >20% (0.0%), 2 displayed body injury (50.0%), 0 had eye injuries (0.0%), 0 had copepods present in the branchial cavity (0.0%) and 1 had copepods on fins (25.0%). 0 Chinook displayed gas bubble disease (0.0%). There were 0 mortalities (0.0%).

Partial descaling <20% was observed on 2 of the 3 Winter Steelhead captured (66.7%) and 0 displayed descaling >20% (0.0%), 2 displayed body injury (66.7%), 0 had eye injury (0.0%), 1 had copepods present in the branchial cavity (33.3%) and 1 had copepods on fins (33.3%). 0 Winter Steelhead displayed gas bubble disease (0.0%). There were 0 mortalities (0.0%). Injury data summarized in Table 9.

 Table 9. Number of Descaled, Bodily/Eye Injured, Copepod Infected and Dead Chinook

 Salmon and Winter Steelhead for Sampling Period (Breitenbush River).

Site	Species	# Fish Collected	# DSC* <20%	# DSC* >20%	# with Body Injuries	# with Eye Injuries	# with COP* In B.C.	# with COP* on Fins	Mortalities
Breitenbush River	Chinook	4	3	0	2	0	0	1	0
Niver	Winter Steelhead	3	2	0	2	0	1	1	0

\*DSC=Descaled, COP=Copepods, B.C.=Branchial Cavity

#### Collected DNA and Scale Samples

DNA was collected from 4 Spring Chinook and 3 Winter Steelhead. Scale samples were collected from 4 Spring Chinook and 3 Winter Steelhead.

#### **PIT Tags**

7 fish were PIT tagged during this reporting period, 4 Chinook and 3 Winter Steelhead. More information regarding PIT tagged fish can be found in Appendix D.

#### **VIE Marking**

Visible Implant Elastomer (VIE) trials commenced on 6/16/2023. VIE tag color is changed every month to distinctly mark groups of fish by capture date. Since then, 34 Spring Chinook and 18 Winter Steelhead have been marked with fluorescent elastomer. No fish have been recaptured at downstream sites to date.

Date Tagged	Species	Tag Location	VIE Color	# Tagged	# Recaptured to Date
6/16/2023-6/30/2023	Chinook	Head	Pink	23	0
7/1/2023-7/15/2023	Chinook	Head	Green	2	0
7/16/2023-7/31/2023	Chinook	Head	Green	2	0
7/16/2023-7/31/2023	O. mykiss	Head	Green	7	0
8/1/2023-8/15/2023	Chinook	Head	Yellow (2x)	1	0
8/1/2023-8/15/2023	O. mykiss	Head	Yellow (2x)	3	0
8/16/2023-8/31/2023	Chinook	Head	Yellow (2x)	2	0
8/16/2023-8/31/2023	O. mykiss	Head	Yellow (2x)	5	0
9/1/2023-9/15/2023	O. mykiss	Head	Red (2x)	2	0
9/16/2023-9/30-2023	Chinook	Head	Red (2x)	4	0
10/16/2023-10/31/2023	O. mykiss	Head	Blue (2x)	1	0
11/1/2023-11/15/2023	O. mykiss	Head	Orange (2x)	1	0

#### **Non-Target Species**

0 non-target species were captured during this reporting period. A summary of non-target fish capture is provided in Table 10.

#### Table 10. Summary of Non-target Species (Breitenbush River).

Species	5 ft	5 ft Mortality	Season Total	Season Total Mortality	
	Capture	wortanty	Total	wortanty	
Kokanee	0	0	0	0	
Chinook (clipped)	0	0	2	0	
Cutthroat Trout	0	0	3	0	
O. mykiss (clipped)	0	0	11	5	
Sculpin	0	0	12	2	
Dace	0	0	1	0	
Totals	0	0	29	7	

#### **Stream Statistics**


Basic stream statistics at the Breitenbush River RST site were calculated from data downloaded from the U.S. Geological Survey stream gauge number 14179000. Instantaneous discharge (cfs) and Gauge height (feet) flow metrics are available at this gauge. During the reporting period, daily maximum values for instantaneous discharge ranged from 275.0 cfs to 549.0 (mean: 373.6 cfs). Figure 17 shows instantaneous discharge.

Stream temperatures will be recorded every 2 hours for the length of the reporting period for the RST (Figure 18).

Catch per unit of effort (CPUE) data are summarized in Table 11. Gage height and capture data for the duration of monitoring efforts at this location are provided in Appendix B.

	Chinook	Winter Steelhead
Description	(5 ft)	(5 ft)
Catch	4	3
Effort (hrs)	336.8	336.8
CPUE (fish/hr)	0.012	0.009

Table 11. Summary of salmonid CPUE, Breitenbush River.








Figure 18. Temperature at RST (Breitenbush River).

# North Santiam River – Detroit Head of Reservoir

The Detroit Head of Reservoir- North Santiam River RST was installed on April 19<sup>th</sup>, 2023. This site started sampling on May 4, 2023. All natural origin *O. mykiss* captured at this site will be reported as Winter Steelhead.

#### **Target Species**

This reporting period began on November 16<sup>th</sup> and ended on November 30<sup>th</sup>. There were a total of 55 Chinook Salmon (CHS) and 1 Winter Steelhead (STW) captured during the 15-day sampling period (Figure 19). The RST was raised on November 30<sup>th</sup> for the end of Winter sampling. Sampling duration was 100.0% of the reporting period for the RST. Figure 20 shows length frequency data to-date. Table 12 provides life stage, length, and weight data for all Chinook Salmon and Winter Steelhead that have been caught at the Detroit Head of Reservoir site to-date and for the reporting period.




Figure 19. Chinook and Winter Steelhead Captured per day 11/16/2023 to 11/30/2023 (Detroit Head of Reservoir).




Figure 20. Length Frequency of Juvenile Chinook and Winter Steelhead Sampled Season To-Date (Detroit Head of Reservoir).

	To-Date (Since May 04, 2023)										
Site	Route	Species	Life	ife Collected	L	ength (mi	m)*	Weight (g) <sup>*</sup>			
Site	Noute	Species	stage	Conected	Min	Max	Mean	Min	Мах	Mean	
		CHS	Fry	9119	28	60	35.5	N/A	N/A	N/A	
		CHS	Parr	906	41	110	72.5	1.0	12.8	4.5	
Detroit	5ft	CHS	Smolt	227	61	117	93.3	2.4	18.2	9.0	
HOR		STW	Fry	550	17	54	34.4	N/A	N/A	N/A	
		STW	Parr	40	45	112	65.7	1.0	15.4	3.9	
		STW	Smolt	4	169	408	248.8	53.4	95.6	71.8	
*Fish that v	vere missii	ng heads are	not include	ed in length and	l weight ca	lculations.					

# Table 12. Descriptive Statistics of Target Species Captured at Detroit Head of Reservoir Season To-Date.

				Novem	ber 16-3	0, 2023				
Site	Route	Species	Life	_ife Collected		.ength (n	nm)*		Weight (g	J) <sup>*</sup>
Site	Koule	Species	stage	Conecteu	Min	Max	Mean	Min	Max	Mean
		CHS	Fry	1	38	38	38	N/A	N/A	N/A
Detroit		CHS	Parr	47	48	100	83.2	1.9	11.7	6.7
HOR	5ft	CHS	Smolt	7	94	99	96.4	7.8	9.7	8.7
		STW	Fry	0	N/A	N/A	N/A	N/A	N/A	N/A
		STW	Parr	0	N/A	N/A	N/A	N/A	N/A	N/A
		STW	Smolt	1	230	230	230	95.6	95.6	95.6

\*Fish that were missing heads are not included in length and weight calculations.

# **Trapping Efficiency**

On 11/21/2023 1.014 adipose and left ventral fin clipped fish were released above the trap site to evaluate the trapping efficiency of the 5 ft RST. 111 fish were recaptured for an efficiency of 10.9%

Detroit Head of Reservoir	Release #	Recapture #	Capture Efficiency
5ft Trap	1,014	111	10.9% (111/1014)

#### Run of River Trapping Efficiency

Run of river fish captured in the RST have been caudal clipped, PIT tagged or VIE tagged, and released upstream to perform run of river trapping efficiency trials. Only fish large enough to be safely caudal clipped have been used for run of river efficiency trials. This year, 300 Spring Chinook and 6 Winter Steelhead have been caudal clipped and released upstream for the purpose of conducting run of river trapping efficiency trials. Release numbers and recaptures for this reporting period are summarized below.

Run of river trapping efficiency has been discontinued until daily catch rates increase.

Detroit Head of Reservoir	Release (Current Reporting Period) #	Recapture (Current Reporting Period) #		
Chinook	0	0		
Winter Steelhead	0	0		

#### Injuries and Copepod Infection

Partial descaling <20% was observed in 45 of the 55 Chinook captured (81.8%), 4 displayed descaling >20% (7.3%), 22 displayed body injury (40.0%), 2 had eye injuries (3.6%), 1 had copepods present in the branchial cavity (1.8%) and 3 had copepods on fins (5.5%). 0 Chinook displayed gas bubble disease (0.0%). There were 3 mortalities (5.5%).

Partial descaling <20% was observed on 1 of the 1 Winter Steelhead captured (100.0%) and 0 displayed descaling >20% (0.0%), 1 displayed body injury (100.0%), 0 had eye injuries (0.0%), 0 had copepods present in the branchial cavity (0.0%) and 0 had copepods on fins (0.0%). 0 Winter Steelhead displayed gas bubble disease (0.0%). There were 0 mortalities (0.0%). Injury data is summarized in Table 13.

# Table 13. Number of Descaled, Bodily/Eye Injured, Copepod Infected and Dead Chinook Salmon and Winter Steelhead for Sampling Period (Detroit Head of Reservoir).

Site	Species	# Fish Collected	# DSC* <20%	# DSC* >20%	# with Body Injuries	# with Eye Injuries	# with COP* In B.C.	# with COP* on Fins	Mortalities
Detroit	Chinook	55	45	4	22	2	1	3	3
HOR	Winter Steelhead	1	1	0	1	0	0	0	0

\*DSC=Descaled, COP=Copepods, B.C.=Branchial Cavity

#### Collected DNA and Scale Samples

For the reporting period, DNA was collected from 54 Spring Chinook and 1 Winter Steelhead. Scale samples were collected from 53 Spring Chinook and 1 Winter Steelhead. The other targets captured did not meet length criteria for DNA sampling or were too descaled/damaged to collect samples.

#### **PIT Tags**

49 Spring Chinook and 1 Winter Steelhead were PIT tagged during this reporting period. More information regarding PIT tagged fish can be found in Appendix D.

#### VIE Marking

Visible Implant Elastomer (VIE) trials commenced at the Detroit Head of Reservoir – North Santiam River site on 5/5/2023. VIE tag color is changed every month to distinctly mark groups of fish by capture date. Since then, 5,434 Chinook and 334 Winter Steelhead have been VIE marked with fluorescent elastomer. No fish with VIE marks have been detected at downstream RST sites to date. Fish still showing an egg sac are not VIE marked.

Date Tagged	Species	Tag Location	VIE Color	# Tagged	# Recaptured to Date
5/01/2023-5/15/2023	Chinook	Right Dorsal	Orange	889	0
5/01/2023-5/15/2023	O. mykiss	Right Dorsal	Orange	60	0
5/16/2023- 5/31/2023	Chinook	Right Dorsal	Orange	2,700	0
5/16/2023- 5/31/2023	O. mykiss	Right Dorsal	Orange	237	0
6/1/2023-6/15/2023	Chinook	Right Dorsal	Pink	1048	0
6/1/2023-6/15/2023	O. mykiss	Right Dorsal	Pink	21	0
6/16/2023-6/30/2023	Chinook	Right Dorsal	Pink	539	0
7/1/2023-7/15/2023	Chinook	Right Dorsal	Green	110	0
7/16/2023-7/31/2023	Chinook	Right Dorsal	Green	74	0
7/16/2023-7/31/2023	O. mykiss	Right Dorsal	Green	1	0
8/1/2023-8/15/2023	Chinook	Right Dorsal	Yellow (2x)	25	0
8/1/2023-8/15/2023	O. mykiss	Right Dorsal	Yellow (2x)	7	0
8/16/2023-8/31/2023	Chinook	Right Dorsal	Yellow (2x)	21	0
8/16/2023-8/31/2023	O. mykiss	Right Dorsal	Yellow (2x)	3	0
9/1/2023-9/15/2023	Chinook	Right Dorsal	Red (2x)	20	0
9/16/2023-9/30/2023	Chinook	Right Dorsal	Red (2x)	4	0
9/16/2023-9/30/2023	O. mykiss	Right Dorsal	Red (2x)	2	0
10/1/2023-10/15/2023	Chinook	Right Dorsal	Blue (2x)	1	0
10/16/2023-10/31/2023	O. mykiss	Right Dorsal	Blue (2x)	2	0
10/16/2023-10/31/2023	Chinook	Right Dorsal	Blue (2x)	2	0
11/1/2023-11/15/2023	O. mykiss	Right Dorsal	Orange (2x)	3	0
11/16/2023-11/30/2023	Chinook	Right Dorsal	Orange (2x)	3	0

## **Non-Target Species**

6 non-target species fish were captured during the reporting period; the data is summarized below in Table 14. Of the 4 clipped Chinook captured, 1 was a PIT tagged fish from bulk mark releases and 3 were adipose clipped fish that likely escaped from Marion Forks Fish Hatchery.

## Table 14. Summary of Non-target Species (Detroit Head of Reservoir).

Species	5 ft Capture	5 ft Mortality	Season Total	Season Total Mortality
Kokanee	0	0	81	1
Chinook (clipped)	4	0	31	0
Cutthroat Trout	0	0	4	1
Sculpin	0	0	16	3
Mountain Whitefish	0	0	5	0
O. mykiss (clipped)	1	1	9	2
Dace	0	0	3	0
Northern Pikeminnow	1	0	1	0
Unknown	0	0	2	1
Totals	6	1	152	8

#### **Stream Statistics**

Basic stream statistics at the Detroit Head of Reservoir site were calculated from data downloaded from U.S. Geological Survey stream gauge number 14178000. Gauge height (feet) and Discharge (cfs) metrics are provided at gauge 14178000. During the reporting period, daily maximum values for instantaneous discharge ranged from 486.0 cfs to 702.0 cfs (mean: 570.5 cfs) during the reporting period. Figure 21 shows instantaneous discharge.

Stream temperatures were recorded every 2 hours for the length of the reporting period at the Detroit Head of Reservoir RST site. Figure 22 shows temperature during the reporting period.

Catch per unit of effort (CPUE) data are summarized in Table 15. Discharge and capture data for the duration of monitoring efforts at this location are provided in Appendix B.

#### Table 15. Summary of salmonid CPUE, Detroit Head of Reservoir – North Santiam River.

	Chinook	Winter Steelhead
Description	(5 ft)	(5 ft)
Catch	55	1
Effort (hrs)	358.3	358.3
CPUE (fish/hr)	0.154	0.003




Figure 21. Discharge (cfs); Detroit Head of Reservoir - North Santiam River.




Figure 22. Temperature at RST (Detroit Head of Reservoir – North Santiam River).

# Middle Santiam River- Green Peter Head of Reservoir

The Green Peter Head of Reservoir- Middle Santiam River RST was installed on April 26<sup>th</sup>, 2023. This site started sampling on May 4<sup>th</sup>, 2023. All natural origin *O. mykiss* captured at this site will be reported as Winter Steelhead.

#### **Target Species**

This reporting period began on November 16<sup>th</sup> and ended on November 30<sup>th</sup>. There were a total of 1 Chinook Salmon (CHS) and 0 Winter Steelhead (STW) captured during the 15-day sampling period (Figure 23). The RST was raised on November 30<sup>th</sup> for the end of Winter sampling. Sampling duration was 100% of the reporting period for the RST. Figure 24 shows length frequency data to-date. Table 16 provides life stage, length, and weight data for all Chinook Salmon and Winter Steelhead that have been caught at the Middle Santiam River- Green Peter Head of Reservoir site to-date and for the reporting period.




Figure 23. Chinook Captured per day 11/16/2023 to 11/30/2023 (Green Peter Head of Reservoir – Middle Santiam River).




Figure 24. Length Frequency of Juvenile Chinook Sampled Season To-Date (Green Peter Head of Reservoir – Middle Santiam River).

Table 16. Descriptive Statistics of Target Species Captured at Green Peter	Head of
Reservoir – Middle Santiam River Season To-Date.	

	To-date (since May 04, 2023)											
Site	Route	o on the	Life	Collected	Length (mm)*			Weight (g) <sup>*</sup>				
Sile	Koule	Species	stage	Conected	Min	Мах	Mean	Min	Max	Mean		
		CHS	Fry	21	33	45	36.4	N/A	N/A	N/A		
Green Peter Head of 5f Reservoir -Middle Santiam		CHS	Parr	0	N/A	N/A	N/A	N/A	N/A	N/A		
	5ft	CHS	Smolt	4	98	114	105.5	11.3	18.0	13.9		
	511	STW	Fry	1	36	36	36	N/A	N/A	N/A		
		STW	Parr	0	N/A	N/A	N/A	N/A	N/A	N/A		
		STW	Smolt	0	N/A	N/A	N/A	N/A	N/A	N/A		

\*Fish that were missing heads are not included in length and weight calculations.

	November 16-30, 2023											
Site	Route	Spacias	Life	Collected	Length (mm)*			Weight (g) <sup>*</sup>				
Site		Species	stage		Min	Мах	Mean	Min	Мах	Mean		
		CHS	Fry	0	N/A	N/A	N/A	N/A	N/A	N/A		
Green		CHS	Parr	0	N/A	N/A	N/A	N/A	N/A	N/A		
Peter Head of	5ft	CHS	Smolt	1	110	110	110	14.0	14.0	14.0		
Reservoir -Middle	511	STW	Fry	0	N/A	N/A	N/A	N/A	N/A	N/A		
		STW	Parr	0	N/A	N/A	N/A	N/A	N/A	N/A		
Santiam		STW	Smolt	0	N/A	N/A	N/A	N/A	N/A	N/A		

\*Fish that were missing heads are not included in length and weight calculations.

# **Trapping Efficiency**

On 11/15/2023, 749 adipose and left ventral clipped fish were released above the trap site to evaluate the trapping efficiency of the 5 ft RST. 1 fish was recaptured for an efficiency of 0.1%.

Green Peter Head of Reservoir- Middle Santiam River	Release #	Recapture #	Capture Efficiency
5ft Trap	Alive (749)	1	0.1% (1/749)
	Dead (0)	N/A	N/A

#### Injuries and Copepod Infection

Partial descaling <20% was observed in 0 of the 1 Chinook captured (0.0%), 1 displayed descaling >20% (100.0%), 1 displayed body injury (100.0%), 0 had eye injuries (0.0%), 0 had copepods present in the branchial cavity (0.0%) and 0 had copepods on fins (0.0%). 0 Chinook displayed gas bubble disease (0.0%). There were 0 mortalities (0.0%).

Partial descaling <20% was observed on 0 of the 0 Winter Steelhead captured (0.0%) and 0 displayed descaling >20% (0.0%), 0 displayed body injury (0.0%), 0 had eye injuries (0.0%), 0 had copepods present in the branchial cavity (0.0%) and 0 had copepods on fins (0.0%). 0 Winter Steelhead displayed gas bubble disease (0.0%). There were 0 mortalities (0.0%). Injury data is summarized in Table 17.

# Table 17. Number of Descaled, Bodily/Eye Injured, Copepod Infected and Dead ChinookSalmon and Winter Steelhead for Sampling Period (Green Peter Head of Reservoir-MiddleSantiam River).

Site	Species	# Fish Collected	# DSC* <20%	# DSC* >20%	# with Body Injuries	# with Eye Injuries	# with COP* In B.C.	# with COP* on Fins	Mortalities
Green Peter Head of	Chinook	1	0	1	1	0	0	0	0
Reservoir- Middle Santiam	Winter Steelhead	0	0	0	0	0	0	0	0

\*DSC=Descaled, COP=Copepods, B.C.=Branchial Cavity

#### Collected DNA and Scale Samples

For the reporting period, DNA was collected from 1 Spring Chinook and 0 Winter Steelhead. Scale samples were collected from 1 Spring Chinook and 0 Winter Steelhead. The other targets captured did not meet length criteria for DNA sampling or were too descaled/damaged to collect samples.

#### **PIT Tags**

1 Spring Chinook and 0 Winter Steelhead were PIT tagged during this reporting period. All fish captured did not meet the size criteria for PIT tagging. More information regarding PIT tagged fish can be found in Appendix D.

#### **VIE Marking**

Visible Implant Elastomer (VIE) trials commenced at the Green Peter Head of Reservoir – Middle Santiam River site on 5/5/2023. VIE tag color and locations are changed every month to distinctly mark groups of fish by capture date. Since then, 15 Chinook and 1 Winter Steelhead have been VIE marked with fluorescent elastomer. No fish with VIE marks have been detected at downstream RST sites to date. Fish still showing an egg sac are not VIE marked.

Date Tagged	Species	Tag Location	VIE Color	# Tagged	# Recaptured to Date
5/01/2023-5/15/2023	Chinook	Right Dorsal	Orange	14	0
5/01/2023-5/15/2023	O. mykiss	Right Dorsal	Orange	1	0
5/16/2023-5/31/2023	Chinook	Right Dorsal	Orange	1	0

#### **Non-Target Species**

0 non-target fish were collected during the reporting period; the data is summarized below in Table 18.

 Table 18. Summary of Non-target Species (Green Peter Head of Reservoir – Middle Santiam River).

Species	5 ft	5 ft	Season	Season Total
Species	Capture	Mortality	Total	Mortality
Kokanee	0	0	5	0
Cutthroat Trout	0	0	0	0
Chinook (clipped)	0	0	0	0
Dace	0	0	21	0
Largescale Sucker	0	0	1	0
Sculpin	0	0	10	0
Totals	0	0	37	0

#### Stream Statistics

Basic stream statistics at the Green Peter Head of Reservoir – Middle Santiam River site were calculated from data downloaded from the U.S. Geological Survey stream gauge number 14185800. Gauge height (feet) is the only flow metric available at this gauge. During the reporting period, daily maximum values for gage height ranged from 1.9 ft to 2.9 ft (mean: 2.3 ft). Figure 25 shows gage height.

Stream temperatures were recorded every 2 hours for the length of the report period for the RST (Figure 26). Temperature probes for the trap operated normally throughout this reporting period.

Catch per unit of effort (CPUE) data are summarized in Table 19. Gage height and capture data for the duration of monitoring efforts at this location are provided in Appendix B.

	Chinook	Winter Steelhead
Description	(5 ft)	(5 ft)
Catch	1	0
Effort (hrs)	360.3	360.3
CPUE (fish/hr)	0.003	0

 Table 19. Summary of salmonid CPUE, Green Peter Head of Reservoir – Middle Santiam River.




Figure 25. Gage Height (feet); Green Peter Head of Reservoir – Middle Santiam River.




Figure 26. Temperature at RST (Green Peter Head of Reservoir – Middle Santiam River).

# Fall Creek Dam Tailrace

The RST in the Fall Creek Dam Tailrace began sampling under contract W9127N19D0009 on September 30<sup>th</sup>, 2023. Sampling at Fall Creek Dam Tailrace prior to September 30<sup>th</sup>, 2023 was conducted by EAS for the USACE under contract W9127N19D0007. This report reflects research conducted starting October 1<sup>st</sup>, 2023 but will include season totals from January 1<sup>st</sup>, 2023 onward.

#### **Target Species**

The reporting period began November 16<sup>th</sup> and ended November 30<sup>th</sup>. 0 Chinook salmon were captured during the 15-day sampling period (Figure 27). The trap sampled 100% of the days during this reporting period. Figure 28 shows length frequency data to-date and Table 20 provides life stage, length, and weight data for all Chinook salmon that have been caught at the Fall Creek Dam Tailrace site to-date.




Figure 27. Chinook captured per day 11/16/2023 to 11/30/2023.




Figure 28. Length Frequency of Juvenile Chinook Sampled Season To-Date (Fall Creek Dam Tailrace).

Table 20. Descriptive Statistics of Target Species Captured at Fall Creek Dam Tailrace,
Season To-Date and for the Reporting Period.

	To-Date To-Date												
Site	Site Route Species Life		Life Collected		pecies Life Collected		Route Species Life Collected Length (mm) <sup>*</sup>		n)*	Weight (g) <sup>*</sup>			
•		-,	stage		Min	Max	Mean	Min	Мах	Mean			
Fall		CHS	Smolt	88	94	203	178.3	8.8	109.3	71.3			
Creek Dam	RO	CHS	Parr	8	40	95	59.0	2.1	9.1	4.1			
		CHS	Fry	54	33	55	39.2	1.2	3.2	1.8			

	November 16-30, 2023												
Site	Route	Route Species Life Colle		Species Life		Species	Collected	L	.ength (mn	n)*		Weight (g) <sup>*</sup>	
			stage		Min	Мах	Mean	Min	Мах	Mean			
Fall		CHS	Smolt	0	N/A	N/A	N/A	N/A	N/A	N/A			
Creek Dam	RO	CHS	Parr	0	N/A	N/A	N/A	N/A	N/A	N/A			
		CHS	Fry	0	N/A	N/A	N/A	N/A	N/A	N/A			

# **Trapping Efficiency**

A total of 1,011 juvenile hatchery Chinook (sub yearlings) were adipose clipped, upper caudal clipped, and released on 10/17/2023 upstream of the Fall Creek Dam Tailrace RO channel trap site. A total of 14 fish were recaptured in the 8 ft trap. Trapping efficiency was 1.4%.

Fall Creek Dam	Release #	Recapture #	Capture Efficiency
RO	1011	14	1.4% (14/1011)

## 24-Hour Post Collection Holding Trial

0 Spring Chinook was captured during the current reporting period and held for 24 hours. 0 Chinook (0.0%) died in holding.

#### **Injuries and Copepod Infection**

Partial descaling <20% was observed in 0 of the 0 Chinook captured (0.0%), 0 displayed descaling >20% (0.0%), 0 displayed body injury (0.0%), 0 displayed eye injuries (0.0%), 0 had copepods present in the branchial cavity (0.0%) and 0 fish had copepods on fins (10.0%). 0 Chinook displayed gas bubble disease (0.0%). There were 0 mortalities (0.0%). The data is summarized in Table 21. To date injury data is listed in Appendix A.

# Table 21. Number of Descaled, Bodily/Eye Injured, Copepod Infected and Dead Chinook Salmon for Sampling Period (Fall Creek).

Site	# CHS Collected	# DSC* <20%	# DSC* >20%	# with Body Injuries	# with Eye Injuries	# with COP* In B.C.	# with COP* on Fins	Mortalities
Fall Creek Dam	0	0	0	0	0	0	0	0

\*DSC=Descaled, COP=Copepods, B.C.=Branchial Cavity

#### **Collected DNA and Scale Samples**

Scales were collected from 0 Spring Chinook and DNA was collected from 0 Spring Chinook this reporting period.

# **PIT Tags**

No Spring Chinook were PIT tagged during this reporting period. The first 60 target fish per week are prioritized for the 24-Hour Post Collection Holding Study. These fish are not tagged to not bias the results of the holding study. More information regarding PIT tagged fish can be found in Appendix D.

#### VIE Marking

No VIE marked Spring Chinook have been detected at this site to date.

# **Non-Target Species**

50 non-target fish were captured at the Fall Creek Dam Tailrace site during the reporting period; the data is summarized below in Table 22.

Species	Capture	Mortality	Season Total*	Season Total Mortality*
Bluegill	0	0	0	0
Brook Lamprey	0	0	16	0
Brown Bullhead	2	0	53	18
Cutthroat Trout	0	0	53	2
Dace	7	1	158	7
Largescale Sucker	41	1	1496	160
Mosquitofish	0	0	0	0
Peamouth	0	0	4	2
Redsided Shiner	0	0	12	0
Northern Pikeminnow	0	0	2	0
Chinook (clipped)	0	0	437	66
O. mykiss	0	0	155	8
O. mykiss (clipped)	0	0	19	3
Pacific Lamprey	0	0	3	0
Sculpin	0	0	8	0
Totals	50	2	2416	266

Table 22. Summary of Non-target Species (Fall Creek Dam Tailrace).

\*Season totals include sampling completed on the RST project in 2023.

#### **Stream Statistics**

Basic stream statistics at the site were calculated from data downloaded from U.S. Geological Survey stream gage numbers 14151000 and 1415000. Instantaneous discharge (cfs) data was collected from gage 1415100. Dissolved oxygen (mg/L) concentration data was received from gage 1415000, 1.2 rkms downstream of the trap. During the reporting period, daily maximum values for instantaneous discharge ranged from 131.0 cfs to 996.0 cfs (mean: 321.2 cfs). Figure 21 shows instantaneous discharge.

Dissolved oxygen concentrations ranged from 8.0 mg/L to 13.8 mg/L (mean: 12.17 mg/L). Figure 22 shows Dissolved Oxygen.

Stream temperatures were recorded every 2 hours using temperature probes for the Fall Creek Dam Tailrace RST site during this reporting period. The temperature probe operated normally during this period. (Figure 23).

Flows In and Out of reservoir during the reporting period averaged 206.6cfs and 257.8 cfs respectively (Figure 24).

Catch per unit of effort (CPUE) data are summarized in Table 23. Discharge and capture data for the duration of monitoring efforts at this location are provided in Appendix B

Table 23. Summary of Chinook CPUE, Fall Creek Dam Tailrace.

Description	Chinook
Catch	0
Effort (hrs)	360.9
CPUE (fish/hr)	0




Figure 29. Discharge (cfs); Fall Creek Below Winberry Creek, Near Fall Creek, OR




Figure 30. Dissolved Oxygen (mg/L), Fall Creek below Winberry Creek, Near fall Creek, OR




Figure 31. Temperature at RST (Fall Creek Dam Tailrace).




Figure 32. Hourly Flows Inflow vs. Outflow (RO) (Fall Creek Tailrace)

# Middle Fork Willamette – Lookout Dam Tailrace

The RSTs in the Lookout Dam Tailrace began sampling under contract W9127N19D0009 on August 1, 2023. Sampling at Lookout Dam Tailrace prior to August 1, 2023 was conducted by EAS for the USACE under contract W9127N19D0007. This report reflects research conducted starting August 1<sup>st</sup>, 2023 but will include season totals from January 1<sup>st</sup>, 2023 onward.

## **Target Species**

The reporting period began November 16<sup>th</sup> and ended on November 30<sup>th</sup>. There were a total of 5 Chinook salmon captured during the 15-day sampling period (Figure 33). The traps were operated 100% of the reporting period. Table 24 provides life stage, length, and weight data for all Chinook salmon that have been caught at the Lookout Point Dam Tailrace site to-date and Figure 34 shows length frequency data to-date.




Figure 33. Chinook Captured Per Day 11/16/2023 to 11/30/2023 (Lookout Point Dam Tailrace).




Figure 34. Length Frequency of Juvenile Chinook Sampled in 2023 (Lookout Point Dam Tailrace).

To-Date (Since Jan. 1, 2023)												
0.14					Le	ngth (n	וm)*	V	Veight (g	)*		
Site	Route	Species	Life stage	Collected	Min	Мах	Mean	Min	Мах	Mean		
	PH 1	CHS	Smolt	16	100	275	154.4	12.1	269.0	53.9		
		CHS	Parr	1	96	96	96	9.4	9.4	9.4		
		CHS	Fry	1	52	52	52	3.0	3.0	3.0		
		CHS	Smolt	7	113	250	160.3	16.5	194.6	69.9		
Lookout Point Dam	PH 2	CHS	Parr	5	57	95	75.8	1.8	10.3	6.3		
		CHS	Fry	4	33	37	34.8	N/A	N/A	N/A		
		CHS	Smolt	28	90	247	154.0	8.7	161.4	47.7		
	Spill	CHS	Parr	2	94	125	109.5	9.7	17.6	13.7		
		CHS	Fry	2	44	55	49.5	1.0	1.6	1.3		
	November 16-30, 2023											
Site	Route	Species	Life	Collected	Le	ngth (n	וm)*	V	Veight (g	)*		
<b>U</b> IIIO	nouto	openie	stage		Min	Мах	Mean	Min	Мах	Mean		
	PH 1	CHS	Smolt	1	130	130	130.0	25.1	25.1	25.1		
		CHS	Parr	0	N/A	N/A	N/A	N/A	N/A	N/A		
		CHS	Fry	0	N/A	N/A	N/A	N/A	N/A	N/A		
		CHS	Smolt	3	115	121	118.0	17.3	20.5	18.5		
Lookout Point Dam	PH 2	CHS	Parr	0	N/A	N/A	N/A	N/A	N/A	N/A		
		CHS	Fry	0	N/A	N/A	N/A	N/A	N/A	N/A		
		CHS	Smolt	1	98	98	98	11.9	11.9	11.9		
	Spill	CHS	Parr	0	N/A	N/A	N/A	N/A	N/A	N/A		
		CHS	Fry	0 e omitted from	N/A	N/A	N/A	N/A	N/A	N/A		

# Table 24. Descriptive Statistics of Target Species Captured at Lookout Point Dam Tailrace, Season To-Date and for the Reporting Period.

\*Some fry are too small to accurately weigh and are omitted from the above tables. \*\*Season totals include sampling completed on the RST project in 2023.

# **Trapping Efficiency**

A total of 4,004 juvenile hatchery Chinook (parr) were adipose clipped and released in the spillway this reporting period.

Fish were released in small groups directly into spillway flow. A total of 12 fish were recaptured in the traps for an efficiency of 0.3%. Trap specific efficiencies are as follows: 5 recaptured at the PH 1 RST for an efficiency of 0.12%, 0 recaptured at PH 2 for an efficiency of 0%, and 7 recaptured at the Spill RST for an efficiency of 0.17%.

Lookout Dam Spillway	Release #	Recapture #	Capture Efficiency
11/16/2023	4004	12	0.3% (12/4004)

## 24-Hour Post Collection Holding Trial

4 Spring Chinook were captured during the current reporting period and held for 24 hours. 4 fish was held from the PWR RST and 0 fish were held from the Spill RST. 2 hold fish died from the PWR RSTs (50.0%). 0 of the fish from Spill RST died during holding (0.0%).

## **Injuries and Copepod Infection**

There was 1 Chinook captured in the Spill Channel RST. Partial descaling <20% was observed on 1 of 1 Chinook collected at the Spill RST (100.0%), and descaling >20% was observed on 0 of the Chinook collected (0.0%). 1 displayed body injuries (100.0%) and 0 had eye injuries (0.0%). 0 of the Spill RST Chinook had copepods present in the branchial cavity (0.0%) and 0 had copepods present on fins (0.0%). 0 of the fish captured in the Spill RST displayed Gas Bubble Disease (0.0%).

There were 4 Chinook captured in the Powerhouse channel RSTs. Partial descaling <20% was observed on 2 of the 4 Chinook collected at the PWR RSTs (50.0%). Descaling >20% was observed on 1 of the Chinook collected (25.0%). 4 PWR RST fish had bodily injury (100.0%) and 0 had eye injuries (0.0%). 0 of the fish had copepods present in the branchial cavity (0.0%) and 0 had copepods present on fins (0.0%). 1 fish displayed Gas Bubble Disease (Level 3) (25.0%).

There was 1 chinook mortality collected in the Spill RST (100.0%) and 0 in the PWR RSTs (0.0%). Injuries are displayed in Table 25. To date injury data can be found in Appendix A.

# Table 25. Number of Descaled, Bodily/Eye Injured, Copepod Infected and Dead Chinook Salmon for Sampling Period (Lookout Point Dam Tailrace).

Site	Route	# CHS Collected	# DSC* <20%	# DSC* >20%	# with Body Injuries	# with Eye Injuries	# with COP* In B.C.	# with COP* on Fins	Mortalities
Lookout Point Dam	Spill	1	1	0	1	0	0	0	1
Tailrace	PWR	4	2	1	4	0	0	0	0

\*DSC=Descaled, COP=Copepods, B.C.=Branchial Cavity

# **Collected DNA and Scale Samples**

DNA was collected from 4 Spring Chinook for the reporting period. Scales were collected from 4 Spring Chinook.

## **PIT Tags**

No Spring Chinook were PIT tagged during this reporting period. The first 60 target fish per week are prioritized for the 24-Hour Post Collection Holding Study. These fish are not tagged to not bias the results of the holding study. More information regarding PIT tagged fish can be found in Appendix D.

#### VIE Marking

No VIE marked Spring Chinook have been detected at this site to date.

#### **Non-Target Species**

769 non-target species were captured during the reporting period; the data is summarized below in Table 26. Of the clipped Chinook captured, 5 were PIT tagged fish from bulk marked releases above the dam, and 8 were fish used for trapping efficiency trials at RST sites upstream.

Species	PWR Capture	PWR Mortality	Spill Capture	Spill Mortality	Season Total*	Season Total Mortality*
Bass Unknown	4	4	85	79	26014	24104
Bluegill	5	0	3	0	87	17
Brown Bullhead	0	0	0	0	4	1
Chinook (clipped)	4	1	9	0	30	6
Crappie	237	180	174	138	170698	118236
Largemouth Bass	0	0	0	0	23	23
Mountain Whitefish	0	0	0	0	1	0
Largescale Sucker	0	0	1	0	13	4
Northern Pikeminnow	2	0	3	0	59	8
O. mykiss	0	0	3	0	18	1
O. mykiss (clipped)	0	0	0	0	5	1
Pumpkinseed	0	0	0	0	1	0
Redside Shiner	0	0	1	0	2	0
Sculpin	2	0	22	1	177	12
Smallmouth Bass	117	85	89	63	604	468
Spotted Bass	0	0	0	0	2	0
Unknown	0	0	0	0	7	0
Walleye	3	0	5	0	98	40
Totals	374	270	395	281	197843	142921

Table 26. Summary of Non-target Species (Lookout Point Dam Tailrace).

\*Season totals include sampling completed on the RST project in 2023.

# **Stream Statistics**

Basic stream statistics at Lookout Dam Tailrace site were calculated from data downloaded from the U.S. Geological Survey stream gauge number 14149010. Total dissolved gas saturation or dissolved oxygen concentration measurements are not available at this stream gauge site, or any nearby stream gauges.

Gauge height (feet) is the only metric provided at this gauge. During the reporting period, daily maximum values for instantaneous gauge height ranged from 691.5 feet to 693.3 feet (mean: 692.3 feet). Figure 35 shows instantaneous gauge height.

Stream temperatures were recorded every 2 hours using temperature probes at the PWR and Spill Lookout Dam RST's during this reporting period. Temperature probes operated normally, and the data is shown below in (Figure 36 and Figure 37).

Flows through the Powerhouse and Spill during the reporting period averaged 0 to 2,934.8 cubic feet per second (cfs) (Figure 38). Catch per unit of effort (CPUE) data are summarized in Table 27. Discharge and capture data for the duration of monitoring efforts at this location are provided in Appendix B.

		Chinook	[
Description	PH 1	PH 2	Spill
Catch	4	0	1
Effort (hrs)	361.8	361.8	361.3
CPUE (fish/hr)	0.011	0	0.003

 Table 27. Summary of Chinook CPUE at Lookout Point Dam Tailrace.




Figure 35. Gauge Height (feet); below Lookout Dam.





Figure 36. Temperature at RST (Lookout Dam PWR).








Figure 38. Hourly Flows PWR vs. Spill (Lookout Dam Tailrace).

# Middle Fork Willamette – Hills Creek Dam

The RSTs in the Hills Creek Dam Tailrace began sampling under contract W9127N19D0009 on September 15, 2023. Sampling at Hills Creek Dam Tailrace prior to September 15, 2023 was conducted by EAS for the USACE under contract W9127N19D0007. This report reflects research conducted starting September 15<sup>th</sup>, 2023 but will include season totals from January 1<sup>st</sup>, 2023 onward.

#### **Target Species**

The reporting period began November 16<sup>th</sup> and ended on November 30<sup>th</sup>. There were a total of 32 Chinook salmon captured during the 15-day sampling period (Figure 39). Sampling duration was 100% of the reporting period for the RSTs. Table 28 provides life stage, length, and weight data for all Chinook salmon that have been caught at the Hills Creek Dam site to-date and Figure 40 shows length frequency data to-date.





Figure 39. Chinook Captured Per Day 11/16/2023 to 11/30/2023 (Hills Creek Dam Tailrace).



\*Figure does not include fish without heads or fish used for trapping efficiency Figure 40. Length Frequency of Juvenile Chinook Sampled in 2023 (Hills Creek Dam).

				To-D	ate (Since	ə Jan. 1, 2	023)			
Site	Route	Spacios	Life	Collected	Length (mm) <sup>*</sup>			Weight (g) <sup>*</sup>		
Sile	Roule	Species	stage	Collected	Min	Max	Mean	Min	Max	Mean
		CHS	Fry	126	31	55	35.6	N/A	N/A	N/A
Hills Creek	RO	CHS	Parr	2	61	61	61	2.5	2.5	2.5
		CHS	Smolt	32	110	273	204.4	10.7	196.3	100.1
		CHS	Fry	220	31	48	36.1	N/A	N/A	N/A
Hills Creek	PWR	CHS	Parr	1	69	69	69	4.7	4.7	4.7
		CHS	Smolt	79	96	314	174.3	7.1	290.2	68.3
				N	ovember '	16-30, 202	3			
Site	Route	Species	Life	Collected		Length (m	nm)*	Weight (g) <sup>*</sup>		
Sile	Koule	Species	stage	Conected	Min	Max	Mean	Min	Max	Mean
		CHS	Fry	0	N/A	N/A	N/A	N/A	N/A	N/A
Hills Creek	RO	CHS	Parr	1	78	78	78	4.7	4.7	4.7
		CHS	Smolt	20	110	219	190.4	10.7	111.8	80.1
		CHS	Fry	0	N/A	N/A	N/A	N/A	N/A	N/A
Hills Creek	PWR	CHS	Parr	0	N/A	N/A	N/A	N/A	N/A	N/A
*Eish that		CHS	Smolt	11	160	211	189.5	51.5	106.5	81.1

 Table 28. Descriptive Statistics of Target Species Captured at Hills Creek Dam Season

 To-Date and for the Reporting Period.

<sup>\*</sup>Fish that were missing heads are not included in length and weight calculations.

## **Trapping Efficiency**

A total of 500 juvenile Chinook were adipose clipped, left vent clipped and upper caudal clipped and released on 11/15/23 below Hills Creek PWR to evaluate the efficiency of the screw trap. A total of 47 fish were recaptured in the traps for an efficiency of 9.4%. 46 fish were recaptured at the 8 ft PWR trap for a trapping efficiency of 9.2% and 1 were captured in the RO trap for an efficiency of 0.2%.

Hills Creek Dam	Release #	Recapture #	Capture Efficiency
PWR Trap	500	46	9.2% (46/500)
RO Trap	500 (PWR Release)	1	0.2% (1/500)

A total of 503 juvenile Chinook were adipose clipped, right vent clipped and upper caudal clipped and released on 11/21/23 below Hills Creek RO to evaluate the efficiency of the screw trap. A total of 3 fish were recaptured in the traps for an efficiency of 0.6%. 0 fish were recaptured at the 8 ft PWR trap for a trapping efficiency of 0.0% and 3 were captured in the RO trap for an efficiency of 0.6%.

Hills Creek Dam	Release #	Recapture #	Capture Efficiency
PWR Trap	N/A	N/A	0.0% (0/0)
RO Trap	503 (RO Release)	3	0.6% (3/503)

A total of 504 juvenile Chinook were adipose clipped, right vent clipped and upper caudal clipped and released on 11/29/23 below Hills Creek RO to evaluate the efficiency of the screw trap. A total of 2 fish were recaptured in the traps for an efficiency of 0.4%. 0 fish were recaptured at the 8 ft PWR trap for a trapping efficiency of 0.0% and 2 were captured in the RO trap for an efficiency of 0.4%.

Hills Creek Dam	Release #	Recapture #	Capture Efficiency
PWR Trap	N/A	N/A	0.0% (0/0)
RO Trap	504 (RO Release)	2	0.4% (2/504)

#### 24-Hour Post Collection Holding Trial

15 Chinook captured in the RSTs were held during this reporting period. 8 fish were held from the PWR RST and 7 fish was held from the RO RST. 3 hold fish died from the PWR RST (37.5%). 1 of the fish from RO RST died during holding (14.3%).

# **Injuries and Copepod Infection**

There were 21 Chinook captured in the RO RST. Partial descaling <20% was observed on 6 of 21 Chinook collected at the RO RST (28.6%), and descaling >20% was observed on 15 of 21 Chinook collected (71.4%). 21 displayed body injuries (100.0%) and 4 had eye injuries (19.0%). 18 of the RO RST Chinook had copepods present in the branchial cavity (85.7%) and 9 had copepods present on fins (42.9%). There were 14 mortalities (66.7%).2 of the fish captured in the RO RST displayed Gas Bubble Disease (Level 1) (9.5%).

There were 11 Chinook captured in the Powerhouse channel RST. Partial descaling <20% was observed on 5 of the 11 Chinook collected at the PWR RSTs (45.5%). Descaling >20% was observed on 6 of the Chinook collected (54.5%). 9 PWR RST fish had bodily injury (81.1%) and 1 had eye injuries (9.1%). 11 of the fish had copepods present in the branchial cavity (100.0%) and 3 had copepods present on fins (27.3%). 1 fish displayed Gas Bubble Disease (Level 1) (9.1%). There were 3 chinook mortalities collected in the PWR RST (27.3%).

Injuries are displayed in Table 29. To date injury data can be found in Appendix A.

#### Table 29. Number of Descaled, Bodily/Eye Injured, Copepod Infected and Dead Chinook Salmon for Sampling Period. (Hills Creek Dam).

Site	Route	# CHS Collected	# DSC* <20%	# DSC* >20%	# with Body Injuries	# with Eye Injuries	# with COP* In B.C.	# with COP* on Fins	Mortalities
Hills Creek	RO	21	6	15	21	4	18	9	14
Hills Creek	PWR	11	5	6	9	1	11	3	3

\*DSC=Descaled, COP=Copepods, B.C.=Branchial Cavity

#### **Collected DNA and Scale Samples**

For the reporting period, scales and DNA were collected from 32 Spring Chinook. The other targets captured did not meet length criteria for DNA sampling or did not have a body.

#### PIT Tags

0 Spring Chinook were PIT tagged during this reporting period. The first 60 target fish per week are prioritized for the 24-Hour Post Collection Holding Study. These fish are not tagged to not bias the results of the holding study. More information regarding PIT tagged fish can be found in Appendix D.

#### **VIE Marking**

VIE tag color and locations are changed every month to distinctly mark groups of fish by capture date. The first 60 target fish per week are prioritized for the 24-Hour Post Collection Holding Study. These fish are not tagged to not bias the results of the holding study. 39 Chinook have been VIE marked with fluorescent elastomer. More information regarding VIE marked fish can be found in Appendix D.

Fish still showing an egg sac are not VIE marked.

Date Tagged	Tag Location	VIE Color	# Tagged	# Recaptured to Date
3/16/2023-3/31/2023	Head	Red	39	0

#### **Non-Target Species**

667 non-target fish were captured at Hills Creek during the reporting period; the data is summarized below in Table 30. Of the clipped Chinook captured, 48 were PIT tagged fish from bulk marked releases and 180 were adipose clipped fish that are likely from releases in Hills Creek Reservoir.

Species	RO Capture	RO Mortality	PWR Capture	PWR Mortality	Season Total*	Season Total Mortality*
Bass Unknown	3	1	2	0	20	12
Bluegill	11	3	16	6	250	119
Brook Lamprey	0	0	0	0	2	0
Brown Bullhead	0	0	0	0	8	1
Chinook (clipped)	133	53	95	54	624	344
Crappie	249	216	123	94	1497	1115
Cutthroat	0	0	0	0	3	0
Dace	0	0	1	0	37	2
Largemouth Bass	0	0	1	0	8	23
Largescale Sucker	6	1	5	1	51	8
Northern Pikeminnow	0	0	0	0	1	0
O. mykiss	0	0	10	1	83	21
O. mykiss (clipped)	0	0	0	0	19	45
Pumpkinseed	0	0	0	0	2	2
Redside Shiner	0	0	2	0	7	1
Sculpin	1	0	1	0	268	1
Smallmouth Bass	0	0	2	1	17	13
Spotted Bass	3	1	3	1	110	54
Unknown	0	0	0	0	1	1
Walleye	0	0	0	0	1	1
Totals	406	275	261	158	3009	1763

Table 30. Summary of Non-target Species (Hills Creek Dam).

\*Season totals include sampling completed on the RST project in 2023.

#### **Stream Statistics**

Basic stream statistics at the Hills Creek site were calculated from data downloaded from the U.S. Geological Survey stream gauge numbers 14145110 and 14145500. Gauge height (feet) is the only metric provided at this gauge. Total dissolved gas saturation data was received from gauge 14145500, 1.4 rkms downstream of the trap. During the reporting period, daily maximum values for instantaneous gauge height ranged from 1,224.6 feet to 1,226.6 feet (mean: 1,226.0 feet). Figure 41 shows instantaneous gauge height.

Total dissolved gas saturation ranged from 97 to 106% (mean: 102.9%) during the reporting period. Figure 42 shows total dissolved gas saturation.

Stream temperatures were recorded every two hours using temperature probes at the Hills Creek Dam RST's during this reporting period (Figure 43 and 44).

Flows through the PWR and RO during the reporting period averaged 553.4 and 1,453.3 cfs respectively (Figure 45). Catch per unit of effort (CPUE) data are summarized in Table 31. Discharge and capture data for the duration of monitoring efforts at this location are provided in Appendix B.

	Chinook				
Description	RO (5ft)	PWR (8ft)			
Catch	21	11			
Effort (hrs)	360.4	360.3			
CPUE (fish/hr)	0.058	0.031			

Table 31. Summary of Chinook CPUE, Hills Creek Dam.




Figure 41. Gauge Height (feet); below Hills Creek Dam PWR - Middle Fork Willamette River.




Figure 42. Total Dissolved Gas Saturation (%); below Hills Creek Dam – Middle Fork Willamette River.




Figure 43. Temperature at Hills Creek RST PWR (Hills Creek Dam).





Figure 44. Temperature at Hills Creek RO RST (Hills Creek Dam).





# Middle Fork Willamette River- Hills Creek Head of Reservoir

The Hills Creek Head of Reservoir RST was installed and began sampling on May 9<sup>th</sup>, 2023. Sampling concluded at this site on June 30, 2023 and the RST was removed.

#### **Target Species**

A total of 93 Spring Chinook were captured during sampling in 2023. Figure 46 shows length frequency data of captured Chinook for sampling in 2023. Table 32 provides life stage, length, and weight data for all Chinook Salmon that have been caught at the Middle Fork Willamette River- Hills Creek Head of Reservoir site to-date and for the reporting period.




Figure 46. Length Frequency of Juvenile Chinook Sampled Season To-Date (Hills Creek Head of Reservoir).

Table 32. Descriptive Statistics of Target Species Captured at Hills Creek Head of
Reservoir Season To-Date.

	To-Date (Since May 09, 2023)														
Site	Route	Species	Life	Collected	Le	ength (n	nm) <sup>.</sup>	Weight (g) <sup>.</sup>							
			stage		Min	Мах	Mean	Min	Мах	Mean					
Hills Creek		CHS	Fry	60	30	50	38.9	N/A	N/A	N/A					
Head of Reservoir	5 ft	CHS	Parr	33	38	76	52.6	1.0	6.0	2.1					
		CHS	Smolt	0	N/A	N/A	N/A	N/A	N/A	N/A					

\*Most fry are too small to collect accurate weights and thus some metrics are not available for them.

# Trapping Efficiency

On May 18<sup>th</sup>, 519 adipose clipped and PIT Tagged fish were released for a trapping efficiency trial at the Hills Creek Head of Reservoir site. 44 fish were recaptured in the RST for a trapping efficiency of 8.5%

Hills Creek Head of Reservoir	Release #	Recapture #	Capture Efficiency
5ft Trap	519	44	8.5% (44/519)

On June 19<sup>th</sup>, 760 adipose clipped and PIT Tagged fish were released for a trapping efficiency trial at the Hills Creek Head of Reservoir site. 6 fish were recaptured in the RST for a trapping efficiency of 0.79%.

Hills Creek Head of Reservoir	Release #	Recapture #	Capture Efficiency
5ft Trap	760	6	0.8%
on nap	100	Ū	(6/760)

# PIT Tags and VIE Marking

A total of 3 fish were PIT tagged and 71 fish were VIE marked at the Hills Creek Head of Reservoir-Middle Fork Willamette site in 2023. No tagged or VIE marked fish were redetected downstream. Table 33 provides a summary of VIE marked fish at the Hills Creek Head of Reservoir- Middle Fork Willamette River site.

# Table 33. Summary of VIE marked Chinook at the Hills Creek Head of Reservoir- Middle Fork Willamette site in 2023.

Date Tagged	Species	Tag Location	VIE Color	# Tagged	# Recaptured to Date
5/1/2023-5/30/2023	Chinook	Left Dorsal	Orange	19	0
5/1/2023-5/30/2023	Chinook	Right Dorsal	Orange	11	0
6/1/2023-6/30/2023	Chinook	Left Dorsal	Pink	37	0
6/1/2023-6/30/2023	Chinook	Right Dorsal	Pink	4	0

#### Non-Target Species

A total of 232 non-target species fish were captured during sampling in 2023; the data is summarized below in Table 34.

Species	Season Total	Season Total Mortality
Dace	87	1
Cutthroat Trout	2	0
O. mykiss	26	0
Bull Trout	1	0
Brook Lamprey	18	2
Sculpin	20	1
Largescale Sucker	64	1
Mountain Whitefish	2	0
Redside Shiner	12	0
Totals	232	5

# Table 34. Summary of Non-target Species (Hills Creek Head of Reservoir).

## **Issues Encountered**

None.

# Upcoming USACE Support Services

None at this time.

# Appendix A Chinook (CHS) To-Date

							Chi	nook In	juries	to-	date												
		MUNK	2						-			_				_			0		~		
ite/Trap/Life Stage	Total Fish	MU	DS<2	BLO	EYB	FUN	BKD	COP	DS>2	PRD	FID	HBO	BO	위	BVT	HBP	BRU	TEA	OPD	NIH	FVB	POP	GBD
Big Cliff Dam	1927		1179	16	135	19	16	1451	435	7	1093	6	17	5	66	12	141	78	239	110	124	25	86
8ft	1927		1179	16	135	19	16	1451	435	7	1093	6	17	5	66	12	141	78	239	110	124	25	86
Adult	1		1								1						1	1	1		1		
Parr	40		14	1	4	2		20	5		14					2			1	1		1	
Smolt	1755		1159	15	129	17	15	1431	429	7	1075	6	17	3	65	10	137	74	236	106	123	21	84
Unknown	2													2								1	
Fry	129		5		2		1		1		3				1		3	3	1	3		2	2
Breitenbush River	377		304	1	1	9		66	9	3	181				1		11	10		2	4	1	
5 ft	377		304	1	1	9		66	9	3	181				1		11	10		2	4	1	
Parr	220		171	1		7		39	6	2	97						7	8			1	1	
Smolt	147		133		1	2		27	3	1	81				1		4	2		2	3		
Fry	10										3												
Detroit HOR	10141	1	710	10	15	9		51	47	16	461	2		1	33		67	52	46	38	48	19	
5 ft	10141	1		10	15	9		51	47	16	461	2		1	33		67	52	46	38	48		
Parr	811	_	494	9	4	8		30	34	4	309	2		_	15		8	22	7	12		10	
Smolt	210		189	1		1		21	5	3	102	_			1		4	3	1	1	J		
Fry	9120	1		-	11	-			8	9	50			1	17		55	27	38	25	43	9	
Green Peter HOR	24	-	3						U	5	3			-	17		55	27	50	1	13	5	
5 ft	24		3								3									1			
Smolt	3	_	3								2					-				-			_
Fry	21		J								1									1			
Fall Creek Dam Tail.	151		43	1	5	1		63	51		87		1		13	1	11	6	13	11	17		9
8ft	151		43	1	5	1		63	51		87		1		13	1		6	13	11	17		9
			_	1		1		03	21						13	1	11				1/	_	2
Parr	8		2	1	1	1		62	F 4		2		1			1	10	1	1	1	17		2
Smolt	89		38 3	1	3	1		63	51		82		1		12	1	10	5	11	8	17		/
Fry	54				1			25			3						1		1	2	22		10
Lookout Dam Tail.	145		71	1	21	2	5	35	55		98				7	2	14	9	22	19	23		18
PH 1	46		19	1	8	1	1	15	20		34				5	2	9	4	9	7	5		6
Parr	4		1		1	4	4	45	2		2				-	1	1		1	-	-	_	-
Smolt	41		18	1	7	1	1	15	18		32				5	1	8	4	8	7	5	_	6
Fry	1																			_		_	
PH 2	29		16		6		1	3	9		20				1		2	3	2	5	3	_	_
Parr	9		6		4				3		7						1	1	1	3			
Smolt	16		10		2		1	3	5		13				1		1		1	1	2		
Fry	4								1									2		1	1		
Spill	70		36		7	1	3	17	26		44				1		3	2	11	7	15	3	12
Parr	8		2						4		3												
Smolt	60		33		6	1	3	17	22		40				1		3	2	11	7	15	3	12
Fry	2		1		1						1												
Hills Creek Dam	600				40			217	125		173		14		83	12		14	54		53		33
RO	244	2		2	15			100	55		68		8		36	7		4	26	19	17	4	11
Parr	8		3					1			1						1						
Smolt	110	1			14			99	55		65		8		36	7		4	24	16	16		11
Fry	126	1			1						2						3		2	3	1		
PH	356		65	1	25	1	_	117	70		105	2	6	3	47	5	31	10	28	17	36	4	22
Parr	8		5					2	1		1					1				1	1		
Smolt	128		55	1	21	1		115	69		99	2	6	3		4		5	24	14	35		22
Fry	220		5		4						5				5		6	5	4	2		3	
Hills Creek HOR	93																						
5 ft	93		6							1	2												
Parr	33		4							1	2												
Fry	60		2																				

		Chinook	njurie	s During	Reporti	ng Perio	11-16-20	)23 to 11-	30-2023						
ite/Trap/Life Stage	Total Fish	DS<2 BLO	EYB	FUN BKD		DS>2 PRD				BRU	TEA	OPD	NIN	FVB	GBD
Big Cliff Dam															4
8 ft	11	6	1		9	5	10	1	1		2	2			4
Smolt	11	6	1		9	5	10	1	1		2	2			4
Breitenbush River															
5 ft	4	3			1		2								
Parr	3	3			1		2								
Smolt	1														
Detroit HOR	55	45 2					19								
5 ft	55	45 2	2		3	4	19		3		3	2	3		
Fry	1						1								
Parr	47	38 2	2		3	4	18		3		2	2	3		
Smolt	7	7									1				
Lookout Dam Tailrace															1
PH 1	4	2				1	4								1
Smolt	4	2				1	4								1
Spill	1	1					1								
Smolt	1	1					1								
Hills Creek Dam															3
PH	11	5	1	1	11	6	9		4	1	L	1	2	6	1
Smolt	11	5	1	1	11	6	9		4	1	L	1	2	6	1
RO	21	62	4		19	15	21	1	6	1 2	2 2	7	9	7	2
Parr	1	1					1								
Smolt	20	5 2	4		19	15	20	1	6	1 2	2 2	7	9	7	2

# Chinook (CHS) During Reporting Period


# Steelhead (O. mykiss) To Date

						(	). m	ykiss l	njurie	s to-	date												
ite/Trap/Life Stage	Total Fish	MUNK	DS<2	BLO	EYB	FUN	BKD	СОР	DS>2	PRD	FID	HBO	BO	ЮН	BVT	НВР	BRU	TEA	OPD	NIH	FVB	POP	GBD
Big Cliff Dam	355		57					52	22		75						15		17	16	12		13
8 ft	355	1	57	4	7	4	6	52	22	1	75	1	1		6		15	7	17	16	12	3	13
Adult	1								1		1		1										
Parr	59	1	13	4	1	1	1	1			18						2	1	1	1	1		1
Smolt	65		39		6	3	5	51	21		51	1			6		10	5	15	15	11	3	11
Fry	230		5							1	5						3	1	1				1
Breitenbush River	361																						
5 ft	361	1	14					3	3		16				1		2	2	3	1	1		
Parr	37		8					2	2		10						2	2			1		
Smolt	8		6					1	1		5				1				2				
Fry	316	1									1								1	1			
Detroit HOR																							1
5 ft	589	2	13	1	5	1		1	5	2	17				1		6	3	4	6	2	2	1
Parr	34		8	1					1		8						1	1		1			
Smolt	4		3			1		1	1	1	3							1		1	1	1	
Fry	551	2	2		5				3	1	6				1		5	1	4	4	1	1	1
Green Peter HOR																							
5 ft	1																						
Fry	1																						

		O. mykiss	Injuries Dur	ing Report	ing Period	11-16-2023	to 11-30-2	023		
ite/Trap/Life Stage	Total Fish	DS<2 BLO	EYB FUN	BKD COP	DS>2 PRD	FID HBO	BVT	HBP BRU	OPD	FVB POP GBD
Breitenbush River										
5 ft	3	2		2		2			1	
Parr	2	1		1		1				
Smolt	1	1		1		1			1	
Detroit HOR										
5 ft	1	1				1				
Parr	1	1				1				


# Steelhead (O. mykiss) During Reporting Period


Appendix B Big Cliff Dam Operational and Capture Data Since Start of Monitoring






Breitenbush River Operational and Capture Data Since Start of Monitoring






Detroit Head of Reservoir-North Santiam River Operational and Capture Data Since Start of Monitoring







Green Peter Head of Reservoir-Middle Santiam River Operational and Capture Data Since Start of Monitoring



Lookout Dam Operational and Capture Data Since Start of Monitoring




Hills Creek Dam Operational and Capture Data Since Start of Monitoring



Hills Creek Head of Reservoir-Middle Fork Willamette River Operational and Capture Data Since Start of Monitoring

Detroit and Big Cliff Forebay Elevations vs. Niagara Total Dissolved Gases



# Appendix C

Release Location	Date of Release	# of Fish Released	# of Fish Recaptured	% Efficiency
Breitenbush River	6/21/2023	749	53	7.10%
Breitenbush River	7/6/2023	763	25	3.30%
Breitenbush River	8/2/2023	791	12	1.50%
Breitenbush River	9/20/2023	756	7	0.90%
Breitenbush River	10/5/2023	789	18	2.30%
Breitenbush River	10/25/2023	750	51	6.80%
Breitenbush River	11/10/2023	750	152	20.3%
Breitenbush River	11/21/2023	900	55	6.1%
Big Cliff Dam Tailrace*	12/22/2021	997	39	3.90%
Big Cliff Dam Tailrace*	5/25/2022	995	21	2.10%
Big Cliff Dam Tailrace*	8/9/2022	1000	92	9.20%
Big Cliff Dam Tailrace*	9/30/2022	995	48	4.80%
Big Cliff Dam Tailrace*	10/13/2022	500	15	3.00%
Big Cliff Dam Tailrace*	10/24/2022	535	25	4.70%
Big Cliff Dam Tailrace*	11/2/2022	949	40	4.20%
Big Cliff Dam Tailrace*	11/16/2022	509	15	2.90%
Big Cliff Dam Tailrace*	12/14/2022	502	60	12.00%
Big Cliff Dam Tailrace*	12/19/2022	1010	92	9.10%
Big Cliff Dam Tailrace*	12/21/2022	1010	33	3.30%
Big Cliff Dam Tailrace*	12/27/2022	704	47	6.70%
Big Cliff Dam Tailrace*	12/29/2022	452	22	4.90%
Big Cliff Dam Tailrace*	1/25/2023	500	56	11.20%
Big Cliff Dam Tailrace*	2/17/2023	499	37	7.40%
Big Cliff Dam Tailrace*	3/7/2023	2,968	61	2.10%
Big Cliff Dam Tailrace*	3/10/2023	541	112	20.70%
Big Cliff Dam Tailrace*	4/28/2023	498	34	6.80%
Big Cliff Dam Tailrace*	5/23/2023	500	6	1.20%
Big Cliff Dam Tailrace*	6/21/2023	500	8	1.60%
Big Cliff Dam Tailrace*	7/5/2023	500	33	6.60%
Big Cliff Dam Tailrace*	8/3/2023	474	42	8.90%
Big Cliff Dam Tailrace*	9/19/2023	424	64	15.1
Big Cliff Dam Tailrace*	10/6/2023	500	56	11.20%
Big Cliff Dam Tailrace	10/25/2023	633	99	15.60%
Big Cliff Dam Tailrace	11/16/2023	527	0	0.0%
Big Cliff Dam Tailrace	11/21/2023	500	30	6.0%
	11/21/2023	500	30	0.078
Detroit Head of Reservoir- North Santiam River	6/6/2023	540	28	5.00%
Detroit Head of Reservoir- North Santiam River	6/20/2023	750	61	4.60%
Detroit Head of Reservoir- North Santiam River	7/6/2023	750	13	1.70%
Detroit Head of Reservoir- North Santiam River	8/2/2023	750	13	2.50%
Detroit Head of Reservoir- North Santiam River	9/6/20203	700	19	2.70%
Detroit Head of Reservoir- North Santiam River	10/5/2023	750	24	3.20%
Detroit Head of Reservoir- North Santiam River		757	72	9.50%
Detroit Head of Reservoir- North Santiam River	10/25/2023	813		
	11/10/2023		91	11.2%
Detroit Head of Reservoir- North Santiam River	11/21/2023	1,014	111	10.9%
Green Peter Head of Reservoir- Middle Santiam	6/7/2023	1,000 (dead fish)	0	0%
Green Peter Head of Reservoir- Middle Santiam	6/7/2023	750	1	0.10%
Green Peter Head of Reservoir- Middle Santiam	7/28/2023	750	0	0%
Green Peter Head of Reservoir- Middle Santiam	8/30/2023	749	0	0%
Green Peter Head of Reservoir- Middle Santiam	9/27/2023	741	0	0%
Green Peter Head of Reservoir- Middle Santiam	10/11/2023	750	0	0%
Green Peter Head of Reservoir- Middle Santiam	10/31/2023	750	0	0%
Green Peter Head of Reservoir- Middle Santiam	10/31/2023	1,000 (dead fish)	0	0%
Green Peter Head of Reservoir- Middle Santiam	11/15/2023	749	N/A	N/A
Fall Creek Dam Regulating Outlet*	6/8/2022	517	11	2.10%
Fall Creek Dam Regulating Outlet*	6/30/2022	513	0	0%
Fall Creek Dam Regulating Outlet*	7/13/2022	498	0	0%
Fall Creek Dam Regulating Outlet*	5/11/2023	998	0	0%

Fall Creek Dam Regulating Outlet*	6/28/2023	992	0	0%
Fall Creek Dam Regulating Outlet	10/3/2023	1,020	0	0%
Fall Creek Dam Regulating Outlet	10/17/2023	1,011	14	13.80%
Lookout Dam Powerhouse*	4/13/2022	998	0	0%
Lookout Dam Powerhouse*	5/23/2023	3,999	32	0.80%
Lookout Dam Powerhouse*	6/1/2023	4,011	6	0.10%
Lookout Dam Powerhouse*	6/14/2023	4,010	4	0.10%
Lookout Dam Powerhouse*	6/28/2023	4,010	3	0.10%
Lookout Dam Powerhouse*	7/18/2023	4,012	1	0.02%
Lookout Dam Spillway	9/13/2023	3,636	0	0.00%
Lookout Dam Spillway	9/14/2003	3,998	0	0.00%
Lookout Dam Spillway	10/25/2023	4,042	0	0.00%
Lookout Dam Spillway	11/16/2023	4,005	12	0.30%
Hills Creek Dam Powerhouse*	1/6/2022	596	20	3.40%
Hills Creek Dam Regulating Outlet*	1/6/2022	605	13	2.10%
Hills Creek Dam Powerhouse*	2/16/2022	600	12	2.00%
Hills Creek Dam Regulating Outlet*	2/16/2022	593	19	3.20%
Hills Creek Dam Powerhouse*	2/25/2022	604	6	1.00%
Hills Creek Dam Regulating Outlet*	2/25/2022	625	6	1.00%
Hills Creek Dam Powerhouse*	12/7/2022	514	29	5.60%
Hills Creek Dam Regulating Outlet*	12/13/2022	516	1	0.20%
Hills Creek Dam Powerhouse- RO Trial*	1/6/2022	596	5	0.80%
Hills Creek Dam Powerhouse- RO Trial*	2/16/2022	600	0	0%
Hills Creek Dam Powerhouse- RO Trial*	2/25/2022	604	1	0.20%
Hills Creek Dam Powerhouse- RO Trial*	12/7/2022	514	3	0.60%
Hills Creek Dam Powerhouse*	2/25/2023	519	15	2.90%
Hills Creek Dam Powerhouse- RO Trial*	2/25/2023	519	0	0%
Hills Creek Dam Regulating Outlet*	2/25/2023	478	0	0%
Hills Creek Dam Powerhouse*	4/26/2023	506	62	12.3%
Hills Creek Dam Powerhouse- RO Trial*	4/26/2023	506	12	2.4%
Hills Creek Dam Powerhouse*	5/17/2023	505	57	11.3%
Hills Creek Dam Powerhouse- RO Trial*	5/17/2023	505	2	0.4%
Hills Creek Dam Powerhouse*	6/3/2023	508	36	7.1%
Hills Creek Dam Powerhouse- RO*	6/3/2023	508	2	0.4%
Hills Creek Dam Regulating Outlet*	6/13/2023	760	0	0%
Hills Creek Dam Powerhouse*	6/27/2023	507	22	4.3%
Hills Creek Dam Powerhouse- RO Trial*	6/27/2023	507	0	0%
Hills Creek Dam Powerhouse	9/27/2023	510	10	2.0%
Hills Creek Dam Powerhouse	10/31/2023	503	8	1.6%
Hills Creek Dam Powerhouse	11/15/2023	500	47	9.4%
Hills Creek Dam Regulating Outlet Route	11/21/2023	503	3	0.6%
Hills Creek Dam Regulating Outlet Route	11/29/2023	504	2	0.4%
Hills Creek Head of Reservoir- MF Willamette	5/18/2023	519	44	8.5%
Hills Creek Head of Reservoir- MF Willamette	6/19/2023	760	7	0.9%

\*Releases performed under the USACE RST contract

Site	Тгар	Species	# of PIT Tagged Fish
Breitenbush River	5 ft	Chinook	4
Breitenbush River	5 ft	O. mykiss	3
Detroit Head of Reservoir – North Santiam River	5 ft	Chinook	49
Detroit Head of Reservoir – North Santiam River	5 ft	O. mykiss	1
Green Peter Head of Reservoir – Middle Santiam River	5 ft	Chinook	1
Green Peter Head of Reservoir – Middle Santiam River	5 ft	O. mykiss	0
Fall Creek Dam Tailrace	8 ft	Chinook	0
Lookout Dam Tailrace	Spill	Chinook	0
Lookout Dam Tailrace	PWR	Chinook	0
Hills Creek Dam	RO	Chinook	0
Hills Creek Dam	PWR	Chinook	0
Hills Creek Head of Reservoir	5 ft	Chinook	0

## Appendix D Summary of PIT Tagged Fish for Reporting Period

### Summary of EAS VIE Marked Fish for Reporting Period

VIE Mark Code HOO HOO RDOO RDOO	Species Chinook O. mykiss Chinook	# VIE 0 0 3
HOO RDOO	O. mykiss Chinook	0
RDOO	Chinook	-
	-	3
RDOO		
	O. mykiss	0
RDOO	Chinook	0
RDOO	O. mykiss	0
POO	Chinook	0
POO	Chinook	0
HOO	Chinook	0
HOO	Chinook	0
LDOO	Chinook	0
	RDOO RDOO POO POO HOO HOO	RDOOChinookRDOOO. mykissPOOChinookPOOChinookHOOChinookHOOChinookHOOChinook

RDOO denotes location and color (Right Dorsal Orange (two stripes))

### List of Captured Fish Containing PIT Tags This Season

Site	Trap	PIT Tag	Date	Species		
Detroit Head of Reservoir- North Santiam River	5 ft	3D6.15348426D4	7/1/2023	Chinook		
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E55AB07	7/19/2023	Chinook		
Breitenbush River	5 ft	3DD.003BD22BF1	9/15/2023	Chinook		
Breitenbush River	5 ft	3DD.003BEE1A9E	9/15/2023	Chinook		
Breitenbush River	5 ft	3DD.003BD22BF3	9/15/2023	Chinook		
Hills Creek Dam	PH	3D6.1534831A94	9/16/2023	Chinook		
Hills Creek Dam	PH	3D6.153484353B	9/20/2023	Chinook		
Hills Creek Dam	RO	3D6.1534803019	9/21/2023	Chinook		
Hills Creek Dam	PH	3D6.1534831FE7	9/23/2023	Chinook		
Hills Creek Dam	PH	3D6.1534843B57	9/25/2023	Chinook		
Hills Creek Dam	PH	3D6.15347FF81F	9/25/2023	Chinook		

Hills Creek Dam	PH	3D6.15347FE8E5	9/25/2023	Chinook
Hills Creek Dam	PH	3D6.15347FEC09	9/25/2023	Chinook
Hills Creek Dam	PH	3D6.15347FEDD1	9/25/2023	Chinook
Hills Creek Dam	PH	3D6.1534802DEB	9/25/2023	Chinook
Hills Creek Dam	PH	3D6.15347FEAD8	9/26/2023	Chinook
Hills Creek Dam	PH	3D6.1534801912	9/26/2023	Chinook
Hills Creek Dam	PH	3D6.1534843157	10/2/2023	Chinook
Hills Creek Dam	PH	3D6.15347FE7D3	10/3/2023	Chinook
Hills Creek Dam	PH	3D6.15348436D8	10/7/2023	Chinook
Hills Creek Dam	PH	3D6.153484327C	10/8/2023	Chinook
Hills Creek Dam	PH	3D6.1534801D95	10/11/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55D505	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56A70B	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DABAF5	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAA9F7	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC83B	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC1D1	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55E742	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DABD24	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5709C9	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56A3F3	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E571517	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56CB3D	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DACD84	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56A6DD	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55CD06	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C1028	11/8/2023	Chinook
Big Cliff Dam	8 ft	3DD.003E4B7697	11/1/2023	Chinook
Hills Creek Dam	RO	3D6.1534831225	11/12/2023	Chinook
Hills Creek Dam	PH	3DD.003E561305	11/12/2023	Chinook
Hills Creek Dam	PH	3DD.003E560FCF	11/12/2023	Chinook
Hills Creek Dam	PH	3DD.003E56D38C	11/12/2023	Chinook
Hills Creek Dam	PH	3DD.003E4C2FB6	11/12/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55CC0F	11/12/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E561590	11/12/2023	Chinook
Hills Creek Dam	PH	3D6.1534832028	11/12/2023	Chinook
Hills Creek Dam	PH PH	3DD.003E56D3D1 3DD.003E56CBFB	11/14/2023 11/14/2023	Chinook Chinook
Hills Creek Dam				
Fall Creek Dam Tailrace	8 ft	3DD.003E55D9EA	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E570FA2	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C1F04	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56A322	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55D61B	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5618BA	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C32EA	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C37F0	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56A8F0	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C1149	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAAAF3	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC075	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB7C0	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB25C	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DACC85	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DABED4	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB7DD	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E560D96	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C07AF	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5675D4	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E570C75	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C32CC	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56AB78	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C2D42	11/7/2023	Chinook
	8 ft	3DD.003E571846	11/7/2023	Chinook
Fall Creek Dam Tailrace				

			,	
Fall Creek Dam Tailrace	8 ft	3DD.003E560653	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4FE360	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56DC1F	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56CA5F	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55EBB0	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DABD4E	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DACDA9	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC2E2	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB7FF	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB11F	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC1EE	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C197A	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56A57E	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAAE4F	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAAE3F	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB58A	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC847	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C11B1	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DABF7F	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5607BA	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C0B70	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB8EF	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56D174	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAA8FC	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5668B6	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C10AD	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC2D1	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5610BD	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB11A	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C0CB3	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4FB050	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56ADEC	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DACCF8	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56D11F	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E570D34	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3D6.1534844186	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C03F2	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DACA6E	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC5A4	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB8DF	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E566C8A	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3D6.15348461BE	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC5D6	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB354	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C3CCD	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5613D7	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC402	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5675BA	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAA98F	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAACEA	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56B33D	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB610	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DABE70	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC4F7	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DA0417 3DD.0078DAA831	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC668	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55EA8F	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E57160E	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E567343	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E570137	11/8/2023	Chinook
Fall Creek Dam Tailrace Fall Creek Dam Tailrace	8 ft	3DD.003E4C0C6B	11/8/2023	Chinook
	8 ft	3DD.003E4C3699	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55CD9A	11/8/2023	Chinook

Fall Creek Dam Tailrace	8 ft	3DD.003E56FB54	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E570FFD	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56F9AB	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5617C9	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C1800	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55E473	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C0635	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C199A	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC872	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56FB67	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56DBB3	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55D132	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5715AA	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E560F91	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C0915	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56DA13	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55EB40	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C08D9	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E560802	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55CC8D	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DACCC8	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAACBB	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55E91D	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5615E7	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0032301327	11/8/2023	Chinook
Fall Creek Dam Tailrace				
	8 ft	3DD.0078DABB7E	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C209C	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55E63E	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC519	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC33B	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C3A58	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E560CBB	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56702E	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5594DB	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E560CA5	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56C9C6	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC534	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB97A	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E570EF6	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB627	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C3B16	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DABF08	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56C96B	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C3553	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E560FC6	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E567764	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C17C1	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56D292	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C02A0	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB63A	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB65A	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5712F1	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56B4BF	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55EA8E	11/8/2023	Chinook
Fall Creek Dam Tailrace			11/8/2023	Chinook
	8 ft	3DD.003E4C11A0		
Fall Creek Dam Tailrace	8 ft	3DD.003E566B7C	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C20D3	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5595A3	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E567AFC	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E57087E	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DABA25	11/8/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DACD76	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56FAB2	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E57045F	11/7/2023	Chinook

Fall Creek Dam Tailrace	8 ft	3DD.003E55BF4D	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB808	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56D8CC	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB9EF	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55D137	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E559746	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56CDC6	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56FAA7	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55E8D8	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB800	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DACCDD	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C272D	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56AB33	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55F087	11/7/2023	Chinook
Hills Creek Dam	PH	3D6.153484365C	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56CB66	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56FE73	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56112C	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E560A87	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E566E76	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56794D	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E560CC8	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5670CD	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E566E5C	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAA970	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC760	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DABCEC	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55CD01	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C1AEA	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DABACE	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E570E4A	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C0280	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E570F70	11/9/2023	Chinook
	8 ft	3DD.003E570F70 3DD.0078DAC0A3	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft			Chinook
Fall Creek Dam Tailrace	-	3DD.003E4C2629	11/9/2023	
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC9FE	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5607A6	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56A58C	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56CD95	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56B533	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5677FF	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E561579	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C325D	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C0DFF	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAAB31	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55EE31	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DACA19	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C12A5	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC4E6	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C1014	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56794E	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB248	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55ECA6	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C36C5	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C179B	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C3471	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E560A8B	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C27F4	11/9/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E5614B2	11/11/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DABC4A	11/11/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C216D	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C210D	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C20C5 3DD.0078DACBA5	11/10/2023	Chinook

			1	
Fall Creek Dam Tailrace	8 ft	3DD.003E55CCFD	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55EE4C	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC605	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E567528	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E566996	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E567127	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56690A	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56A6CD	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E566AAD	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C0E18	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C35E4	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C30E8	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C1E94	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55D559	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3D6.1534841A6D	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56F9EB	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56767E	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DACA96	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC3D3	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C0523	11/10/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E571893	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56138C	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C37C0	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56D6B9	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56D456	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C08BD	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55E62D	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C10E4	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E560B49	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56CE9E	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E560CF5	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56A3ED	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56D0D4	11/6/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E570A1B	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55D664	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56B0FB	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E559570	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E57034B	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C15A0	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C0B8E	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAADCC	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E560E01	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56A5C6	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55949D	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E55D2A8	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E561838	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C2C35	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C263E	11/7/2023	Chinook
	8 ft	3DD.003E56A6D5	11/7/2023	Chinook
Fall Creek Dam Tailrace				Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C115F	11/7/2023	
Fall Creek Dam Tailrace	8 ft	3DD.003E56A9ED	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56CF9B	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C0CA8	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAA96F	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAB374	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAC143	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DABFEA	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAAEF1	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAAEBC	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DACB88	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAA8FF	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.0078DAACA8	11/7/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56DCBE	11/7/2023	Chinook

			4.4.15.100.000	
Fall Creek Dam Tailrace	8 ft	3DD.003E56D7B9	11/5/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E570B68	11/5/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E561550	11/5/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C2767	11/5/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E4C0ACD	11/5/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E56D951	11/5/2023	Chinook
Fall Creek Dam Tailrace	8 ft	3DD.003E559665	11/7/2023	Chinook
Lookout Dam Tailrace	Spill	3DD.003E55DE30	11/13/2023	Chinook
Lookout Dam Tailrace	PH 1	3DD.003E4C37AA	11/13/2023	Chinook
Lookout Dam Tailrace	PH 1	3DD.0078DAA7B5	11/13/2023	Chinook
Dexter Dam Tailrace	5 ft	3DD.003E56A3C5	11/14/2023	Chinook
Dexter Dam Tailrace	5 ft	3DD.003E4C249E	11/1/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3D6.1534844B29	11/19/2023	Chinook
Dexter Dam Tailrace	5 ft	3DD.003E56A330	11/19/2023	Chinook
Dexter Dam Tailrace	5 ft	3DD.0078DAC060	11/19/2023	Chinook
Dexter Dam Tailrace	5 ft	3DD.003E55D6DE	11/19/2023	Chinook
Dexter Dam Tailrace	5 ft	3DD.003E4C0DF2	11/21/2023	Chinook
Dexter Dam Tailrace	5 ft	3DD.003E56D5D8	11/21/2023	Chinook
Hills Creek Dam	PH	3DD.003E56A8D8	11/18/2023	Chinook
Hills Creek Dam	PH	3DD.003E4C09BB	11/19/2023	Chinook
Hills Creek Dam	PH	3DD.003E56FE90	11/19/2023	Chinook
Hills Creek Dam	PH	3DD.003E4C205A	11/19/2023	Chinook
		3DD.003E4C28B0		Chinook
Hills Creek Dam	PH		11/20/2023	
Hills Creek Dam	PH	3DD.003E55EDC8	11/21/2023	Chinook
Hills Creek Dam	PH	3DD.0078DAAB36	11/22/2023	Chinook
Hills Creek Dam	PH	3DD.003E55E965	11/22/2023	Chinook
Hills Creek Dam	PH	3D6.15348320AC	11/23/2023	Chinook
Hills Creek Dam	PH	3DD.0078DAC035	11/30/2023	Chinook
Hills Creek Dam	RO	3DD.003E4C0DD9	11/18/2023	Chinook
Hills Creek Dam	RO	3DD.003E56FCE4	11/19/2023	Chinook
Hills Creek Dam	RO	3DD.003E56FF42	11/19/2023	Chinook
Hills Creek Dam	RO	3DD.003E56CE15	11/19/2023	Chinook
Hills Creek Dam	RO	3DD.0078DAA7AA	11/19/2023	Chinook
Hills Creek Dam	RO	3DD.003E56FE90	11/19/2023	Chinook
Hills Creek Dam	RO	3DD.0078DAAB2C	11/20/2023	Chinook
Hills Creek Dam	RO	3DD.003E55F226	11/20/2023	Chinook
Hills Creek Dam	RO	3DD.003E55E2B6	11/20/2023	Chinook
Hills Creek Dam	RO	3DD.003E56A57D	11/21/2023	Chinook
Hills Creek Dam	RO	3DD.003E4C27AA	11/22/2023	Chinook
Hills Creek Dam	RO	3DD.003E56B55B	11/22/2023	Chinook
Hills Creek Dam	RO	3DD.003E56D88D	11/22/2023	Chinook
Hills Creek Dam	RO	3DD.003E55D018	11/22/2023	Chinook
Hills Creek Dam	RO	3DD.003E560F93	11/22/2023	Chinook
Hills Creek Dam	RO	3D6.1534831FB9	11/22/2023	Chinook
Hills Creek Dam	RO	3DD.003E55EBEE	11/23/2023	Chinook
Hills Creek Dam	RO	3DD.003E571151	11/23/2023	Chinook
Hills Creek Dam	RO	3DD.0078DAB278	11/23/2023	Chinook
Hills Creek Dam	RO	3DD.0078DAB278 3DD.003E4FD039	11/23/2023	Chinook
	RO	3DD.003E4FD039 3D6.15347FE992	11/23/2023	
Hills Creek Dam				Chinook
Hills Creek Dam	RO	3DD.003E5710B4	11/23/2023	Chinook
Hills Creek Dam	RO	3DD.003E55E76C	11/23/2023	Chinook
Hills Creek Dam	RO	3DD.003E5607F4	11/24/2023	Chinook
Hills Creek Dam	RO	3DD.003E55D20C	11/24/2023	Chinook
Hills Creek Dam	RO	3DD.0078DAC6DE	11/25/2023	Chinook
Hills Creek Dam	RO	3DD.003E560763	11/25/2023	Chinook
Hills Creek Dam	RO	3DD.003E55E151	11/25/2023	Chinook
Hills Creek Dam	RO	3DD.003E55EDD9	11/26/2023	Chinook
Hills Creek Dam	RO	3DD.003E4C36E6	11/26/2023	Chinook
Hills Creek Dam	RO	3DD.003E4C1169	11/28/2023	Chinook
Hills Creek Dam	RO	3DD.003E55CD3D	11/28/2023	Chinook
Hills Creek Dam	RO	3DD.003E4C108E	11/28/2023	Chinook
Hills Creek Dam	RO	3DD.003E56FB62	11/28/2023	Chinook
		3DD.003E4C2F21	11/29/2023	Chinook
Hills Creek Dam	RO	311111136402621	11/24/2023	

Hills Creek Dam	RO	3DD.003E4C0B6F	11/30/2023	Chinook
Hills Creek Dam	RO	3DD.0078DAC13E	11/30/2023	Chinook
Lookout Dam Tailrace	PH 1	3D6.15348434DD	11/23/2023	Chinook
Lookout Dam Tailrace	Spill	3DD.003E560829	11/16/2023	Chinook
Lookout Dam Tailrace	Spill	3DD.0078DACE36	11/16/2023	Chinook
Lookout Dam Tailrace	Spill	3DD.003E4C33FA	11/23/2023	Chinook
Lookout Dam Tailrace	Spill	3DD.0078DAAFD4	11/25/2023	Chinook

### List of EAS PIT Tagged Fish for Reporting Period

Site	Trap	PIT Tag	Date	Species
Breitenbush River	5 ft	3DD.003E527B79	11/16/2023	Chinook
Breitenbush River	5 ft	3DD.003E527B7B	11/17/2023	O. mykiss
Breitenbush River	5 ft	3DD.003E527BA6	11/18/2023	Chinook
Breitenbush River	5 ft	3DD.003E527B8D	11/20/2023	O. mykiss
Breitenbush River	5 ft	3DD.003E527BB9	11/26/2023	O. mykiss
Breitenbush River	5 ft	3DD.003E527B90	11/27/2023	Chinook
Breitenbush River	5 ft	3DD.003E527BB6	11/27/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B6D	11/16/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B71	11/16/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B60	11/16/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B96	11/16/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B9A	11/16/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BA1	11/16/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B99	11/17/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B77	11/17/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B98	11/17/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B83	11/17/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BB3	11/18/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BA0	11/19/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BB1	11/19/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BA8	11/20/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B66	11/20/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B9B	11/20/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BAC	11/20/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BBA	11/20/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BA4	11/20/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BA5	11/22/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B73	11/22/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B9F	11/22/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B65	11/22/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B7C	11/22/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B9D	11/22/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B89	11/22/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B97	11/22/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B82	11/23/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B9C	11/24/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B6C	11/25/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B88	11/25/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B9E	11/25/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BBB	11/25/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B6B	11/25/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B76	11/25/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B7F	11/25/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B63	11/25/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BB8	11/26/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B8E	11/26/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B5E	11/26/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B64	11/27/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BAF	11/27/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BAA	11/27/2023	Chinook

Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B94	11/27/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B85	11/29/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527BB0	11/29/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B8B	11/29/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B67	11/30/2023	O. mykiss
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B61	11/30/2023	Chinook
Detroit Head of Reservoir- North Santiam River	5 ft	3DD.003E527B95	11/30/2023	Chinook
Green Peter Head of Reservoir- Middle Santiam River	5 ft	3DD.003E52844D	11/22/2023	Chinook